

**MOTION SICKNESS RELIEF- dimenhydrinate tablet**  
**Walgreen Company**

-----  
**Walgreens 44-198**

***Active ingredient (in each tablet)***

Dimenhydrinate 50 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

***Warnings***

**Do not use**

for children under 2 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

adults and children 12 years and over	1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	½ to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	½ tablet every 6-8 hours; do not exceed 1½ tablets in 24 hours, or as directed by a doctor

### **Other information**

- **each tablet contains:** calcium 35 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

### **Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

### **Questions or comments?**

**1-800-426-9391**

### **Principal display panel**

NDC 0363-1980-08

### **Walgreens**

Compare to the active ingredient in Dramamine® Original Formula<sup>††</sup>

**WALGREENS PHARMACIST RECOMMENDED<sup>†</sup>**

### **Motion Sickness Relief**

**DIMENHYDRINATE TABLETS, 50 mg / ANTIEMETIC**

- For children & adults
- Prevents nausea, dizziness & vomiting

**24 TABLETS**

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

††This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Original Formula.

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. 50844 ORG051819808

DISTRIBUTED BY: **WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015**  
**100% SATISFACTION GUARANTEED** walgreens.com ©2023 Walgreen Co.

# Motion Sickness Relief

DIMENHYDRINATE TABLETS, 50 mg / ANTIEMETIC

• For children & adults • Prevents nausea, dizziness & vomiting

W30RG0823-F  
REV-1/23

NDC 0363-1980-08

**Walgreens**



Compare to the active ingredient  
in Dramamine® Original Formula\*

# Motion Sickness Relief

DIMENHYDRINATE TABLETS, 50 mg / ANTIEMETIC

• For children & adults • Prevents nausea, dizziness & vomiting

**24** TABLETS

ACTUAL SIZE

LEBG302104

\*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

\*\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Original Formula.

ITEM 501194 W00000-0000-0



how2recycle.info

B-2201-198-08-5R  
ORG051819808

No Print/No Varnish  
Lot & EXP

50844 ORG051819808

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com ©2023 Walgreen Co.

Age Group	Dosage
12 years and over	do not exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	½ to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	½ tablet every 6-8 hours; do not exceed 1½ tablets in 24 hours, or as directed by a doctor

### Other information

- each tablet contains calcium 35 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture ■ see end flap for expiration date and lot number

### Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dhydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

**(Questions or comments? 1-800-426-9391**

**Uses** for prevention and treatment of these symptoms associated with motion sickness:  
■ nausea ■ vomiting ■ dizziness

### Warnings

Do not use for children under 2 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis ■ glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.


### When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



walgreens 44-198

## MOTION SICKNESS RELIEF

dimenhydrinate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-1980
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMENHYDRINATE</b> (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M, 8-CHLOROTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;198
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1980-08	4 in 1 CARTON	10/22/2021	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	10/22/2021	

**Labeler** - Walgreen Company (008965063)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-1980)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-1980) , pack(0363-1980)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-1980)

Revised: 12/2025

Walgreen Company