

**QUICK NUMB- lidocaine cream**  
**Clinical Resolution Laboratory, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

**Active Ingredient**

Lidocaine 5%

**Purpose**

Local Anesthetic

**Uses:**

- For the temporary relief of local and anorectal itching and discomfort associated with anorectal disorders and anorectal inflammation
- For the temporary relief of pain, burning and soreness.

**Warnings**

- If condition worsens or does not improve within 7 days, consult a doctor.
- Do not exceed the recommended daily dosage unless directed by a doctor.
- In case of bleeding, consult a doctor promptly.
- Do not put this product into the rectum by using fingers or any mechanical device or applicator.
- Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor.

**Directions**

- Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product. Children under 12 years of age: consult a doctor.
- Apply externally to the affected area up to 6 times daily.

**Other Information**

- Keep away from direct sunlight or heat.
- Store at room temperature 15°-30°C (59°-86°F).
- This package is child-resistant. Keep out of reach of children.
- In case of accidental overdose or ingestion, call a doctor or poison control center

immediately.

- Do not use this product if seal is broken or missing.

### Inactive Ingredients

Allantoin, Aloe Barbadensis Leaf Juice, Benzyl Alcohol, Carbomer, Cholesterol, Dimethyl Isosorbide, Disodium EDTA, Hydrogenated Polydecene, Lecithin, Neopenlyt Glycol Dicaprylate/Dicaprate, Propylene Glycol, Water, Sodium Polyacrylate, Tocopheryl Acetate, Trideceth-6, Triethanolamine

### Product label

Manufactured by Clinical Resolution Lab, Inc.  
1530 Moonstone, Brea, CA 92821  
www.skincarect.com • Made in USA

**722**  
7 11005 83428 2

**DRUG FACTS (Continued)**

**Directions**

- **Adults:** When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product. Children under 12 years of age: consult a doctor.
- Apply externally to the affected area up to 6 times daily.


**Other Information**

- Keep away from direct sunlight or heat.
- Store at room temperature 15°-30°C (59°-86°F).
- This package is child-resistant. Keep out of reach of children.
- In case of accidental overdose or ingestion, call a doctor or poison control center immediately.
- Do not use this product if seal is broken or missing.

**Inactive Ingredients**

Allantoin, Aloe Barbadensis Leaf Juice, Benzyl Alcohol, Carbomer, Cholesterol, Dimethyl Isosorbide, Disodium EDTA, Hydrogenated Polydecene, Lecithin, Neopenlyt Glycol Dicaprylate/Dicaprate, Propylene Glycol, Sodium Polyacrylate, Tocopheryl Acetate, Trideceth-6, Triethanolamine, Water

Doctor Recommended  
**QUICK NUMB**

  
**5% LIDOCAINE**

**CHILD-RESISTANT PACKAGING**  
**Topical Anorectal Cream**

4.2 oz e 119g

**DRUG FACTS**

Active Ingredient	Purpose
Lidocaine 5% .....	Local Anesthetic

**Uses**

- For the temporary relief of local and anorectal itching and discomfort associated with anorectal disorders and anorectal inflammation.
- For the temporary relief of pain, burning and soreness.

**Warnings (For external use only)**

- If condition worsens or does not improve within 7 days, consult a doctor.
- Do not exceed the recommended daily dosage unless directed by a doctor.
- In case of bleeding, consult a doctor promptly.
- Do not put this product into the rectum by using fingers or any mechanical device or applicator.
- Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor.

## QUICK NUMB

lidocaine cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63742-111
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	

<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>DIMETHYL ISOSORBIDE</b> (UNII: SA6A6V432S)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>HYDROGENATED POLYDECENE (1500 CST)</b> (UNII: 4YI0729529)	
<b>EGG PHOSPHOLIPIDS</b> (UNII: 1Z74184RGV)	
<b>NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: VLW429K27K)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63742-111-01	119 g in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	11/01/2021	

**Labeler -** Clinical Resolution Laboratory, Inc. (825047942)

## Establishment

Name	Address	ID/FEI	Business Operations
Clinical Resolution Laboratory, Inc.		825047942	manufacture(63742-111)

Revised: 7/2022

Clinical Resolution Laboratory, Inc.