ATOMY SUNSCREEN WHITE BROAD SPECTRUM SPF 50 PLUS- homosalate, octisalate, titanium dioxide, zinc oxide cream ATOMY CO., LTD.

ACTIVE INGREDIENTS

HOMOSALATE 7.50% OCTISALATE 4.50% TITANIUM DIOXIDE 2.20% ZINC OXIDE 12.70%

INACTIVE INGREDIENTS

Aqua/Water/Eau, Cyclopentasiloxane, Dipropylene Glycol, Disiloxane, Lauryl Peg-10 Tris(Trimethylsiloxy)Silylethyl Dimethicone, Glycerin, Niacinamide, Propylheptyl Caprylate, Portulaca Oleracea Extract, Silica, Dimethicone, Disteardimonium Hectorite, Magnesium Sulfate, 1,2-Hexanediol, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Triethoxycaprylylsilane, Aluminum Hydroxide, Stearic Acid, Sorbitan Caprylate, Dimethicone/Peg-10/15 Crosspolymer, Fragrance(Parfum), Dimethicone/Vinyl Dimethicone Crosspolymer, Glyceryl Caprylate, Ethylhexylglycerin, Adenosine, Tocopherol, Camellia Sinensis Leaf Extract, Melissa Officinalis Extract, Centella Asiatica Extract, Perilla Ocymoides Leaf Extract

PURPOSE

Sunscreen

WARNINGS

For external use only

Do not useon damaged or broken skin

When using this productkeep out of eyes. Rinse with water to remove.

Stop use and ask a doctorif rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Uses:

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Other Information:

Protect this product from excessive heat and direct sun

Directions:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses

ATOMY SUNSCREEN WHITE Broad Spectrum SPF 50+ ATOMY SUNSCREEN WHITE **Broad Spectrum SPF 50+ Drug Facts Drug Facts** (continued) Active Ingredient Purpose Other information Homosalate 7.50% Octisalate 4.5 % Titanium Dioxide 2.20% SUNSCREEN Zinc Oxide 12.70% Inactive Ingredients Uses Imported & Distributed By: 1,2-Hexanediol, Adenosine Aluminum Hydroxide, Atomy America Inc. 33801 1st Way South, Suite #301 Federal Way, WA 98003 TEL:+1-253-946-2344 www.atomy.com/us revent sunburn Aqua/Water/Eau, Camellia Sinensis Leaf Extract, Centella Asiatica Extract, if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ATOMY SUNSCREEN Cyclopentasiloxane, Dimethicone, Dimethicone/ PEG-10/15 Crosspolymer, Dimethicone/Vinyl Broad Spectrum SPF 50+ Warnings For external use only R&D CENTER Do not use on damaged or broken skin When using this product keep out of eyes. KOLMAR BNH CO., LTD. Dimethicone Crosspolymer Dimethicone Crosspolymer, Dipropylene Glycol, Disiloxane, Disteardimonium Hectorite, Ethylhexylglycerin, Fragrance(Parfum), Glycerin, Glyceryl Caprylate, Lauryl PEG-10 Tris(Trimethylsiloxy) Silylethyl Dimethicone, Magnesium Sulfate MANUFACTURER KOLMAR KOREA CO., LTD. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison See bottom of the container for lot number and expiration Control Center right away Directions Directions - apply liberally 15 minutes before sun exposure - reapply at least every 2 hours - use a water-resistant sunscreen if swimming or sweating - children under 6 months: Ask a doctor - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - Limit time in the sun, especially from 10 a.m. – 2 p.m. - Wear long-sleeved shirts, pants, hats, and sunglasses MADE IN KOREA Magnesium Sulfate. Melissa Officinalis Extract, Niacinamide, Perilla Ocymoides Leaf Extract, Portulaca Oleracea Extract, Oleracea Extract, Propylheptyl Caprylate, Silica, Sorbitan Caprylate, Stearic Acid, Tocopherol, Broad Spectrum Sunscreen Triethoxycaprylylsilane, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer Helps protect skin from UVA/UVB rays 2 FL. OZ. (60 mL) US11-060821

ATOMY SUNSCREEN WHITE BROAD SPECTRUM SPF 50 PLUS

homosalate, octisalate, titanium dioxide, zinc oxide cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:52257-1410

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S) OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII: 4X49Y0596W) TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII: 15FIX9V2JP) ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII: 13S1S8SF37) ZINC CATION 7.62 g in 60 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			

F	Packaging				
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:52257- 1410-1	60 mL in 1 CARTON; Type 0: Not a Combination Product	06/01/2021		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	06/01/2021		

Labeler - ATOMY CO., LTD. (631154601)

Registrant - ATOMY CO., LTD. (631154601)

Establishment				
Name	Address	ID/FEI	Business Operations	
Kolmar Korea Co.,LTD. Gwanjeong 2 factory		963271750	manufacture(52257-1410)	

Revised: 12/2024 ATOMY CO., LTD.