

**BAREMINERALS ORIGINAL FOUNDATION BROAD SPECTRUM SPF 15 LIGHT 08-
titanium dioxide and zinc oxide powder
Orveon Global US LLC**

bareMinerals® Original Foundation Broad Spectrum SPF 15

Light 08

Drug Facts

<i>Active ingredient(s)</i>	<i>Purpose</i>
Titanium dioxide 18%	Sunscreen
Zinc oxide 22%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months: ask a doctor
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

Protect this product from excessive heat and direct sun

Inactive ingredients

bismuth oxychloride, mica, iron oxides.

Questions or comments?

Call toll free 1-888-795-4747

PRINCIPAL DISPLAY PANEL - 8 g Jar Label

bareMinerals[®]

ORIGINAL FOUNDATION

Broad Spectrum SPF 15

LIGHT 08

net wt. 8 g / 0.28 oz.

61269



Drug Facts (continued)

Other information Protect this product from excessive heat and direct sun

Inactive ingredients
bismuth oxychloride, mica, iron oxides.

Questions or comments?
Call toll free 1-888-795-4747

Drug Facts

Active ingredient(s) Purpose
Titanium dioxide 18%.....Sunscreen
Zinc oxide 22%.....Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun ▼

BAREMINERALS®
NEW YORK, NY 10017 DIST.
SHISEIDO EMEA, 75008 PARIS.
SHISEIDO UK LONDON WC2N 6HT.
MADE IN USA.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▼

GLUE

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months ask a doctor
- Use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun ▼



BAREMINERALS ORIGINAL FOUNDATION BROAD SPECTRUM SPF 15 LIGHT 08

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1440 mg in 8 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1760 mg in 8 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-010-08	8 g in 1 JAR; Type 0: Not a Combination Product	08/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2021	

