

**DAYTIME COLD AND FLU MINI SOFTGELS- acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled  
Shield Pharmaceuticals Corp**

-----  
**Daytime Cold and Flu mini Softgels**

***Drug Facts***

***Active ingredient (in each softgel)***

Acetaminophen 325 mg  
Dextromethorphan HBr 10 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Cough suppressant  
Nasal decongestant

***Uses***

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor
- throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 10 Softgels in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

**Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may

- include:
- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

## **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are
- not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

## **When using this product**

- do not use more than directed.

## **Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.**In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

## **Directions**

**take only as directed do not exceed 8 softgels per 24 hrs**

---

adults & children 12 yrs & over  
children 4 to under 12 yrs  
children under 4 yrs

---

---

2 Softgels with water every 4 hrs  
ask a doctor  
do not use

---

## **Other information**

- store between 20-25°C (68-77°F).

Avoid high humidity and excessive heat.  
Protect from light.

## Questions or comments?

1-800-373-6981 (toll-free)

## Inactive ingredients

FD&C Yellow No. 6, gelatin, glycerin, isopropyl alcohol, MCT Oil, polyethylene glycol-400, propylene glycol, povidone, purified water, silver sheen, sorbitol solution

Distributed by:

**Shield Pharmaceuticals Corp.**  
Ronkonkoma, NY 11779

## PRINCIPAL DISPLAY PANEL

DaytimeCold & Flu minin Softgels

Maximum Strength

Carton

**ValuRx**  
Compare to the Active Ingredients in Alka-Seltzer Plus® Maximum Strength Daytime Cold & Flu PowerMax™ Gels\*  
**mini softgels**  
smaller size, same strength

**Daytime Cold & Flu**  
**Maximum Strength**

**Acetaminophen** - Pain reliever/fever reducer  
**Dextromethorphan HBr** - Cough suppressant  
**Phenylephrine HCl** - Nasal decongestant

**Relieves**

- Nasal Congestion
- Cough
- Sore Throat
- Headache & Body Ache
- Sinus Pressure

**10 mini softgels**

**Actual Size**

**Drug Facts (continued)**

**Other information**

- Store between 20°-25°C (68°-77°F). Avoid high humidity and excessive heat.

**Drug Facts (continued)**

**Inactive ingredients** FD&C Yellow No. 6, gelatin, glycerin, isopropyl alcohol, MCT Oil, polyethylene glycol-400, povidone, purified water, silver sheen, sorbitol solution

**Questions or comments?** 1-800-373-6981

**Drug Facts (continued)**

**Uses**

- temporarily relieves these symptoms due to a cold or flu: ■ minor aches and pains ■ headache ■ cough ■ nasal congestion ■ sore throat ■ sinus congestion and pressure ■ temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4000 mg in 24 hrs. ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product **Allergy Alert:** Acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include: ■ skin redening ■ blisters ■ rash ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock. If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ if you have ever had an allergic reaction to this product or any of its ingredients ■ in children under 12 years of age

**Ask a doctor before use if you have**

- liver disease ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product do not use more than directed.**

**Stop use and ask a doctor if** ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough gets worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than the recommended dose
- adults & children 12 years & over: take 2 softgels with water every 4 hrs. Do not exceed 10 softgels in 24 hours or as directed by a doctor. ■ children under 12 yrs: do not use

**Drug Facts**

**Active Ingredients (in each Softgel)**

- Acetaminophen 325 mg
- Pain reliever/fever reducer
- Dextromethorphan HBr 10 mg
- Cough suppressant
- Phenylephrine HCl 5 mg
- Nasal decongestant

**Purpose**

Compare to the Active Ingredients in Alka-Seltzer Plus® Maximum Strength Daytime Cold & Flu PowerMax™ Gels\*

**Drug Facts (continued)**

This product is not manufactured or distributed by The Bayer Health LLC, owner of the registered trademark Alka-Seltzer Plus® PowerMax™ Gels

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION. TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

Distributed by: **Shield Pharmaceuticals Corp.**  
Ronkonkoma, NY 11779

083-0226  
Made in India

000161  
3 83059 00016 1

# DAYTIME COLD AND FLU MINI SOFTGELS

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83059-0050
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX25C1OH)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	SDM
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83059-0050-1	1 in 1 CARTON	02/24/2026	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/24/2026	

**Labeler** - Shield Pharmaceuticals Corp (118724924)

Revised: 2/2026

Shield Pharmaceuticals Corp