

**FIRST AID ANTISEPTIC- isopropyl alcohol liquid**  
**REALCHEM MANUFACTURING**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**70% IPA Antiseptic**

This is a first aid antiseptic manufactured according to FDA Guidance.

**Active Ingredient(s)**

Isopropyl Alcohol 70% v/v. Purpose: Antiseptic

**Purpose**

Antiseptic, Hand Sanitizer

**Use**

Antiseptic to decrease germs in minor cuts and scrapes and for preparation of skin prior to an injection; Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

**Warnings**

For external use only. Flammable. Keep away from heat or flame

**Do not use**

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Clean the affected area; apply small amount of product on the area 1 to 3 times daily.
- Supervise children under 6 years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

## Inactive ingredients


purified water USP

## Package Label - Principal Display Panel

473 ml NDC: 79363-710-16

NDC 79363-710-16

**ProtectRx**  
HEALTH AND SAFETY PRODUCTS



- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL

**70% Isopropyl Alcohol**

<b>Drug Facts</b>	
<b>Active Ingredient[s]</b>	<b>Purpose</b>
Isopropyl Alcohol 70% v/v	First Aid Antiseptic
<b>Use[s]</b>	
First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b>	
<b>For external use only</b>	
■ Will produce serious gastric disturbances if taken internally.	
<b>Flammable, keep away from heat, flame, spark, or electrical.</b>	
■ Use only in a well-ventilated area; fumes may be toxic.	
<b>Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.</b>	
<b>When using this product</b> ■ keep out of eyes, ears, and mouth ■ Do not apply over large areas of the body ■ Do not use longer than one week unless directed by a doctor.	
<b>Stop use and ask a doctor</b> if condition persists or gets worse.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ Clean the affected area ■ Apply small amount of product on the area 1 to 3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let it dry first.	
<b>Other information</b>	
■ Does not contain, nor is intended as a substitute for grain or ethyl alcohol.	
■ Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300

**Nexchem**

407 South 17th St., Clear Lake, IA 50428  
641-357-1455  
www.nexchem.com

16 oz (473 mL)

NDC: 79363-710-16

- TOPICAL ANTISEPTIC AND SANITIZER
- TO DECREASE GERMS IN MINOR CUTS AND SCRAPES
- FOR PREPARATION OF SKIN PRIOR TO AN INJECTION



KEEP AWAY FROM HEAT, SPARK, ELECTRICAL, FIRE, OR FLAME.

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL



16 FL OZ (473 ML)

<b>Drug Facts</b>	
<b>Active Ingredient[s]</b>	<b>Purpose</b>
Isopropyl Alcohol 70% v/v	First Aid Antiseptic
<b>Use[s]</b>	
First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b>	
<b>For external use only</b>	
■ Will produce serious gastric disturbances if taken internally.	
<b>Flammable, keep away from heat, flame, spark, or electrical.</b>	
■ Use only in a well-ventilated area; fumes may be toxic.	
<b>Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.</b>	
<b>When using this product</b> ■ keep out of eyes, ears, and mouth ■ Do not apply over large areas of the body ■ Do not use longer than one week unless directed by a doctor.	
<b>Stop use and ask a doctor</b> if condition persists or gets worse.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ Clean the affected area ■ Apply small amount of product on the area 1 to 3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let it dry first.	
<b>Other information</b>	
■ Does not contain, nor is intended as a substitute for grain or ethyl alcohol.	
■ Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300

PROUDLY MADE IN AMERICA



NDC: 79363-710-16

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes



Keep away from heat, spark, electrical, fire or flame.

USE ONLY IN A WELL VENTILATED AREA; FUMES MAY BE HARMFUL



# ISOPROPYL ALCOHOL

70% SOLUTION  
Antiseptic Disinfectant

Drug Facts	
Active Ingredient[s]	Purpose
Isopropyl Alcohol 70% v/v	First Aid Antiseptic
<b>Use[s]</b> First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b> <b>For external use only</b> ■ Will produce serious gastric disturbances if taken internally. <b>Flammable, keep away from heat, flame, spark, or electrical.</b> ■ Use only in a well-ventilated area; fumes may be toxic.	
■ Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.	
<b>When using this product</b> keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
■ Stop use and ask a doctor if condition persists or gets worse.	
■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ Clean the affected area. ■ Apply small amount of product on the area 1 to 3 times daily. ■ May be covered with a sterile bandage. ■ If bandaged, let it dry first.	
<b>Other information</b> ■ Does not contain, nor is intended as a substitute for, grain or ethyl alcohol. ■ Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300

RC

16 FL OZ (473 mL)

NDC: 79363-710-16

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL

RC



# 70% Isopropyl Alcohol

## First Aid Antiseptic



16 FL OZ (473ml)

Drug Facts	
<b>Active Ingredient[s]</b> Isopropyl Alcohol 70% v/v	<b>Purpose</b> First Aid Antiseptic
<b>Use[s]</b> First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b> <b>For external use only</b> ■Will produce serious gastric disturbances if taken internally. <b>Flammable, keep away from heat, flame, spark, or electrical.</b> ■Use only in a well-ventilated area; fumes may be toxic.	
<b>Ask a doctor before use if you have</b> deep or punctured wounds, animal bites, or serious burns.	
<b>When using this product</b> keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
<b>Stop use and ask a doctor if</b> condition persists or gets worse.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■Clean the affected area. ■Apply small amount of product on the area 1 to 3 times daily. ■May be covered with a sterile bandage. ■If bandaged, let it dry first.	
<b>Other information</b> ■Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300

Proudly made in America



Distributed by Eclipse MFG



946 ml NDC: 79363-710-32

NDC 79363-710-32

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL

ProtectRx  
HEALTH AND SAFETY PRODUCTS



# 70% Isopropyl Alcohol

Drug Facts	
<b>Active Ingredient[s]</b> Isopropyl Alcohol 70% v/v	<b>Purpose</b> First Aid Antiseptic
<b>Use[s]</b> First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b> <b>For external use only</b> ■Will produce serious gastric disturbances if taken internally. <b>Flammable, keep away from heat, flame, spark, or electrical.</b> ■Use only in a well-ventilated area; fumes may be toxic.	
<b>Ask a doctor before use if you have</b> deep or punctured wounds, animal bites, or serious burns.	
<b>When using this product</b> keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
<b>Stop use and ask a doctor if</b> condition persists or gets worse.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■Clean the affected area. ■Apply small amount of product on the area 1 to 3 times daily. ■May be covered with a sterile bandage. ■If bandaged, let it dry first.	
<b>Other information</b> ■Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300



407 South 17th St., Clear Lake, IA 50428  
641-357-1455  
www.nexchem.com

32 oz (946.4 mL)

NDC: 79363-710-32

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL



# ISOPROPYL ALCOHOL

70% SOLUTION

Antiseptic Disinfectant

32 FL OZ (946 mL)

Drug Facts	
Active Ingredient[s]	Purpose
Isopropyl Alcohol 70% v/v	First Aid Antiseptic
<b>Use[s]</b> First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b> <b>For external use only</b> ■Will produce serious gastric disturbances if taken internally. <b>Flammable, keep away from heat, flame, spark, or electrical.</b> ■Use only in a well-ventilated area; fumes may be toxic.	
<b>Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.</b>	
<b>When using this product</b> ■keep out of eyes, ears, and mouth■Do not apply over large areas of the body■Do not use longer than one week unless directed by a doctor.	
<b>Stop use and ask a doctor</b> if condition persists or gets worse.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■Clean the affected area■Apply small amount of product on the area 1 to 3 times daily■May be covered with a sterile bandage■If bandaged, let it dry first.	
<b>Other information</b> ■Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300

NDC: 79363-710-32

- TOPICAL ANTISEPTIC AND SANITIZER
- TO DECREASE GERMS IN MINOR CUTS AND SCRAPES
- FOR PREPARATION OF SKIN PRIOR TO AN INJECTION



KEEP AWAY FROM HEAT, SPARK, ELECTRICAL, FIRE, OR FLAME.

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL



32 FL OZ (946 ML)

Drug Facts	
Active Ingredient[s]	Purpose
Isopropyl Alcohol 70% v/v	First Aid Antiseptic
<b>Use[s]</b> First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b> <b>For external use only</b> ■Will produce serious gastric disturbances if taken internally. <b>Flammable, keep away from heat, flame, spark, or electrical.</b> ■Use only in a well-ventilated area; fumes may be toxic.	
<b>Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.</b>	
<b>When using this product</b> ■keep out of eyes, ears, and mouth■Do not apply over large areas of the body■Do not use longer than one week unless directed by a doctor.	
<b>Stop use and ask a doctor</b> if condition persists or gets worse.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■Clean the affected area■Apply small amount of product on the area 1 to 3 times daily■May be covered with a sterile bandage■If bandaged, let it dry first.	
<b>Other information</b> ■Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300

PROUDLY MADE IN AMERICA



NDC: 79363-710-32

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL

Distributed by Eclipse MFG



# 70% Isopropyl Alcohol

## First Aid Antiseptic



32 FL OZ (946 ml)

Drug Facts	
<b>Active Ingredient[s]</b> Isopropyl Alcohol 70% v/v	<b>Purpose</b> First Aid Antiseptic
<b>Use[s]</b> First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b> For external use only Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.	
<b>When using this product</b> keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
<b>Stop use and ask a doctor</b> if condition persists or gets worse.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> Clean the affected area. Apply small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let it dry first.	
<b>Other information</b> Does not contain, nor is intended as a substitute for grain or ethyl alcohol. Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300


Proudly made in America



237ml NDC: 79363-710-08

NDC 79363-710-08

**ProtectRx**  
HEALTH AND SAFETY PRODUCTS



- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL

# 70% Isopropyl Alcohol

Drug Facts	
<b>Active Ingredient[s]</b> Isopropyl Alcohol 70% v/v	<b>Purpose</b> First Aid Antiseptic
<b>Use[s]</b> First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b> For external use only Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.	
<b>When using this product</b> keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
<b>Stop use and ask a doctor</b> if condition persists or gets worse.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> Clean the affected area. Apply small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let it dry first.	
<b>Other information</b> Does not contain, nor is intended as a substitute for grain or ethyl alcohol. Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	

Questions? 1-800-424-9300



407 South 17th St., Clear Lake, IA 50428  
641-357-1455  
www.neoxchem.com

8 oz (237 mL)

3785ml NDC: 79363-710-28

NDC 79363-710-28

**ProtectRx**  
HEALTH AND SAFETY PRODUCTS



**70% Isopropyl Alcohol**

1 Gallon (3785 mL)

Drug Facts	
Active Ingredient(s)	Purpose
Isopropyl Alcohol 70% (v/v)	First Aid Antiseptic
<b>Uses</b>	
First Aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b>	
For external use only. Avoid contact with eyes, ears, nose, mouth, or mucous membranes. If taken internally, it is harmful.	
Flammable, keep away from heat, flame, spark, or electrical.	
Use only in a well-ventilated area. Fumes may be toxic.	
Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.	
When using this product, keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
Clean the affected area. Apply small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage or package, let it dry first.	
<b>Other information</b>	
Does not contain, nor is intended as a substitute for, grain or other alcohol.	
Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	
Questions? 1-800-441-7100	

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.  
USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL



407 South 17th St., Clear Lake, IA 50623  
642-321-1402  
www.newchem.com

NDC: 79363-710-28

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL

Distributed by Eclipse MFG



**70% Isopropyl Alcohol**

First Aid Antiseptic



1 Gallon (3.8 liters)

Proudly made in America



Drug Facts	
Active Ingredient(s)	Purpose
Isopropyl Alcohol 70% (v/v)	First Aid Antiseptic
<b>Uses</b>	
First Aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
<b>Warnings</b>	
For external use only. Avoid contact with eyes, ears, nose, mouth, or mucous membranes. If taken internally, it is harmful.	
Flammable, keep away from heat, flame, spark, or electrical.	
Use only in a well-ventilated area. Fumes may be toxic.	
Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.	
When using this product, keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
Clean the affected area. Apply small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage or package, let it dry first.	
<b>Other information</b>	
Does not contain, nor is intended as a substitute for, grain or other alcohol.	
Store at room temperature, out of direct sunlight.	
<b>Inactive Ingredients</b> purified water.	
Questions? 1-800-426-9300	



## FIRST AID ANTISEPTIC

isopropyl alcohol liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79363-710
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79363-710-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/17/2020	
2	NDC:79363-710-32	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/17/2020	
3	NDC:79363-710-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/17/2020	
4	NDC:79363-710-28	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/17/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/17/2020	

**Labeler** - REALCHEM MANUFACTURING (120491681)

## Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117584702	manufacture(79363-710) , pack(79363-710) , repack(79363-710)

## Establishment

Name	Address	ID/FEI	Business Operations
RealChem Manufacturing Inc		117742005	manufacture(79363-710) , pack(79363-710) , repack(79363-710)

## Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117828480	manufacture(79363-710) , pack(79363-710) , repack(79363-710)

## Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		120491681	manufacture(79363-710) , pack(79363-710) , repack(79363-710)

Revised: 2/2021

REALCHEM MANUFACTURING