CARDINAL HEALTH LEADER SPF 50 GENERAL PROTECTION SUNSCREENavobenzone, homosalate, octisalate, octocrylene, oxybenzone. lotion CARDINAL HEALTH, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cardinal Health Leader SPF 50 General Protection Sunscreen

Active ingredients

Avobenzone 3.0% Homosalate 13.0% Octisalate 5.0% Octocrylene 7.0% Oxybenzone 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics/materials or surfaces

Inactive Ingredients

water, sorbitol, aluminum starch octenylsuccinate, VP/eicosene copolymer, stearic acid, triethanolamine, sorbitan isostearate, benzyl alcohol, dimethicone, tocopherol (vitamin E), polyglyceryl-3 distearate, fragrance, methylparaben, carbomer, propylparaben, disodium EDTA

Label





CARDINAL HEALTH LEADER SPF 50 GENERAL PROTECTION SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene, oxybenzone. lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0408
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	40 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	130 mg in 1 mL

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) OCTOCRYLENE 70 mg
--

Inactive Ingredients	
Ingredient Name	Strength
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 903K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y10)	
POLYGLYCERYL-3 DISTEARATE (UNII: Z11LK470XV)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TOCOPHEROL (UNII: ROZB2556P8)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ0O6294)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SORBITOL (UNII: 506T60A25R)	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000- 0408-1	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2019	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
part352	11/01/2019		
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date	

Labeler - CARDINAL HEALTH, INC. (063997360)

Revised: 11/2022 CARDINAL HEALTH, INC.