

60-SECOND FLUORIDE MINT- sodium fluoride gel
60-SECOND FLUORIDE GRAPE- sodium fluoride gel
60-SECOND FLUORIDE BUBBLE GUM- sodium fluoride gel
60-SECOND FLUORIDE STRAWBERRY- sodium fluoride gel
60-SECOND FLUORIDE ORANGE CREAM- sodium fluoride gel
60-SECOND FLUORIDE MARSHMALLOW- sodium fluoride gel
60-SECOND FLUORIDE CHERRY- sodium fluoride gel
60-SECOND FLUORIDE PINA COLADA- sodium fluoride gel

Patterson Dental Supply Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

60-Second Fluoride Gel

INDICATIONS

For topical application to aid in the protection against dental caries.

CONTAINS

Fluoride (Sodium Fluoride) – 1.23% w/w.

DOSAGE & ADMINISTRATION

Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION

For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING

Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature:

68-77°F (20-25°C). Prevent from freezing.

Shake well before each use.

Made in U.S.A.

PRINCIPAL DISPLAY PANEL - 454 g Mint Bottle Label

PATTERSON

DENTAL

NDC# 50227-3221-6

60-Second

Fluoride Gel

(APF*)

***Acidulated Phosphate Fluoride**

1.23% F Ion

MINT

NET WT. 16 OZ

Reorder Number

088-4288

Manufactured for:

PATTERSON

DENTAL

Patterson Dental Supply, Inc.

1031 Mendota Heights Road

Saint Paul, MN 55120



NDC# 50227-3221-6

60-Second Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

MINT

NET WT. 16 OZ

Reorder Number

088-4288

Manufactured for:



Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120

INDICATIONS: For topical application to aid in the protection against dental caries.

CONTAINS: Fluoride (Sodium Fluoride) - 1.23% w/w.

DOSAGE & ADMINISTRATION: Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION: For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING: Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature: 68-77°F (20-25°C). Prevent from freezing.

Shake well before each use.



+D6620708842882T

Made in U.S.A.
0531122LA, R1-021712

PRINCIPAL DISPLAY PANEL - 454 g Grape Bottle Label

PATTERSON
DENTAL

NDC# 50227-3231-6

60-Second
Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

GRAPE

NET WT. 16 OZ

Reorder Number
088-4296

Manufactured for:
PATTERSON
DENTAL
Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120


PATTERSON
DENTAL

NDC# 50227-3231-6

60-Second Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

GRAPE

NET WT. 16 OZ

Reorder Number

088-4296

Manufactured for:


PATTERSON
DENTAL

Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120

INDICATIONS: For topical application to aid in the protection against dental caries.

CONTAINS: Fluoride (Sodium Fluoride) - 1.23% w/w.

DOSAGE & ADMINISTRATION: Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION: For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING: Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature: 68-77°F (20-25°C). Prevent from freezing.

Shake well before each use.



+D6620708842962S

Made in U.S.A.
0531123LA, R1-021712

PRINCIPAL DISPLAY PANEL - 454 g Bubble Gum Bottle Label

PATTERSON
DENTAL

NDC# 50227-3251-6

**60-Second
Fluoride Gel**

(APF*)

***Acidulated Phosphate Fluoride**

1.23% F Ion

BUBBLE GUM

NET WT. 16 OZ

Reorder Number

088-4247

Manufactured for:

PATTERSON

DENTAL

Patterson Dental Supply, Inc.

1031 Mendota Heights Road

Saint Paul, MN 55120



NDC# 50227-3251-6

60-Second Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride

1.23% F Ion

BUBBLE GUM

NET WT. 16 OZ

Reorder Number

088-4247

Manufactured for:



Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120

INDICATIONS: For topical application to aid in the protection against dental caries.

CONTAINS: Fluoride (Sodium Fluoride) - 1.23% w/w.

DOSAGE & ADMINISTRATION: Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION: For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING: Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature: 68-77°F (20-25°C). Prevent from freezing.

Shake well before each use.



+D66207088424720

Made in U.S.A.
0531125LA, R1-021712

PRINCIPAL DISPLAY PANEL - 454 g Strawberry Bottle Label

PATTERSON
DENTAL

NDC# 50227-3281-6

60-Second
Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride

1.23% F Ion

STRAWBERRY

NET WT. 16 OZ

Reorder Number
088-4270

Manufactured for:
PATTERSON
DENTAL
Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120



NDC# 50227-3281-6

60-Second Fluoride Gel

(APF*)

***Acidulated Phosphate Fluoride**
1.23% F Ion

STRAWBERRY

NET WT. 16 OZ

Reorder Number

088-4270

Manufactured for:



Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120

INDICATIONS: For topical application to aid in the protection against dental caries.

CONTAINS: Fluoride (Sodium Fluoride) - 1.23% w/w.

DOSAGE & ADMINISTRATION: Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION: For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING: Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature: 68-77°F (20-25°C). Prevent from freezing.

Shake well before each use.



+D6620708842702K

Made in U.S.A.
0531126LA, R1-021712

PRINCIPAL DISPLAY PANEL - 454 g Orange Cream Bottle Label

PATTERSON
DENTAL

NDC# 50227-3271-6

**60-Second
Fluoride Gel**

(APF*)

***Acidulated Phosphate Fluoride**

1.23% F Ion

ORANGE CREAM

NET WT. 16 OZ

Reorder Number

088-4262

Manufactured for:

PATTERSON

DENTAL

Patterson Dental Supply, Inc.

1031 Mendota Heights Road

Saint Paul, MN 55120



NDC# 50227-3271-6

60-Second Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

ORANGE CREAM

NET WT. 16 OZ

Reorder Number

088-4262

Manufactured for:



Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120

INDICATIONS: For topical application to aid in the protection against dental caries.

CONTAINS: Fluoride (Sodium Fluoride) - 1.23% w/w.

DOSAGE & ADMINISTRATION: Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION: For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING: Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature: 68-77°F (20-25°C). Prevent from freezing. Shake well before each use.



+D6620708842622L

Made in U.S.A.
0531127LA, R1-021712

PRINCIPAL DISPLAY PANEL - 454 g Marshmallow Bottle Label

PATTERSON
DENTAL

NDC# 50227-3261-6

60-Second
Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

MARSHMALLOW

NET WT. 16 OZ

Reorder Number
088-4254

Manufactured for:
PATTERSON
DENTAL
Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120



NDC# 50227-3261-6

60-Second Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

MARSHMALLOW

NET WT. 16 OZ

Reorder Number

088-4254

Manufactured for:



Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120

INDICATIONS: For topical application to aid in the protection against dental caries.

CONTAINS: Fluoride (Sodium Fluoride) - 1.23% w/w.

DOSAGE & ADMINISTRATION: Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION: For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING: Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature: 68-77°F (20-25°C). Prevent from freezing. Shake well before each use.



*+D6620708842542M *

Made in U.S.A.
0531128LA, R1-021712

PRINCIPAL DISPLAY PANEL - 454 g Cherry Bottle Label

PATTERSON
DENTAL

NDC# 50227-3211-6

**60-Second
Fluoride Gel**

(APF*)

***Acidulated Phosphate Fluoride**

1.23% F Ion

CHERRY

NET WT. 16 OZ

Reorder Number

088-4353

Manufactured for:

PATTERSON

DENTAL

Patterson Dental Supply, Inc.

1031 Mendota Heights Road

Saint Paul, MN 55120



NDC# 50227-3211-6

60-Second Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

CHERRY

NET WT. 16 OZ

Reorder Number

088-4353

Manufactured for:



Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120

INDICATIONS: For topical application to aid in the protection against dental caries.

CONTAINS: Fluoride (Sodium Fluoride) - 1.23% w/w.

DOSAGE & ADMINISTRATION: Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION: For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING: Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature: 68-77°F (20-25°C). Prevent from freezing. Shake well before each use.



+D6620708843532M

Made in U.S.A.
0531111LA, R-061112

PRINCIPAL DISPLAY PANEL - 454 g Piña Colada Bottle Label

PATTERSON
DENTAL

NDC# 50227-3241-6

60-Second
Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

PIÑA COLADA

NET WT. 16 OZ

Reorder Number
088-4346

Manufactured for:
PATTERSON
DENTAL
Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120



NDC# 50227-3241-6

60-Second Fluoride Gel

(APF*)

*Acidulated Phosphate Fluoride
1.23% F Ion

PIÑA COLADA

NET WT. 16 OZ

Reorder Number

088-4346

Manufactured for:



Patterson Dental Supply, Inc.
1031 Mendota Heights Road
Saint Paul, MN 55120

INDICATIONS: For topical application to aid in the protection against dental caries.

CONTAINS: Fluoride (Sodium Fluoride) - 1.23% w/w.

DOSAGE & ADMINISTRATION: Fill fluoride tray with 2-3ml of fluoride gel per arch. Dry tooth surface and insert tray(s) in mouth. Have patient bite down for 60 seconds (or up to 4 minutes). Slight chewing motion provides interproximal coverage. Remove tray(s) and have patient expectorate excess gel. Inform patient not to eat, drink or rinse for 30 minutes.

CAUTION: For Professional Office use only. This product is not intended for home or unsupervised consumer use.

WARNING: Keep out of reach of children. If more than is used for a fluoride application is swallowed, get medical help or contact a Poison Control Center right away.

Store at controlled room temperature: 68-77°F (20-25°C). Prevent from freezing.

Shake well before each use.



+D66207088434620

Made in U.S.A.
0531114LA, R-061112

60-SECOND FLUORIDE MINT

sodium fluoride gel

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50227-3221
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	12.3 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
Phosphoric Acid (UNII: E4GA8884NN)	
Hydrofluoric Acid (UNII: RGL5YE86CZ)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	
Xanthan Gum (UNII: TTV12P4NEE)	
Xylitol (UNII: VCQ006KQ1E)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	GREEN	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50227-3221-6	454 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1978	

60-SECOND FLUORIDE GRAPE

sodium fluoride gel

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50227-3231
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	12.3 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
Phosphoric Acid (UNII: E4GA8884NN)	
Hydrofluoric Acid (UNII: RGL5YE86CZ)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	
Xanthan Gum (UNII: TTV12P4NEE)	
Xylitol (UNII: VCQ006KQ1E)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50227-3231-6	454 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1978	10/01/2012

60-SECOND FLUORIDE BUBBLE GUM

sodium fluoride gel

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50227-3251	
Route of Administration	DENTAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	12.3 mg in 1 g	
Inactive Ingredients				
	Ingredient Name		Strength	
	Water (UNII: 059QF0KO0R)			
	MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)			
	Phosphoric Acid (UNII: E4GA8884NN)			
	Hydrofluoric Acid (UNII: RGL5YE86CZ)			
	Anhydrous Citric Acid (UNII: XF417D3PSL)			
	Xanthan Gum (UNII: TTV12P4NEE)			
	Xylitol (UNII: VCQ006KQ1E)			
	Polysorbate 20 (UNII: 7T1F30V5YH)			
	SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)			
	Sodium Benzoate (UNII: OJ245FE5EU)			
	Titanium Dioxide (UNII: 15FIX9V2JP)			
Product Characteristics				
Color	PINK	Score		
Shape		Size		
Flavor	BUBBLE GUM	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50227-3251-6	454 g in 1 BOTTLE, PLASTIC		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
UNAPPROVED DRUG OTHER		01/01/1978		

60-SECOND FLUORIDE STRAWBERRY

sodium fluoride gel

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50227-3281

Route of Administration DENTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	12.3 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
Phosphoric Acid (UNII: E4GA8884NN)	
Hydrofluoric Acid (UNII: RGL5YE86CZ)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	
Xanthan Gum (UNII: TTV12P4NEE)	
Xylitol (UNII: VCQ006KQ1E)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	PINK	Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50227-328 1-6	454 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1978	10/01/2012

60-SECOND FLUORIDE ORANGE CREAM

sodium fluoride gel

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50227-3271
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	12.3 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
Phosphoric Acid (UNII: E4GA8884NN)	
Hydrofluoric Acid (UNII: RGL5YE86CZ)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	
Xanthan Gum (UNII: TTV12P4NEE)	
Xylitol (UNII: VCQ006KQ1E)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	ORANGE	Score	
Shape		Size	
Flavor	ORANGE (Orange Cream)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50227-3271-6	454 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1978	

60-SECOND FLUORIDE MARSHMALLOW

sodium fluoride gel

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50227-3261
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	12.3 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
Phosphoric Acid (UNII: E4GA8884NN)	
Hydrofluoric Acid (UNII: RGL5YE86CZ)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	
Xanthan Gum (UNII: TTV12P4NEE)	
Xylitol (UNII: VCQ006KQ1E)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	YELLOW	Score	
Shape		Size	
Flavor	MARSHMALLOW	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50227-3261-6	454 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1978	10/01/2012

60-SECOND FLUORIDE CHERRY

sodium fluoride gel

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50227-3211
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	12.3 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
Phosphoric Acid (UNII: E4GA8884NN)	
Hydrofluoric Acid (UNII: RGL5YE86CZ)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	
Xanthan Gum (UNII: TTV12P4NEE)	
Xylitol (UNII: VCQ006KQ1E)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50227-3211-6	454 g in 1 BOTTLE, PLASTIC		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1978	

60-SECOND FLUORIDE PINA COLADA

sodium fluoride gel

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50227-3241
Route of Administration	DENTAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	12.3 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
Phosphoric Acid (UNII: E4GA8884NN)	
Hydrofluoric Acid (UNII: RGL5YE86CZ)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	
Xanthan Gum (UNII: TTV12P4NEE)	
Xylitol (UNII: VCQ006KQ1E)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor	COCONUT (Pina Colada)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50227-3241-6	454 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1978	

Labeler - Patterson Dental Supply Inc (171843584)

Revised: 10/2012

Patterson Dental Supply Inc