

**DR. RECKEWEG R17 COBRALACTIN COMBINATION PRODUCT- lacticum acidum 4x,
naja tripudians 8x, scrophularia nodosa 2x liquid
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DR. RECKEWEG R17 Cobralactin

Active ingredients

Lacticum acidum 4X, Naja tripudians 8X, Scrophularia nodosa 2X, 1 g each in 10 g.

Purpose

Relieves of warts, growths, eczema, rashes

Uses

For the temporary relief of:

- Warts
- Growths
- Eczem
- Rashes

Warnings

Ask a doctor before use

- in children younger than 12 years.

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days.

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children.

Directions

Adults and children \geq 12 years 10-15 drops 3 times daily in a little water or undiluted or as recommended.

Not recommended for children under 12 years of age except under the advice of a health care professional.

Other information


- Tamper resistant: do not use if safety ring at base of cap is broken.
- Retain outer carton for full product information.

Inactive ingredients

Ethanol, purified water.

Questions?

Call 1-800-361-7872 or email questions@reckeweg.com



R 17

US
GELB
V0413

The statements on this package are supported by traditional homeopathic principles. The Food and Drug Administration does not evaluate homeopathic products.

Distributed by:
Dr. Reckeweg America Inc.
QC Canada H9P 2T8

Drug Facts

Active ingredients (in 10 g)

Lacticum acidum 4X, Naja tripudians 8X, Scrophularia nodosa 2X, 1 g each.

Purpose

Relieves of warts, growths, eczema, rashes

Uses

For the temporary relief of:

- Warts
- Growths
- Eczema
- Rashes

Warnings

Ask a doctor before use in children younger than 12 years

Stop use and ask a doctor if
■ condition worsens ■ symptoms persist for more than 7 days
■ symptoms clear up and occur again within a few days.

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children.

NDC# 53346-1317-5

R 17

Cobralactin

Homeopathic preparation
for the temporary relief of:

- Warts
- Growths
- Eczema
- Rashes

1.68 fl oz
(50 ml)

Drug Facts (continued)

Directions

Adults and children 12 years and over	10-15 drops 3 times daily
---------------------------------------	------------------------------

- In a little water or undiluted or as recommended.
- Not recommended for children under 12 years of age except under the advice of a health care professional.

Other information

- Tamper resistant: do not use if safety ring at base of cap is broken.
- Retain outer carton for full product information.

Inactive ingredients

Ethanol, purified water.

Questions?

Call 1.800.361.7872 or email questions@reckeweg.com

Made in Germany

6 69330 400045 8



NDC# 53346-1317-5

Dr. Reckeweg R17 Cobralactin

Homeopathic preparation for the temporary relief of:

- Warts
- Growths
- Eczema
- Rashes

Manufactured by:

Dr. Reckeweg Co. GmbH

D-64625 Bensheim

Germany

**1.68 fl oz
(50 ml)**

DR. RECKEWEG R17 COBRALACTIN COMBINATION PRODUCT

lacticum acidum 4x, naja tripudians 8x, scrophularia nodosa 2x liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53346-1317
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID, DL- (UNII: 3B8D35Y7S4) (LACTIC ACID, DL- - UNII:3B8D35Y7S4)	LACTIC ACID, DL-	4 [hp_X] in 50 mL
NAJA NAJA VENOM (UNII: ZZ4AG7L7VM) (NAJA NAJA VENOM - UNII:ZZ4AG7L7VM)	NAJA NAJA VENOM	8 [hp_X] in 50 mL
SCROPHULARIA NODOSA (UNII: 7H443NUB2T) (SCROPHULARIA NODOSA - UNII:7H443NUB2T)	SCROPHULARIA NODOSA	2 [hp_X] in 50 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53346-1317-5	50 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/1986	

Labeler - PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO (318602612)

Establishment

Name	Address	ID/FEI	Business Operations
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO		318602612	manufacture(53346-1317)

Revised: 4/2013

PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO