# ETHANOL HAND SANITIZER GEL- ethanol hand sanitizer gel gel Solids, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

## **Active Ingredient(s)**

Alcohol 80% v/v. Purpose: Antiseptic

### **Purpose**

Antiseptic, Hand Sanitizer

#### Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

#### **Warnings**

For external use only. Flammable. Keep away from heat or flame

#### Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

#### **Directions**

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.


#### Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

## **Inactive ingredients**

glycerin, hydrogen peroxide, purified water USP

## Package Label - Principal Display Panel







HAZARD WAR

For external use

• in children les • on open skin v

When using this contact with ey Stop use and as of a serious con

Keep out of rea

Store between Avoid freezing Inactive ingredi Acrylate Crossp Store locked up

Dispose of cont to local, state, a

Do not use

000 mL NDC: 00000-000-00



Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	80 mL in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
(C10-C30)ALKYL METHACRYLATE ESTER (UNII: XH2FQZ38D8)		
SO DIUM HYDRO XIDE (UNII: 55X04QC32I)		
GLYCERIN (UNII: PDC6A3C0OX)	1.45 mL in 100 mL	
WATER (UNII: 059QF0KO0R)		

	Packaging			
I	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
	1 NDC:79133-003-32	1 in 1 BOX	03/30/2020	
	1	946 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/30/2020	

## **Labeler -** Solids, Inc. (079782683)

Establishment			
Name	Address	ID/FEI	Business Operations
Solids, Inc.		079782683	manufacture(79133-003)

Revised: 8/2020 Solids, Inc.