

CHILDRENS CHEWABLES- acetaminophen tablet, chewable
Strategic Sourcing Services, LLC (Health Mart)

Health Mart 44-450-Delisted

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - sore throat
 - flu
 - toothache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

Ask a doctor before use if your child has
liver disease.

Ask a doctor or pharmacist before use if your child is
taking the blood thinning drug warfarin.

When using this product
do not exceed recommended dosage.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

*or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

1-800-426-9391

Principal Display Panel

Health Mart®

NDC 62011-0339-1

Compare to
Children's Tylenol®
active ingredient†

AGES 2-11

Children's Chewables

Acetaminophen 160 mg

Chewable Tablets

Pain Reliever/Fever Reducer

Aspirin Free • Ibuprofen Free
Bubblegum Flavored

Chew or crush tablets
completely before swallowing.

Do not swallow tablets whole.

Actual Size

24 Chewable Tablets

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

†This product is not manufactured or distributed by

Johnson & Johnson Corporation, owner of the
registered trademark Children's Tylenol®.

50844 REV1018C45008

Distributed by McKesson Corp., via
Strategic Sourcing Services LLC,
Memphis, TN 38141

© 2011 McKesson Corporation

www.healthmart.com

Money Back Guarantee

24 Chewable Tablets

Pain Reliever/Fever Reducer

Children's Chewables

Acetaminophen 160 mg

Chewable Tablets

Health Mart.



AGES 2-11



ACTUAL SIZE

Chew or crush tablets completely before swallowing.
Do not swallow tablets whole.

24 Chewable Tablets

Health Mart.



NDC 62011-0339-1

Compare to
Children's Tylenol®
active ingredient†

AGES 2-11


Children's Chewables

Acetaminophen 160 mg

Chewable Tablets

Pain Reliever/Fever Reducer

Aspirin Free • Ibuprofen Free
Bubblegum Flavored



no print / no varnish area
lot no. & exp. date

TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING

Drug Facts (continued)

Inactive ingredients citric acid, croscarmellose, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

Call 1-800-426-9391 8:30 AM-4:00 PM ET,
Monday-Friday

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol®.
50844 REV10180C45008
Distributed by McKesson Corp., via Strategic Sourcing Services LLC, Memphis, TN 38141
© 2011 McKesson Corporation
www.healthmart.com
Money Back Guarantee

Rev. 11/21

Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Purpose

Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, blisters, rash.

It a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Warnings

Liver warning: This product contains acetaminophen.

Uses

Temporarily relieves minor aches and pains due to:

■ headache ■ sore throat ■ flu

■ toothache ■ the common cold

Temporarily reduces fever

Active ingredient

(In each chewable tablet)
Acetaminophen 160 mg.....Pain reliever/fever reducer

Drug Facts (continued)

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

■ pain gets worse or lasts more than 5 days

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ this product does not contain directions or complete warnings for adult use

Drug Facts (continued)

Drug Facts (continued)

■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age.

■ drew or crush tablets completely before swallowing; do not swallow tablets whole

■ repeat dose every 4 hours while symptoms last

■ do not give more than 5 times in 24 hours

■ do not give for more than 5 days unless directed by a doctor

Weight (lb) Age (yr) Dose (chewable tablets)*

Under 24 Under 2 Ask a doctor

24-35 2-3 1 tablet

36-47 4-5 1 1/2 tablets

48-59 6-8 2 tablets

60-71 9-10 2 1/2 tablets

72-95 11 3 tablets

* or as directed by a doctor

Other information

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid high humidity

■ see end flap for expiration date and lot number

CHILDRENS CHEWABLES

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0339
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	pink	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	BUBBLE GUM	Imprint Code	44;450
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0339-1	4 in 1 CARTON	02/25/2005	01/31/2026
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/25/2005	01/31/2026

Labeler - Strategic Sourcing Services, LLC (Health Mart) (116956644)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(62011-0339)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(62011-0339) , pack(62011-0339)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(62011-0339)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(62011-0339)