

**VENENO DE ABEJA ACEITE DE VIBORA BRAND- methyl salicylate ointment
Menper Distributors Inc.**

Veneno de Abeja

Active Ingredient Purpose

Methyl Salicylate 10.5 %External Analgesic

Purpose

External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains and sprains

Warnings

For external use only

Do not use

- on wounds or damage skin
- with a heating pad
- on a child under 12 years of age
- over extensive areas of the body
- on irritated skin
- with a bandage

Ask doctor before use if you have

redness over the affected area

When using this product

- avoid contact with eyes or mucous membranes
- do not bandage

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive skin irritation occurs

if pregnant or breast-feeding

ask a health professional before use

keep out of reach of children to avoid accidental poisoning.

If swallowed, induce vomiting and call a physician or contact a Poison Control Center right away.

Directions

- Use only as directed
- adults and children 12 years and older apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

- store at 15° to 25° C (59° to 77° F)

Inactive Ingredients:

Camphor, D&C yellow 10#, menthol, methylparaben, paraffin wax, propylparaben, white petrolatum.

Questions?

call 1-800-60-5223 M-F 9 AM to 4 PM Eastern

BONUS! 30% mas GRATIS

BONUS! 30% more FREE!
(45 g FREE!)

BONUS! 30% mas GRATIS

REG. U.S. PAT. & TRADE OFF. © 2008 MENPER, INC. ALL RIGHTS RESERVED.

For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains and sprains.

Para el alivio temporal de dolores musculares y coyunturales asociados con dolores simples de espalda, artritis y torceduras.

*FOLK MEDICINE HAS ATTRIBUTED BEE VENOM AND VIPER OIL PROPERTIES AS ANALGESICS. VENENO DE ABEJA ACEITE DE VIBORA BRAND DOES NOT CONTAIN BEE VENOM OR VIPER OIL BUT CONTAINS OTHER INGREDIENTS THAT ARE EFFECTIVE AS ANALGESICS.

*LA MEDICINA COSTUMBRISTA HA ATRIBUIDO AL VENENO DE ABEJA Y AL ACEITE DE VIBORA, PROPIEDADES ANALGESICAS. LA MARCA VENENO DE ABEJA ACEITE DE VIBORA NO CONTIENE VENENO DE ABEJA NI ACEITE DE VIBORA, PERO CONTIENE OTROS INGREDIENTES QUE ACTUAN COMO ANALGESICOS.

VENENO DE ABEJA BRAND T.M.
ACEITE DE VIBORA
ANALGESIC OINTMENT/POMADA ANALGESICA



Contents
6.87 Oz. (195 g)

TAMPER EVIDENT:
Do not use if imprinted seal on jar is torn, broken or missing.

EVIDENCIA DE SEGURIDAD:
No usar si el sello impreso en el frasco está torcido, roto o falta.

Distributed by/Distribuido por:
Menper Distributors
11421 NW 107 St, Ste 24
Miami, FL 33178
www.menperdistributors.com



ADHESIVE AREA

Drug Facts	Purpose
Active Ingredient Methyl salicylate 10.5%.....	External analgesic
Uses	For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains and sprains.
Warnings	
For external use only	
Do not use	<ul style="list-style-type: none"> on wounds or damaged skin with a heating pad on a child under 12 years of age over extensive areas of the body on irritated skin with a bandage.
Ask a doctor before use if you have redness over the affected area.	
When using this product	<ul style="list-style-type: none"> avoid contact with eyes or mucous membranes do not bandage.
Stop use and ask a doctor if	<ul style="list-style-type: none"> condition worsens or symptoms persists for more than 7 days symptoms clear up and occur again within a few days excessive skin irritation occurs
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children to avoid accidental poisoning.	
If swallowed, induce vomiting and call a physician or contact a Poison Control Center right away.	
Directions	<ul style="list-style-type: none"> use only as directed adults and children 12 years and older: apply to affected area not more than 3 to 4 times daily children under 12 years of age: ask a doctor.
Other information	Store at 15° to 25°C (59° to 77° F)
Inactive ingredients Camphor, D&C yellow #10, menthol, methylparaben, paraffin wax, propylparaben, white petrolatum.	
Questions? Call 1-800-560-5223 M-F 9 AM to 4 PM Eastern	

ADHESIVE AREA

Datos Farmacológicos	Propósito
Ingrediente activo Salicilato de metilo 10.5%.....	Analgesico externo
Usos	Para el alivio temporal de dolores musculares y coyunturales asociados con dolores simples de espalda, artritis y torceduras.
Advertencias	
Para uso externo solamente	
No use	<ul style="list-style-type: none"> en heridas o piel dañada con almohadillas calientes en niños menores de 12 años de edad sobre áreas extensas del cuerpo en piel irritada con venda
Pregunte al doctor antes de usar si tiene enrojecimiento de la piel.	
Cuando use este producto	<ul style="list-style-type: none"> evite contacto con los ojos o con membranas mucosas no usar vendajes
Para de usar y pregunte al doctor si	<ul style="list-style-type: none"> la condición empeora o los síntomas persisten por más de 7 días los síntomas mejoran, pero ocurren nuevamente en pocos días ocurre irritación excesiva en la piel.
Si está embarazada o lactando, pregunte a un profesional de salud antes de usar.	
Mantener fuera del alcance de los niños para evitar envenenamiento accidental.	
Si se ingiere accidentalmente, induzca al vómito y llame a un doctor o contacte al Centro de Control de Envenenamiento inmediatamente.	
Indicaciones	<ul style="list-style-type: none"> use solo como se indica adultos y niños de 12 años o mayores: aplique al área afectada no más de 3 a 4 veces al día niños menores de 12 años de edad: consulte a un doctor.
Otra información	Almacenar a 15°-25° C (59°-77° F)
Ingredientes Inactivos Camphor, D&C amarillo #10, menthol, methylparaben, cera de parafina, propylparaben, petrolato blanco.	
Preguntas? Llamar 1-800-560-5223 L-V 9 AM a 4 PM hora del Este	

VENENO DE ABEJA ACEITE DE VIBORA BRAND

methyl salicylate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53145-303
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	10.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-303-05	150 g in 1 JAR; Type 0: Not a Combination Product	05/10/2011	
2	NDC:53145-303-07	195 g in 1 JAR; Type 0: Not a Combination Product	05/10/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/10/2011	

Labeler - Menper Distributors Inc. (101947166)

Establishment

Name	Address	ID/FEI	Business Operations
RNV, LLC		118917568	manufacture(53145-303)

Revised: 7/2025

Menper Distributors Inc.