SINUCLEANSE MICRO-FILTERED NASAL WASH SYSTEM- sodium chloride, sodium bicarbonate ASCENT CONSUMER PRODUCTS, INC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Active ingredients

(in each packet)

Sodium Bicarbonate USP 700 mg

Sodium Chloride USP 2300 mg

Purpose

Nasal Wash

Uses

Temporarily relieves symptoms associated with

sinusitis, cold, flu or allergies:

-Sneezing

- -Runny nose
- -Nasal stuffiness
- -Post nasal drip
- -Removes inhaled irritants (dust, pollen)
- -Promotes nasal and sinus drainage
- -Helps reduce swelling of nasal membranes
- -Moisturizes dry nasal passages

Warnings

Stop use and ask a doctor if washing is uncomfortable or

symptoms are not reduced.

When used with tap water see instructions inside box

for proper water sources.

When using this product:

- Use by only one person
- Wash with soap and water after each use
- Top rack of dishwasher safe
- Do not heat in microwave

Keep out of reach of children

Directions:

Adults and children 4 years and over: use 1 - 2 packets per 8 fl. oz (240 mL) up to every 2 hours as needed

Children under 4 years: Consult a physician

See enclosed instruction sheet for complete directions and proper use

Other information

- Inspect saline packets for integrity
- Do not use saline packets if open or torn
- Protect saline packets from excessive heat and moisture
- See saline packets or box for lot no. and expiration date

Inactive ingredients: none

Questions?

1-888-547-5492

Filter Data

Model #'s: 91-40630, 97-40630, 98-40630 Manufacturer: Ascent Consumer Products Inc. Melville NY 11737 888-547-5492 Distributed by: See Box for Information Filter Type: Mechanical Cyst Reduction Filter Maximum Operating Temperature: 100 degrees Fahrenheit Maximum Working Pressure: 5 psi Maximum Service Life: 50 gallons This product has been tested and certified to meet NSF/ANSI Standard 53, a drinking water standard, for cyst reduction of 99.95% and to be lead free. For more information from the Centers for Disease Control and Prevention (CDC) on water filters and sinus washing visit the CDC web site at: http://www.cdc.gov. **Micro-Filtered** Sinus Wash System Please read instructions thoroughly before using and keep for future reference. NEW! **BUILT IN WATER**

FILTER

About the Micro-Filtered Sinus Wash System

The Micro-Filtered Sinus Wash System is a revolutionary new product that makes receiving the proven benefits of sinus washing easier than ever. The built in water filter meets the CDC recommendation for sinus washing with tap water*. This provides peace of mind, while also eliminating the cost of bottled water or the inconvenience of boiling and pre-filtering tap water. It also allows for easier temperature control of the saline solution for a soothing and more comfortable sinus wash

The patent pending Micro-Filtered System incorporates additional innovations to maximize the comfort and convenience of sinus washing:

Inverted filter technology with anti-backflow valve uses a combination of gravity and positive pressure to provide an easy to control and comfortable flow of the saline solution.
Ergonomically designed bottle and soft nasal tip are comfortable to use and easy to clean.

Frequently asked questions and important information about the Micro-Filtered Sinus Wash System Warning: Do not use Micro-Filtered System if nasal passages are completely blocked.

Preparing the Micro-Filtered System for first use

Before first use rinse the bottle with warm tap water and empty. Next fill bottle with warm tap water and place cap on bottle and tighten securely. Holding the assembled bottle and cap over the sink, invert so comfort tip faces up and squeeze bottle several times until bottle is empty and no water flows from the comfort tip. Repeat the filling and emptying process two additional times. The Micro-Filtered System is now ready for use.

What type of water can be used in the Micro-Filtered System?

In addition to distilled water or commercially bottled water the Micro-Filtered System can be used with tap water. WARNING: The Micro-Filtered System is intended as a final filter for tap water that is known to be safe for drinking.

How do I clean the Micro-Filtered System?

Do not clean any part of the Micro-Filtered System in the dishwasher.

Cleaning the bottle: Rinse the bottle out with water after each use and allow to dry. Cleaning the comfort tip: Remove tip and clean with soap and water after each use. Replace tip after cleaning.

Cleaning the cap: The outside of the cap can be rinsed with water and dried.

Can I share the Micro-Filtered System with friends and family?

The Micro-Filtered System is intended for individual use and not to be shared.

How do I clean the Micro-Filtered System?

Do not clean any part of the Micro-Filtered System in the dishwasher.

Cleaning the bottle: Rinse the bottle out with water after each use and allow to dry. Cleaning the comfort tip: Remove tip and clean with soap and water after each use. Replace tip after cleaning.

Cleaning the cap: The outside of the cap can be rinsed with water and dried.

Should I use an Isotonic or Hypertonic solution?

The Micro-Filtered System can be used with the enclosed saline packets to make either an Isotonic or Hypertonic solution. An Isotonic solution has a salt concentration similar to your body and some people find this more comfortable to use. A Hypertonic solution is more concentrated, similar to the salt concentration of ocean water. Both are beneficial to your sinus and nasal health.

Check with the guide below or consult with your physician for best use.

Check with the guide below or consult with your physician for best use.

Isotonic Solution1 Saline Packet per

8 fl oz

Hypertonic Solution

2 Saline Packets per 8 fl oz

Helpful hints for a more comfortable sinus wash experience:

• Begin using the Micro-Filtered System slowly – especially with children. A full bottle of solution is not necessary to receive the full benefit.

• If the solution is too warm or too cold, the Sinus Wash will be uncomfortable.

• If stinging or irritation occurs, try using 1 packet of dry ingredients per bottle. Gradually work up to using the solution at full strength using 2 full packets per bottle. Do not use less than 1 packet.

• If you experience ear discomfort after use, try to blow your nose gently after the wash. If the problem persists, the openings of your Eustachian tubes may be particularly wide and use of the system should be discontinued.

• Breathe continuously through the mouth when using the Sinus Wash System to avoid solution draining from the back of the nose into the mouth.

Instructions for Use:

1. Wash your hands and make sure the Micro-Filtered System has been prepared

according to the instructions above before first use.

2. Pour the contents of the saline packet(s) into the bottle. First-time users should start with 1 packet to make an Isotonic solution. As you become more accustomed to using the system, you may work up to using 2 full packets for a Hypertonic solution. Additional packets may be purchased online or from your nearest pharmacy.

3. Fill the bottle with warm tap water to the 8 oz mark indicated on the bottle. Test water temperature before using.

7. In a few moments the solution will begin to drain out of the left nostril. Continue to squeeze the bottle gently until you have used approximately half of the solution.

8. Remove the comfort tip from your nostril, then exhale through both nostrils to clear them of excess mucus and solution. Gently blow your nose into a tissue.

9. Repeat the procedure on the left nostril with the remaining solution.

10. When finished hold the system inverted over sink and squeeze several times to remove solution remaining in cap.

11. Holding the cap assembly over the sink unscrew filter (B) by turning the white ring on bottom

of cap counter clockwise while holding cap (A). Empty any remaining solution into the sink

and allow to dry. Reassemble the filter making sure the black O-ring (C) is seated above the

filter base threads as shown in the illustration below. After each use please clean system.

Clean the bottle: Rinse the bottle out with water and allow to dry. **Clean the comfort tip**: Remove tip and clean with soap and water and reinstall. **Clean the cap**: The outside of the cap can be rinsed with water and dried.





SINUCLEANSE MICRO-FILTERED NASAL WASH SYSTEM

sodium chloride, sodium bicarbonate kit

Product Informat	ion						
Product Type	HUMAN OTC DRUG		Item Code (Source)		NDC	NDC:42829-406	
Packaging							
# Item Code	Packa	ge Description	Marketing	Start Date	e Marke	ting End Date	
1 NDC:42829-406-30	1 in 1 KIT		07/01/2015				
Quantity of Parts							
Part # Package Quantity			Total Product Quantity				
Part 1 1 PACKET			3000 mg				
Part 1 of 1							
SINUCLEANSE							
sodium bicarbonate,	sodium	chloride powder.	for solution				
Product InformationItem Code (Source)NDC:42829-401Route of AdministrationNASAL							
Active Ingredient/	Active	Moiety					
Ingredient Name					asis of rength	Strength	
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE I UNII:HN1Z RA3Q20)				SODIUI BICARB	M ONATE	700 mg in 3000 mg	
SODIUM CHLORIDE (UN JNII:LYR4M0NH37)	DN -	SODIUI	M CHLORIDE	2300 mg in 3000 mg			
Inactive Ingredien							
WATER (UNII: 059QF0KO)	-	redient Name			St	rength	
Packaging							
# Item Code	Pa	ckage Descripti	00	Marketin	g Start te	Marketing End	

1 NDC:42829- 401-02	30 in 1 KIT						
1	3000 mg in 1 PACKET; Type 1: Convenience Kit of Co-Package						
Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
unapproved drug other		04/01/2013					
Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
unapproved drug other		07/01/2015					

Labeler - ASCENT CONSUMER PRODUCTS, INC. (078396381)

Revised: 1/2024

ASCENT CONSUMER PRODUCTS, INC.