

ALAHIST PE- dexbrompheniramine maleate, phenylephrine hydrochloride tablet
Poly Pharmaceuticals, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Alahist PE

Active Ingredients

(in each tablet)

Dexbrompheniramine Maleate 2 mg

Phenylephrine Hydrochloride 7.5 mg

Purpose

Dexbrompheniramine Maleate- -Antihistamine

Phenylephrine Hydrochloride-- Nasal Decongestant

Uses

Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- runny nose
- sneezing
- itching of the nose or throat
- itchy, water eyes
- nasal congestion
- reduces swelling of nasal passages

Warnings

Do not use this product

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to enlargement of the prostate gland
- heart disease

- high blood pressure
- thyroid disease
- diabetes

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When Using This product

- excitability may occur, especially in children
- may cause drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- use caution when driving a motor vehicle or operating machinery

Stop use and Ask Doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or are accompanied by fever

If Pregnant or Breastfeeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over:	1 tablet every 4 hours, not to exceed 6 tablets in 24 hours, or as directed by a doctor.
Children 6 to under 12 years of age	1/2 tablet every 4 hours, not to exceed 3 tablets in 24 hours, or as directed by a doctor.
Children under 6 years of age:	Consult a doctor.

Other Information

Store at 15°-30°C (59°-86°F). Supplied in a tight, light-resistant container with a child-resistant cap. Alahist PE Tablets are dark purple, caplet-shaped, scored tablets, debossed "Poly" bisect "782" on one side and plain on the other.

Inactive ingredients

Croscarmellose sodium, D&C Red # 27 aluminum lake, FD&C Blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, pregelatinized starch, silicon dioxide

Questions? Comments?

Call 1-800-882-1041

Alahist PE Label

Manufactured for

Poly Pharmaceuticals
Huntsville, AL 35763



<p>Get more drug facts</p> <p>ALAHIST PE Tablets</p> <p>Antihistamine • Nasal Decongestant</p> <p>Each tablet contains: Dexbrompheniramine Maleate ... 2 mg Phenylephrine Hydrochloride ... 7.5 mg</p> <p>90 Tablets</p>	<p>Drug Facts</p> <p>Active ingredients (in each tablet)</p> <p>Dexbrompheniramine Maleate 2 mg — Antihistamine Phenylephrine Hydrochloride 7.5 mg — Nasal Decongestant</p> <p>Purpose</p> <p>Uses</p> <p>Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:</p> <ul style="list-style-type: none"> runny nose sneezing itching of the nose or throat itchy, watery eyes nasal congestion reduces swelling of nasal passages 	<p>Drug Facts (continued)</p> <p>Warnings</p> <p>Do not exceed recommended dosage.</p> <p>Do not use this product</p> <ul style="list-style-type: none"> if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. 	<p>Drug Facts (continued)</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> a breathing problem such as emphysema or chronic bronchitis glaucoma trouble urinating due to enlargement of the prostate gland heart disease high blood pressure thyroid disease diabetes <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</p>	<p>Drug Facts (continued)</p> <p>When using this product</p> <ul style="list-style-type: none"> excitability may occur, especially in children may cause drowsiness avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase the drowsiness effect use caution when driving a motor vehicle or operating machinery
--	---	---	---	--

11.8438"

<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> nervousness, dizziness, or sleeplessness occur symptoms do not improve within 7 days or are accompanied by fever <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p>Drug Facts (continued)</p> <p>Directions</p> <p>Adults and children 12 years of age and over:</p> <p>1 tablet every 4 hours, not to exceed 6 tablets in 24 hours, or as directed by a doctor.</p> <p>Children 6 to under 12 years of age:</p> <p>1/2 tablet every 4 hours, not to exceed 3 tablets in 24 hours, or as directed by a doctor.</p> <p>Children under 6 years of age:</p> <p>Consult a doctor.</p>	<p>Drug Facts (continued)</p> <p>Other information</p> <p>Store at 15°-30°C (59°-86°F). Supplied in a tight, light-resistant container with a child-resistant cap. Alahist PE tablets are dark purple, caplet-shaped, scored tablets, debossed "Poly Pharm" "292" on one side and plain on the other.</p> <p>Inactive ingredients</p> <p>Chitosan-maleic sodium, D&C Res # 27 aluminum lake, FD&C Blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, pregelatinized starch, silicon dioxide</p>	<p>Drug Facts (continued)</p> <p>Questions? Comments? Call 1-800-882-1041</p> <p>Manufactured for: Poly Pharmaceuticals Huntsville, AL 35763 Rev. 05/2020</p>	
--	---	--	---	--

ALAHIST PE

dexbrompheniramine maleate, phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50991-788
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXBROMPHENIRAMINE MALEATE (UNII: BPA9UT29BS) (DEXBROMPHENIRAMINE - UNII: 75T64B71RP)	DEXBROMPHENIRAMINE MALEATE	2 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	7.5 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	purple	Score	2 pieces
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	Poly;782
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50991-788-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	08/24/2020	
2	NDC:50991-788-02	12 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/24/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/24/2020	

Labeler - Poly Pharmaceuticals, Inc. (198449894)

Revised: 1/2024

Poly Pharmaceuticals, Inc.