EMULSIVIT E AD- d-alpha tocopherol vitamin a vitamin d3 injection Vedco, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

EmulsiVit E/A&D

EmulsiVit E/A&D

Injectable Tocopherol/AD

Indications: EmulsiVitE/A&D Injectable d-alpha tocopherol with AD is a clear, sterile, non-aqueous solution of vitamin A, vitamin D_3 , and vitamin E. The product is intended as a supplemental source of vitamins A, D and E.

Natural vitamin A (carotenes), and tocopherols can be destroyed in feedstuffs through processing, ensiling and storage. Due to these losses, reduced intakes of fat-soluble vitamins can occur in animals maintained in continual confinement compared to animals allowed to graze in lush pasture. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin A, vitamin D and Vitamin E status of animals.

Each mL contains:

Active Ingredients:

Inactive Ingredients: 2% benzyl alcohol (preservative)

compounder in a water emulsifiable base.

Caution:

Anaphylactoid or allergic reactions, which have resulted in deaths, have been reported in individual animals as well as entire herds. Should such reactions or hypersensitivity occur, treat immediately with injection of epinephrine and/or antihistamines. Do not exceed recomended dosage. Administration of this product to well-nourished animals may cause hypervitaminosis D, which may result in hypercalcemia and hyperphosphatemia.

Warning:

Do not add water to solution.


Store between 15°-30°C (59°-86°F) in a dark place

ADMINISTRATION AND DOSAGE:

Intramuscular or Subcutaneous Administration Only. May be repeated. If dose is greater than 5 mL, equally divide the dose and inject at two sites.

mel U)
1. 4.50
00
00
00
00
00
00
000

SUGGESTED DOSAGE:	mL	International Units (IU)
CATTLE (Dairy and Beef)		
Cows and Heifers		
2-3 wks pre-partum	8-10	2400-3000
At calving	8-10	2400-3000
End of lactation	8-10	2400-3000
Calves		
At birth	4-6	1200-1800
At weaning	4-6	1200-1800
Yearlings	5-6	1500-1800




ADMINISTRATION AND DOSAGE: Intramuscular or Subcutaneous Administration Only. May be repeated. If dose is greater than 5 mL, equally divide the dose and inject at two different sites. SUGGESTED DOSAGE:

CATTLE (Dairy and Beef)
Cows and Heifers
2-3 wks pre-partum
At calving
End of lactation Calves
At birth
At weaning
Yearlings

TAKE TIME OBSERVE LABEL DIRECTIONS

VINV-EMUL-VEAD V-3234-05 Distributed By VEDCO, INC. St. Joseph, MO 64507

Rev. 10-15





EMULSIVIT E AD

d-alpha tocopherol vitamin a vitamin d3 injection

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:50989-344

Route of Administration INTRAMUSCULAR, SUBCUTANEOUS

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
.ALPHATOCOPHEROL, D- (UNII: N9PR3490H9) (.ALPHATOCOPHEROL, DUNII:N9PR3490H9)	.ALPHA TOCOPHEROL, D-	201 mg in 1 mL
VITAMIN A (UNII: 81G40H8B0T) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	3.6 mg in 1 mL
VITAMIN D (UNII: 9VU1KI44GP) (CHOLECALCIFEROL - UNII:1C6V77QF41)	VITAMIN D	2.5 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50080-344-15	250 ml in 1 VIAI		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
unapproved drug other		01/10/2010	

Revised: 12/2023 Vedco, Inc.