

HAND SANITIZER- isopropyl alcohol gel
REALCHEM MANUFACTURING

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

70% IPA HS Gel Unscented

This is an unscented hand sanitizer gel manufactured with denatured Isopropyl Alcohol (70% v/v).

Active Ingredient(s)

Isopropyl Alcohol 70% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

Rapidgel EZ1, purified water USP

Package Label - Principal Display Panel

984100 ml NDC: 79363-720-00

Isopropyl Alcohol 70% v/v

Unscented Hand Sanitizer Gel

- Active Ingredient: Isopropyl Alcohol 70% v/v
 - Inactive Ingredients: Purified Water, PEG-6 (and) AMP – Acrylates/Vinyl Isodecanoate Crosspolymer
 - Net Weight (in pounds): 1,844.34
 - WARNING - FLAMMABLE: Keep away from heat, spark, electrical, fire or flame.
 - Store in a well-ventilated space. Keep container tightly closed. Keep cool.
-

260 Gal

OFFICE / PACKAGING / WAREHOUSE

901 Orchard Street, Unit E

Mundelein, IL 60060

Office: (224) 864-2185

DC



Office: (224) 804-2185

RC

BLENDING / ADMINISTRATION
401 Washington Boulevard, Suite 4
Mundelein, IL 60060

www.realchemmfg.com

RealChem
MANUFACTURING, INC.

237 ml NDC: 79363-720-08

NDC # 79363-720-08

WARRANTY DISCLAIMER

Because of conditions of use which may be beyond our control, NexxChem, LLC shall not be held responsible in any manner for any personal injury or property loss resulting to the buyer or any other person from handling, storage, or use of this material not in accordance with directions. The buyer and/or user assumes all risk and liability resulting from improper handling or usage. There is no warranty expressed or implied of any kind, except as supplied in writing.

WARNINGS

KEEP OUT OF REACH OF CHILDREN



For external use only! Flammable Keep away from heat or flame.

Do not use on children less than 2 months of age. Do not use on open skin wounds.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

IF SWALLOWED: Immediately call a POISON CONTROL CENTER or a doctor/physician. Rinse mouth.

See Safety Data Sheet for further details regarding safe use of this product. NexxChem LLC, 407 South 17th St., Clear Lake IA 50428. 641-357-1455.

WARRANTY

For a copy of the NexxChem Product Warranty, contact your local NexxChem distributor or NexxChem's Technical Department at info@nexxchem.com or call 641-357-1455.



407 South 17th St.,
Clear Lake, IA 50428
www.nexxchem.com



Proudly Made in America

Net Contents
8 ounces (237 ml)



Drug Facts	
Active Ingredient[s]	Purpose
Isopropyl Alcohol 70% v/v	First Aid Antiseptic
Use[s]	
First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings	
For external use only	
<ul style="list-style-type: none"> Will produce serious gastric disturbances if taken internally. 	
Flammable, keep away from heat, flame, spark, or electrical.	
<ul style="list-style-type: none"> Use only in a well-ventilated area; fumes may be toxic. 	
Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.	
When using this product keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> Clean the affected area. Apply small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let it dry first. 	
Other information	
<ul style="list-style-type: none"> Does not contain, nor is intended as a substitute for grain or ethyl alcohol. Store at room temperature, out of direct sunlight. 	
Inactive Ingredients purified water, PEG-6 (and) AMP-Acrylates / Vinyl Isodecanoate Crosspolymer.	
Questions? 1-800-424-9300	

Distributed by:
AZTEC SUPPLY CORP.
5024 West 67th Street
Bedford Park, IL 60638
PH: 708-594-6080
email:aztecsox@outlook.com
www.aztecsupplycorp.com



473ml NDC: 79363-720-16

NDC # 79363-720-16

WARRANTY DISCLAIMER

Because of conditions of use which may be beyond our control, NexxChem, LLC shall not be held responsible in any manner for any personal injury or property loss resulting to the buyer or any other person from handling, storage, or use of this material not in accordance with directions. The buyer and/or user assumes all risk and liability resulting from improper handling or usage. There is no warranty expressed or implied of any kind, except as supplied in writing.

WARNINGS

KEEP OUT OF REACH OF CHILDREN



For external use only! Flammable Keep away from heat or flame.

Do not use on children less than 2 months of age.
Do not use on open skin wounds.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

IF SWALLOWED: Immediately call a POISON CONTROL CENTER or a doctor/physician. Rinse mouth.

See Safety Data Sheet for further details regarding safe use of this product. NexxChem LLC, 407 South 17th St., Clear Lake IA 50428. 641-357-1455.

WARRANTY

For a copy of the NexxChem Product Warranty, contact your local NexxChem distributor or NexxChem's Technical Department at info@nexxchem.com or call 641-357-1455.



407 South 17th St.,
Clear Lake, IA 50428
www.nexxchem.com

ProtectRx
HEALTH AND SAFETY PRODUCTS

HAND SANITIZER GEL

Non-Sterile Solution
IPA Alcohol **Antiseptic 70%**
Topical Solution
Unscented

Net Contents
16 ounces (473 ml)

Proudly Made In America

Drug Facts	
Active Ingredient(s) Isopropyl Alcohol 70% v/v	Purpose First Aid Antiseptic
Use(s) First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. Use only in a well-ventilated area; fumes may be toxic.	
Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.	
When using this product keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Clean the affected area. Apply small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage if bandaged, let it dry first.	
Other information Does not contain, nor is intended as a substitute for grain or ethyl alcohol. Store at room temperature, out of direct sunlight.	
Inactive Ingredients purified water, PEG-6 (and) AMP-Acrylates / Vinyl Isodecanoate Crosspolymer.	

Questions? 1-800-424-9300

Distributed by:
AZTEC SUPPLY CORP.
5024 West 67th Street
Bedford Park, IL 60638
PH: 708-594-6080
email: aztecsox@outlook.com
www.aztecsupplycorp.com



3785ml NDC: 79363-720-28

NDC # 79363-720-28

WARRANTY DISCLAIMER

Because of conditions of use which may be beyond our control, NexxChem, LLC shall not be held responsible in any manner for any personal injury or property loss resulting to the buyer or any other person from handling, storage, or use of this material not in accordance with directions. The buyer and/or user assumes all risk and liability resulting from improper handling or usage. There is no warranty expressed or implied of any kind, except as supplied in writing.

WARNINGS

KEEP OUT OF REACH OF CHILDREN



For external use only! Flammable Keep away from heat or flame.

Do not use on children less than 2 months of age.
Do not use on open skin wounds.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

IF SWALLOWED: Immediately call a POISON CONTROL CENTER or a doctor/physician. Rinse mouth.

See Safety Data Sheet for further details regarding safe use of this product. NexxChem LLC, 407 South 17th St., Clear Lake IA 50428. 641-357-1455.

WARRANTY

For a copy of the NexxChem Product Warranty, contact your local NexxChem distributor or NexxChem's Technical Department at info@nexxchem.com or call 641-357-1455.



407 South 17th St.,
Clear Lake, IA 50428
www.nexxchem.com

ProtectRx
HEALTH AND SAFETY PRODUCTS

HAND SANITIZER GEL

Non-Sterile Solution
IPA Alcohol **Antiseptic 70%**
Topical Solution
Unscented

Net Contents
1 Gallon (3.8 liters)

Proudly Made In America

Drug Facts	
Active Ingredient(s) Isopropyl Alcohol 70% v/v	Purpose First Aid Antiseptic
Use(s) First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. Use only in a well-ventilated area; fumes may be toxic.	
Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.	
When using this product keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Clean the affected area. Apply small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage if bandaged, let it dry first.	
Other information Does not contain, nor is intended as a substitute for grain or ethyl alcohol. Store at room temperature, out of direct sunlight.	
Inactive Ingredients purified water, PEG-6 (and) AMP-Acrylates / Vinyl Isodecanoate Crosspolymer.	

Questions? 1-800-424-9300

Distributed by:
AZTEC SUPPLY CORP.
5024 West 67th Street
Bedford Park, IL 60638
PH: 708-594-6080
email: aztecsox@outlook.com
www.aztecsupplycorp.com



HAND SANITIZER

isopropyl alcohol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79363-720
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)		ISOPROPYL ALCOHOL	70 mL in 100 mL	
Inactive Ingredients				
Ingredient Name		Strength		
RAPIDGEL EZ1 (UNII: 33JH4A7R2K)		1 mL in 100 mL		
WATER (UNII: 059QF0K00R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79363-720-00	984100 mL in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK; Type 0: Not a Combination Product	08/03/2020	
2	NDC:79363-720-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/03/2020	
3	NDC:79363-720-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/03/2020	
4	NDC:79363-720-28	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/03/2020	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	08/03/2020		

Labeler - REALCHEM MANUFACTURING (120491681)

Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117584702	manufacture(79363-720) , pack(79363-720) , repack(79363-720)

Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117742005	manufacture(79363-720) , pack(79363-720) , repack(79363-720)

Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117828480	manufacture(79363-720) , pack(79363-720) , repack(79363-720)

Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		120491681	manufacture(79363-720) , pack(79363-720) , repack(79363-720)