

**SPF 50 CHEMICAL FRAGRANCE FREE SLAM- avabenzone 3% homosalate 10%  
octocrylene 6% lotion  
Slam Lotion**

-----  
**SLAM SPF 50 Paraben Free Lotion**

**Active ingredients**

Avobenzone 3.00%  
Homosalate 10.00%  
Octocrylene 6.00%.

**Purpose**

Sunscreen  
Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn•

**Warnings**

**For external use only.**

**Do not use**

on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately

**Directions**

- apply liberally and spread evenly by hand 15 minutes before sun exposure• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

• **Sun Protection Measures.** Spending tme in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2. p.m.
- wear a long-sleeve shirt, pants, hats, and sunglasses.
- children under 6 months: Ask a doctor.

### Inactive Ingredieints

Aluminum Starch Octenylsuccinate, Arachidic Acid, Benzyl Alcohol, Butyloctyl Salicylate, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Lauric Acid, Myristic Acid, Palmitic Acid, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Triethanolamine, VP/Eicosene Copolymer, Water.



**MEN'S  
SUNSCREEN**

**50** FRAGRANCE FREE

LOTION + MOISTURIZER

Anti-aging  
Water Resistant (80 minutes)  
Free of Oxybenzone & Octinoxate  
Broad Spectrum SPF 50

---

3 fl oz. (89 mL)

**Drug Facts**

Active ingredients	Purpose
Homosalate 10.00%.....	Sunscreen
Octocrylene 6.00%.....	Sunscreen
Avobenzone 3.00%.....	Sunscreen

**Uses** • helps prevent sunburn

**Warnings**  
For external use only.  
Do not use on damaged or broken skin.  
When using this product • Keep out of eyes. Rinse with water to remove.  
Stop use and ask doctor if rash occurs.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**  
• apply liberally to cool, dry skin 15 minutes before sun exposure  
• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours  
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2. p.m. • wear a long-sleeve shirts, pants, hats, and sunglasses. • children under 6 months: Ask a doctor.

**Other information** • protect this product from excessive heat and direct sun • may stain fabrics.

**Inactive ingredients** Aluminum Starch Octenylsuccinate, Arachidic Acid, Benzyl Alcohol, Butyloctyl Salicylate, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Lauric Acid, Myristic Acid, Palmitic Acid, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Triethanolamine, VP/Eicosene Copolymer, Water.

**Questions?** 561-903-0714

DISTRIBUTED BY: ADMIN@SLAMLOTION.COM

MADE IN THE USA WITH US AND GLOBALLY SOURCED MATERIALS



### SPF 50 CHEMICAL FRAGRANCE FREE SLAM

avabenzone 3% homosalate 10% octocrylene 6% lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85943-006
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>ARACHIDIC ACID</b> (UNII: PQB8MJD4RB)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CARBOMER</b> (UNII: 0A5MM307FC)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>LAURIC ACID</b> (UNII: 1160N9NU9U)	
<b>MYRISTIC ACID</b> (UNII: 0I3V7S25AW)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POLYGLYCERYL-3 DISTEARATE</b> (UNII: ZI1LK470XV)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TRIETHANOLAMINE</b> (UNII: 9O3K93S3TK)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85943-006-03	89 mL in 1 TUBE; Type 0: Not a Combination Product	08/06/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M20	08/06/2025	

**Labeler** - Slam Lotion (119543108)

**Registrant** - Inspec Solutions (081030372)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Inspec Solutions		081030372	manufacture(85943-006)

Revised: 3/2026

Slam Lotion