

HAND SANITIZER- alcohol gel
One Plastic ATX s de RL de CV

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (70%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Carbopol (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Active Ingredient(s)

Alcohol 70% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

Glycerin, Carbopol, Purified water USP



**Alcohol Antiseptic 70%
Topical Solution**

**Hand Sanitizer
Non-sterile Solution**

5.07 oz (150 mL)

| | |
|---|------------------------------|
| Drug Facts | |
| Active ingredient[s] Alcohol 70% v/v | Purpose Antiseptic |
| Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame. Do not use <ul style="list-style-type: none"> • in children less than 2 months of age • on open skin wounds When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions <ul style="list-style-type: none"> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information <ul style="list-style-type: none"> • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients Glycerin, Carbopol, Triethanolamine | |



**Alcohol Antiseptic 70%
Topical Solution**

**Hand Sanitizer
Non-sterile Solution**

10 oz (300 mL)

| | |
|--|------------------------------|
| Drug Facts | |
| Active ingredient[s] Alcohol 70% v/v | Purpose Antiseptic |
| Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame. Do not use <ul style="list-style-type: none"> • in children less than 2 months of age • on open skin wounds When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions <ul style="list-style-type: none"> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information <ul style="list-style-type: none"> • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients Glycerin, Carbopol, Triethanolamine | |



**Alcohol Antiseptic 70%
Topical Solution**

**Hand Sanitizer
Non-sterile Solution**

16.9 oz (500 mL)

| | |
|--|-----------------------------------|
| Drug Facts | |
| Active ingredient[s] Alcohol 70% v/v | PurposeAntiseptic |
| Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame. Do not use <ul style="list-style-type: none"> • in children less than 2 months of age • on open skin wounds When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions <ul style="list-style-type: none"> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information <ul style="list-style-type: none"> • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients Glycerin, Carbopol, Triethanolamine | |



**Alcohol Antiseptic 70%
Topical Solution**

**Hand Sanitizer
Non-sterile Solution**

20.29oz (600 mL)

| | |
|--|-----------------------------------|
| Drug Facts | |
| Active ingredient[s] Alcohol 70% v/v | PurposeAntiseptic |
| Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame. Do not use <ul style="list-style-type: none"> • in children less than 2 months of age • on open skin wounds When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions <ul style="list-style-type: none"> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information <ul style="list-style-type: none"> • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients Glycerin, Carbopol, Triethanolamine | |
| | |



**Alcohol Antiseptic 70%
Topical Solution**

**Hand Sanitizer
Non-sterile Solution**

33.81 oz (1000 mL)

| | |
|--|----------------|
| Drug Facts | |
| Active ingredient[s] | Purpose |
| Alcohol 70% v/v | Antiseptic |
| Use[s] | |
| Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings | |
| For external use only. Flammable. Keep away from heat or flame. | |
| Do not use | |
| <ul style="list-style-type: none"> • in children less than 2 months of age • on open skin wounds | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions | |
| <ul style="list-style-type: none"> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information | |
| <ul style="list-style-type: none"> • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients Glycerin, Carbopol, Triethanolamine | |



**Alcohol Antiseptic 70%
Topical Solution**

**Hand Sanitizer
Non-sterile Solution**

50.72 oz (1500 mL)

| | |
|--|----------------|
| Drug Facts | |
| Active ingredient[s] | Purpose |
| Alcohol 70% v/v | Antiseptic |
| Use[s] | |
| Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings | |
| For external use only. Flammable. Keep away from heat or flame. | |
| Do not use | |
| <ul style="list-style-type: none"> • in children less than 2 months of age • on open skin wounds | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions | |
| <ul style="list-style-type: none"> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information | |
| <ul style="list-style-type: none"> • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients Glycerin, Carbopol, Triethanolamine | |



**Alcohol Antiseptic 70%
Topical Solution**

**Hand Sanitizer
Non-sterile Solution**

126.80 oz (3750 mL)

| | |
|--|------------------------------|
| Drug Facts | |
| Active ingredient[s] Alcohol 70% v/v | Purpose Antiseptic |
| Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame. Do not use <ul style="list-style-type: none"> • in children less than 2 months of age • on open skin wounds When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions <ul style="list-style-type: none"> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information <ul style="list-style-type: none"> • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients Glycerin, Carbopol, Triethanolamine | |



**Alcohol Antiseptic 70%
Topical Solution**

**Hand Sanitizer
Non-sterile Solution**

634.01 oz (18,750 mL)

| | |
|---|------------------------------|
| Drug Facts | |
| Active ingredient[s] Alcohol 70% v/v | Purpose Antiseptic |
| Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame. Do not use <ul style="list-style-type: none"> • in children less than 2 months of age • on open skin wounds When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions <ul style="list-style-type: none"> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information <ul style="list-style-type: none"> • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients Glycerin, Carbopol, Triethanolamine | |

HAND SANITIZER

alcohol gel

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:80354-830 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 80 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------|--------------------|
| GLYCERIN (UNII: PDC6A3C0OX) | 1.45 mL in 100 mL |
| HYDROGEN PEROXIDE (UNII: BBX060AN9V) | 0.125 mL in 100 mL |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:80354-830-01 | 150 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/30/2020 | |
| 2 | NDC:80354-830-02 | 300 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/30/2020 | |
| 3 | NDC:80354-830-03 | 500 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/30/2020 | |
| 4 | NDC:80354-830-04 | 600 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/30/2020 | |
| 5 | NDC:80354-830-05 | 1000 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/30/2020 | |
| 6 | NDC:80354-830-06 | 1500 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/30/2020 | |
| 7 | NDC:80354-830-07 | 3750 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/30/2020 | |
| 8 | NDC:80354-830-08 | 18750 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/30/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333A | 03/30/2020 | |

Labeler - One Plastic ATX s de RL de CV (951582748)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------------|---------|-----------|------------------------|
| One Plastic ATX S de RL de CV | | 951582748 | manufacture(80354-830) |

