

LUDENS BERRY ASSORTMENT THROAT DROPS- pectin lozenge
LUDENS WILD CHERRY THROAT DROPS- pectin lozenge
LUDENS STRAWBERRY BANANA THROAT DROPS- pectin lozenge
LUDENS GREEN APPLE THROAT DROPS- pectin lozenge
LUDENS BLUE RASPBERRY THROAT DROPS- pectin lozenge
LUDENS WATERMELON THROAT DROPS- pectin lozenge
Prestige Brands Holdings, Inc.

Ludens Pectin Throat Lozenges

Luden's Blue Raspberry Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children

Directions

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue no. 1, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Luden's Blue Raspberry Throat Drops**Drug Facts****Active ingredient (in each drop)**

Pectin 1.7 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children**Directions**

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue no. 1, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Luden's Watermelon Throat Drops**Drug Facts****Active ingredient (in each drop)**

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if:

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

Directions

- **adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth
- may be repeated as needed or as directed by a doctor
- **children under 3 years of age:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C red no. 40, flavor, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Questions?

1-866-583-3677

Luden's Watermelon Throat Drops**Drug Facts****Active ingredient (in each drop)**

Pectin 1.7 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children**Directions**

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C red no. 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Luden's Wild Berry Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

- for temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children

Directions

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 68°-77°F (20°-25°C) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue 1, FD&C blue 2, FD&C red 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, and sucrose.

Luden's Wild Cherry Throat Drops**Drug Facts****Active ingredient (in each drop)**

Pectin 1.7 mg

Purpose

Oral demulcent

Uses

- for temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

Directions

- **adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor
- **children under 3 years of age:** ask a doctor

Other information

- store at 20-25°C (68°-77°F) in a dry place
- do not use if clear outer wrap is opened or missing.

Inactive ingredients

Ascorbic Acid, Citric Acid, Corn Syrup, FD&C Blue No. 2, FD&C Red No. 40, Flavors, Malic Acid, Sodium Acetate, Sodium Chloride, Soybean Oil used as a processing aid, Sucrose, Water

Questions or comments?

call **1-866-583-3677**

Luden's Wild Cherry Throat Drops**Drug Facts****Active ingredient (in each drop)**

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

- for temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

Directions

- **adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.

- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20-25°C (68-77°F) in a dry place

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue no. 2, FD&C red no. 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil (processing aid), sucrose, water

Questions or comments?

call 1-866-583-3677

Luden's Strawberry Banana Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 1.7 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children

Directions

- adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth
- may be repeated as needed or as directed by a doctor
- children under 3 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place
- do not use if clear outer wrap is opened or missing

Inactive ingredients

citric acid, corn syrup, FD&C blue no. 2, FD&C red no. 40, FD&C yellow no. 6, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Questions?

1-866-583-3677 Ludens.com

Luden's Strawberry Banana Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children

Directions

- adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth
- may be repeated as needed or as directed by a doctor
- children under 3 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place
- do not use if clear outer wrap is opened or missing

Inactive ingredients

citric acid, corn syrup, FD&C blue no. 2, FD&C red no. 40, FD&C yellow no. 6, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Questions?

1-866-583-3677 Ludens.com

Luden's Green Apple Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children***Directions***

- adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth
- may be repeated as needed or as directed by a doctor
- children under 3 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place
- contains FD&C Yellow No. 5 (tartrazine) as a color additive

Inactive ingredients

citric acid, corn syrup, FD&C Blue No. 1, FD&C Yellow No. 5, flavor, malic acid, sodium acetate, sodium chloride, sucrose, water

Questions?

1-866-583-3677 Ludens.com

Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Blue Raspberry
25 Throat Drops**

**Pectin Lozenge/Oral Demulcent
Blue Raspberry
20 Throat Drops**



Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Watermelon
25 Throat Drops**



Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Watermelon
20 Throat Drops**



Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Watermelon
90 Throat Drops**

DELICIOUSLY SOOTHING!

ZIPPER AREA


NEW!

LUDEN'S[®]

PECTIN LOZENGE / ORAL DEMULCENT

Watermelon

FLAVORED



90 THROAT DROPS

Principal Display Panel

Luden's
Pectin Lozenge/Oral Demulcent
Wild Berry
30 Drops



← tear here • resealable bag

FREE
LUDEN'S
GAME APP
DOWNLOAD!
See Back of Package
for Details.



WILD BERRY
Assorted Flavors

GREAT TASTING THROAT DROPS
Soothes Everyday Throat Irritation
Pectin Lozenge/Oral Demulcent



UD

30 Drops

LUDEN'S

Uniquely GOOD!

WILD BERRY

Assorted Flavors



For over 130 years, LUDEN'S® throat drops have been soothing irritated throats with uniquely good taste.

Assorted Luden's® Wild Berry throat drops are available in the following flavors: Wild Cherry, Raspberry, Grape and Strawberry. Assortment in each package may vary.

Scan our QR code to download Luden's™ game app for iPhone® and Android™ smartphones or visit us at www.ludens.com/game.

Drug Facts
Active ingredient (in each drop) Pectin 2.8 mgOral demulcent
PurposeOral demulcent
Uses ■ for temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.


Warnings **Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.
Stop use and ask a doctor if: ■ sore mouth does not improve in 7 days ■ irritation, pain or redness persists or worsens. **Keep out of reach of children.**

Directions ■ Adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth. ■ may be repeated as needed or as directed by a doctor. ■ children under 3 years of age: ask a doctor.
Other information ■ store at 68°-77°F (20°-25°C) in a dry place

Questions? 1-866-583-3677 Ludens.com
Inactive ingredients ascorbic acid, corn syrup, FD&C blue 1, FD&C blue 2, FD&C red 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose

©2012 Distributed by Mediatech Products Inc., Irvington, NY 10533
 A Prestige Brands Company Made in USA L0026702
 *iPhone is a registered trademark of Apple Inc.
 **Android is a registered trademark of Google Inc.

500768





Principal Display Panel

**Luden's
Pectin Lozenge
Oral Demulcent
Wild Cherry
14 Drops**



Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Wild Cherry
30 Drops**

U 197

DELICIOUSLY SOOTHING!

LUDEN'S
PECTIN LOZENGES / ORAL DEMULCENT

Wild Cherry
FLAVORED



30 THROAT DROPS

LUDEN'S
Wild Cherry



Try our other great Luden's® flavors!



Super Sore Throat
Wild Cherry

Non-Menthol
Menthol

Follow us on:



10 CALORIES PER DROP
30 TOTAL DROPS

©2021 Borden's Products, Inc.
See page 57-58
A Product of Consumer Products Company
©2021 Trade Dress & owned by
BORDEN'S PRODUCTS, INC.
All rights reserved. Made in the USA with
domestic and imported ingredients.
L298602184



14832 01043 0

Drug Facts

Active ingredient in each drop	Purpose
Pectin 2.5 mg	Oral demulcent

Uses For temporary relief of throat discomforts and protection of irritated and inflamed throats and oral cavities.

Warnings

Have throat examined if throat discomforts persist for more than 7 days, are accompanied by swollen tonsils, redness, rash, swelling, oozing, or white patches, or if a doctor prescribes. These may be serious.

Do not use if you have:

- sore mouth, throat and tongue for 7 days
- infection, pain or redness in throat or earache

Keep out of reach of children.

Directions

- Adults and children 12 years of age and older: Allow one to eight drops slowly in mouth.
- May be repeated as needed or as directed by a doctor.
- Children under 12 years of age: See a doctor.

Other labels on box

Store at 20°-25° (68°-77°) in a dry place.

Inactive Ingredients sucralose and other acid-sweeteners, FD&C color no. 2, FD&C yellow #6, Flavor, malt and natural vanilla, sodium citrate, sodium chloride, sodium hydroxide, water.

Manufactured by: 1-800-868-3677


Principal Display Panel

Luden's
Pectin Lozenge/Oral Demulcent
Wild Cherry
90 Drops



Principal Display Panel

**Luden's Strawberry-Banano
Pectin lozenge / Oral Demulcent
25 Throat drops**



New!

Soothes Your Throat
Tastes Great!

LU DEN'S[®]

Pectin Lozenge/Oral Demulcent

Strawberry- Banana

25 Throat Drops



Lu Den's[®] Pectin Lozenge/Oral Demulcent
25 Throat Drops
Net Weight 1.0g (0.035oz)
Net Volume 10mL (0.338fl.oz.)
Distributed by Lu Den's, Inc., 10000 S. 10th St., Suite 100, Scottsdale, AZ 85258
© 2011 Lu Den's, Inc. All rights reserved.



New!

Soothes Your Throat
Tastes Great!

LU DEN'S[®]

Pectin Lozenge/Oral Demulcent

Green Apple

25 Throat Drops

LUDENS BERRY ASSORTMENT THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-289
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE	Size	22mm
Flavor	BERRY	Imprint Code	LUDENS
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-289-30	30 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	10/29/2009	

LUDENS WILD CHERRY THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-299
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	1.7 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE	Size	22mm
Flavor	CHERRY	Imprint Code	LUDENS
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-299-14	14 in 1 CARTON; Type 0: Not a Combination Product	10/29/2009	
2	NDC:52183-299-20	20 in 1 BOX; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	10/29/2009	

LUDENS WILD CHERRY THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-229
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE	Size	22mm
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-229-30	30 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	
2	NDC:52183-229-90	90 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M022	10/29/2009	
--------------------	------	------------	--

LUDENS STRAWBERRY BANANA THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-208
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	1.7 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	21mm
Flavor	STRAWBERRY (Strawberry Banana) , BANANA (Strawberry Banana)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-208-20	20 in 1 CARTON; Type 0: Not a Combination Product	07/01/2015	08/31/2021

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M022	07/01/2015	08/31/2021

LUDENS STRAWBERRY BANANA THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-209
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	23mm
Flavor	STRAWBERRY (Strawberry Banana) , BANANA (Strawberry Banana)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-209-25	25 in 1 BAG; Type 0: Not a Combination Product	07/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	07/01/2015	

LUDENS GREEN APPLE THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-204
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	green	Score	no score
Shape	CAPSULE	Size	23mm
Flavor	APPLE (Green Apple)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-204-25	25 in 1 BAG; Type 0: Not a Combination Product	08/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

LUDENS BLUE RASPBERRY THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-101
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	1.7 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	21mm
Flavor	RASPBERRY (Blue Raspberry)	Imprint Code	ludens
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-101-01	20 in 1 CARTON; Type 0: Not a Combination Product	10/29/2009	08/31/2021

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug M022

10/29/2009

08/31/2021

LUDENS BLUE RASPBERRY THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-201
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	23mm
Flavor	RASPBERRY (Blue Raspberry)	Imprint Code	ludens
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-201-01	25 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	08/31/2021

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug M022	10/29/2009	08/31/2021
---------------------------	------------	------------

LUDENS WATERMELON THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-102
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	1.7 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red (light red)	Score	no score
Shape	OVAL	Size	21mm
Flavor	WATERMELON	Imprint Code	ludens
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-102-01	20 in 1 CARTON; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

LUDENS WATERMELON THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-202
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	23mm
Flavor	WATERMELON	Imprint Code	ludens
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-202-01	25 in 1 CARTON; Type 0: Not a Combination Product	10/29/2009	
2	NDC:52183-202-90	90 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	10/29/2009	

Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 12/2025

Prestige Brands Holdings, Inc.