EXTRA STRENGTH PAIN RELIEF- acetaminophen tablet Geri-Care Pharmaceutical Corp

gc221

Active ingredient

Acetaminophen 500 mg

Purpose

Pain Reliever/Fever Reducer

Uses

- temporarily relieves minor aches and pains
- temporarily reduces fever

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

• skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptom occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over: Take 1 to 2 caplets every 4 to 6 hours as needed; not more than 6 caplets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

Other Information

- TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.
- store at 20°C-25°C (68°F-77°F)

Inactive ingredients

povidone, sodium starch glycolate, starch, stearic acid.

Questions or comments?

1-800-540-3765

Package label

Drug Facts

Active ingredient (in each caplet) Purposes Acetaminophen 500 mg . Fever Reducer

Uses • temporarily relieves minor aches and pains · temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 caplets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening
 blisters
 rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.



NDC 57896-221-10

Non-Aspirin Extra-Strength



Acetaminophen Caplets Pain Reliever / Fever Reducer

> Compare to active ingredient in Extra-Strength TYLENOL® Caplets

1000 Caplets 500 mg each

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions • do not take more than directed

Adults and Take 1 to 2 caplets every 4 to 6 hours children 12 as needed; not more than 6 caplets years of age in 24 hours. Do not take for more than and over 10 days unless directed by a doctor. Children under Ask a doctor.

12 years

Other information • TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken. store at 20°C-25°C (68°F-77°F)

Inactive ingredients: povidone, sodium starch glycolate, starch, stearic acid.

Questions or comments? 1-800-540-3765

This product is not manufactured or distributed by the owner of the registered trademark TYLENOL®. DIST. BY: GERI-CARE PHARMACEUTICALS CORP. 1650 63rd St., Brooklyn, New York 11204

REV 0821A



Strength

EXTRA STRENGTH PAIN RELIEF

acetaminophen tablet

Product Information

HUMAN OTC DRUG NDC:57896-221 **Product Type** Item Code (Source)

ORAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) **ACETAMINOPHEN** 500 mg

Inactive Ingredients Ingredient Name

SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856]3G2A2)

STARCH, CORN (UNII: O8232NY3SJ) STEARIC ACID (UNII: 4ELV7Z65AP)

POVIDONE (UNII: FZ989GH94E)

Product Characteristics

Color	white (WHITE)	Score	no score
Shape	CAPSULE (Capsule)	Size	15mm
Flavor		Imprint Code	M2A457344
Contains			

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:57896-221- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2011				
2	NDC:57896-221- 10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2011				
3	NDC:57896-221- 05	50 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2013				
4	NDC:57896-221- 25	250 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	01/01/2019			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M013	01/01/1989			

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023 Geri-Care Pharmaceutical Corp