

**STOOL SOFTENER- docusate sodium capsule**  
**Freds Inc**

-----  
**DRUG FACTS**

**Active ingredient (in each softgel)**

Docusate Sodium 100 mg

**Purpose**

Stool softener laxative

**Uses**

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

**Warnings**

**Ask a doctor before use if**

- Stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health care professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take with a glass of water

---

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
---------------------------------------	--

---

children 2 to under 12	
------------------------	--

children 2 to under 12 years of age	take 1 softgel daily
children under 2 years of age	ask a doctor

### Other information

- **each softgel contains:** sodium 6 mg
- store at 25°C ((77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

edible ink, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol\*, purified water and sorbitol special

\*contains one or more of these ingredients

### Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### Principal Display Panel

Compare to the active ingredient in DulcoEase® Stool Softener†

#### Stool Softener

Docusate Sodium, 100 mg

Stool softener laxative

- Comfortable relief of painful, hard, dry stools
- Stimulant-free
- Constipation relief

SOFTGELS

†This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of DulcoEase®.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**DISTRIBUTED BY: fred's, Inc.**

**4300 NEW GETWELL RD, MEMPHIS, TN 38118**

**www.fredsinc.com**

# Product Label

Exp. Date:  
Lot No.:  
PLD-D-10J  
FC004465

0 84579 11708 6



NDC 55315-584-25

Compare to the active ingredient in DulcoEase® Stool Softener†

## STOOL SOFTENER

Docosate sodium 100 mg  
Stool softener laxative

- ✓ Comfortable relief of painful, hard, dry stools
- ✓ Stimulant-free
- ✓ Constipation relief

**25 SOFTGELS**



Actual Size

**DISTRIBUTED BY: fred's, Inc.**  
4300 NEW GETWELL RD,  
MEMPHIS, TN 38118  
www.fredsinc.com

**100% satisfaction guaranteed**  
Questions or comments:  
1-855-331-FRED (3733)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**Drug Facts** (continued)

**Other information**

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

\*contains one or more of these ingredients

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

†This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of DulcoEase®.

**Drug Facts**

**Active ingredient (in each softgel)**  
Docosate sodium 100 mg

**Purpose**  
Stool softener laxative

**Uses**

- for temporary relief of occasional constipation and irregularly
- this product generally produces bowel movement in 12 to 72 hours

**Warnings**

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting

■ a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are presently taking mineral oil.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ take with a glass of water

adults and children	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.	years of age
children 2 to under 12	take 1 softgel daily	children under 2 years
		ask a doctor

FRED'S PHARMACY Stool Softener

**STOOL SOFTENER**  
docosate sodium capsule

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55315-584	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	100 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
FD&C RED NO. 40 (UNII: WZB9127XOA)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
GELATIN (UNII: 2G86QN327L)				
SORBITAN (UNII: 6O92ICV9RU)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
GLYCERIN (UNII: PDC6A3C0OX)				
<b>Product Characteristics</b>				
<b>Color</b>	orange (clear)	<b>Score</b>	no score	
<b>Shape</b>	OVAL	<b>Size</b>	12mm	
<b>Flavor</b>		<b>Imprint Code</b>	P51;SCU1;D2	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55315-584-25	1 in 1 BOX	03/31/2018	06/30/2024
1		25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M007	03/31/2018	06/30/2024	

**Labeler** - Freds Inc (005866116)