

**LBEL LEDERM 45 PLUS JOUR FACIAL AGAINST NOTICEABLE SIGNS OF AGING-  
avobenzone, octisalate, octocrylene, and oxybenzone lotion  
Ventura Corporation LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**L'BEL LEDERM 45 + JOUR Facial lotion against noticeable signs of aging**

***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Avobenzone 3%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 3%	Sunscreen
Oxybenzone 5%	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

water, c12-15 alkyl benzoate, cyclohexasiloxane, glycerin, potassium cetyl phosphate, albizia julibrissin bark extract, dimethicone, glyceryl stearate, pentylene glycol, methyl methacrylate crosspolymer, hydrogenated palm glycerides, phenoxyethanol, xanthan gum, c20-22 alkyl phosphate, acrylates/vinyl isodecanoate crosspolymer, fragrance, c20-22 alcohols, chlorphenesin, hydrolyzed ceratonia siliqua

seed extract, sodium hydroxide, acacia senegal gum, disodium edta, olive oil aminopropanediol esters, raspberry seed oil/tocopheryl succinate aminopropanediol esters, hydroxypropyl cyclodextrin, palmitoyl tripeptide-38.

Dist. by Ventura Corp, Ltd., San Juan,  
Puerto Rico 00926.

**PRINCIPAL DISPLAY PANEL - 50 ml Bottle Box**

• FORMULA CREATED BY FRENCH DERMATOLOGISTS  
SKIN  
EXPERTS

LEDERM

**45+ JOUR**

**facial lotion**

against noticeable  
signs of aging  
day lotion SPF 15  
*all skin types*

50 ml e (1.6 fl.oz.)

Pump with double seal protection preventing waste and air contact. Besides, it does not contain metallic pieces to prevent formula oxidization.

Dispensador con doble sello de protección: evita el desperdicio y el contacto con el aire. Además, no contiene piezas metálicas para impedir la oxidación de la fórmula.



LEDERM

45+ | JOUR

facial lotion  
against noticeable  
signs of aging

### Drug Facts

#### Active Ingredients Purpose

Avobenzone 3%.....	Sunscreen
Octisalate 5%.....	Sunscreen
Octocrylene 3%.....	Sunscreen
Oxybenzone 5%.....	Sunscreen

#### Uses

- Helps prevent sunburn.

#### Warnings

**Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

day lotion SPF 15  
all skin types

50 ml e (1.6 fl.oz.)

Keep out of reach of children. If  
swallowed, get medical help or contact  
a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours. ▶

www.lbel.com





LEDERM

45+ JOUR

loción facial  
contra signos  
evidentes de la edad  
loción día FPS 15  
todo tipo de cutis

50 ml e (1.6 fl.oz.)

### Drug Facts (continued)

- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

### Other Information

- Protect the product in this container from excessive heat and direct sun.

### Inactive Ingredients

water, c12-15 alkyl benzoate, cyclohexasiloxane, glycerin, potassium cetyl phosphate, albizia julibrissin bark extract, dimethicone, glyceryl stearate, pentylene glycol, methyl methacrylate crosspolymer, hydrogenated palm glycerides, phenoxyethanol, xanthan gum, c20-22 alkyl phosphate, acrylates/vinyl isodecanoate crosspolymer, fragrance, c20-22 alcohols, chlorphenesin, hydrolyzed ceratonia siliqua seed extract, sodium hydroxide, acacia senegal gum, disodium edta, olive oil aminopropanediol esters, raspberry seed oil/tocopheryl succinate aminopropanediol esters, hydroxypropyl cyclodextrin, palmitoyl tripeptide-38.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

Formulado en Francia / Formulated in France



Descubre más sobre LEDERM. Discover more about LEDERM





## LBEL LEDERM 45 PLUS JOUR FACIAL AGAINST NOTICEABLE SIGNS OF AGING

avobenzone, octisalate, octocrylene, and oxybenzone lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-994
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.03 g in 1 mL
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.05 g in 1 mL
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.03 g in 1 mL
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.05 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0K00R)	
<b>Alkyl (C12-15) Benzoate</b> (UNII: A9EJ3J61HQ)	
<b>Cyclomethicone 6</b> (UNII: XHK3U310BA)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Potassium Cetyl Phosphate</b> (UNII: 03KCY6P7UT)	
<b>Albizia Julibrissin Bark</b> (UNII: 0J9G6W44DV)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>Glyceryl Monostearate</b> (UNII: 230OU9XXE4)	
<b>Pentylene Glycol</b> (UNII: 50C1307PZG)	
<b>Hydrogenated Palm Glycerides</b> (UNII: YCZ8EM144Q)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Xanthan Gum</b> (UNII: TTV12P4NEE)	
<b>C20-22 Alkyl Phosphate</b> (UNII: L4VKP0Y7RP)	
<b>C20-22 Alcohols</b> (UNII: O4M0347C6A)	
<b>Chlorphenesin</b> (UNII: I670DAL4SZ)	
<b>Sodium Hydroxide</b> (UNII: 55X04QC32I)	
<b>Acacia</b> (UNII: 5C5403N26O)	
<b>Edetate Disodium Anhydrous</b> (UNII: 8NLQ36F6MM)	
<b>Palmitoyl Lysyldioxymethionyllysine</b> (UNII: T7A529FB8O)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-994-02	1 in 1 BOX	10/24/2016	
1	NDC:13537-994-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	10/24/2016	

**Labeler** - Ventura Corporation LTD (602751344)**Establishment**

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-994)

Revised: 11/2019

Ventura Corporation LTD