

CELGEN MILD SUN- octinoxate, octisalate, bemotrizinol, titanium dioxide, ethylhexyl triazone, avobenzone cream
BBHC CO., LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

76731-204

Active ingredient

Ethylhexyl Methoxycinnamate (6.50%)

Ethylhexyl Salicylate (4.50%)

Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine (4.00%)

Titanium Dioxide (2.125%)

Ethylhexyl Triazone (1.50%)

Butyl Methoxydibenzoylmethane (0.90%)

Purpose

Sunscreen

Use

Helps to prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if irritation occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply a proper amount evenly for the last step of skin care.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every two hours.
- Use a water resistant sunscreen if swimming or sweating.



Sun protection measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including : 1) Limited time in the sun, especially from 10a.m-2p.m. 2) Wear long-sleeved shirts, pants, hats, and sunglasses 3) Ask a doctor to use for children under 6 months.

Inactive ingredients

Water, Glycerin, Cyclopentasiloxane, Cetyl Ethylhexanoate, Silica, Butylene Glycol, Polymethyl Methacrylate, Dimethicone, Portulaca Oleracea Extract, Caprylhydroxamic Acid, Propanediol, Arginine, Glyceryl Stearate, PEG-100 Stearate, 1,2-Hexanediol, Caprylyl Glycol, Polysorbate 60, Carbomer, Fragrance, Red Ginseng Extract, Camellia Sinensis Leaf Extract, Disodium EDTA, Sodium Chloride, Glucose

Package Label

<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredient</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Ethylhexyl Methoxycinnamate (6.50%)</td> <td>Sunscreen</td> </tr> <tr> <td>Ethylhexyl Salicylate (4.50%)</td> <td>Sunscreen</td> </tr> <tr> <td>Bis-Ethylhexyloxyphenyl Methoxyphenyl Triazine (4.00%)</td> <td>Sunscreen</td> </tr> <tr> <td>Titanium Dioxide (2.125%)</td> <td>Sunscreen</td> </tr> <tr> <td>Ethylhexyl Triazone (1.50%)</td> <td>Sunscreen</td> </tr> <tr> <td>Butyl Methoxydibenzoylmethane (0.90%)</td> <td>Sunscreen</td> </tr> </tbody> </table>	Active ingredient	Purpose	Ethylhexyl Methoxycinnamate (6.50%)	Sunscreen	Ethylhexyl Salicylate (4.50%)	Sunscreen	Bis-Ethylhexyloxyphenyl Methoxyphenyl Triazine (4.00%)	Sunscreen	Titanium Dioxide (2.125%)	Sunscreen	Ethylhexyl Triazone (1.50%)	Sunscreen	Butyl Methoxydibenzoylmethane (0.90%)	Sunscreen	<p>셀젠 마일드 선 에스피에프 50+ 피에이+++ ·자외선 차단 기능성 화장품·</p>	<p>CELGEN MILD SUN A DAILY SUN CREAM THAT PERFECTLY PROTECTS THE SKIN FROM HARMFUL UV RADIATIONS WITHOUT FEELING STICKY OR LEAVING A WHITE RESIDUE</p>	<p>사용 시의 주의사항 1. 화장품 사용 시 또는 사용 후 직사광선에 의하여 사용부위가 붉은 반점, 부어오름 또는 가려움증 등의 이상 증상이나 부작용이 있는 경우 전문의 등과 상담할 것 2. 상처가 있는 부위 등에는 사용을 자제할 것 3. 보관 및 취급 시 주의사항 (7)어린이 손이 닿지 않는 곳에 보관할 것 (나)직사광선을 피해서 보관할 것</p>
Active ingredient	Purpose																
Ethylhexyl Methoxycinnamate (6.50%)	Sunscreen																
Ethylhexyl Salicylate (4.50%)	Sunscreen																
Bis-Ethylhexyloxyphenyl Methoxyphenyl Triazine (4.00%)	Sunscreen																
Titanium Dioxide (2.125%)	Sunscreen																
Ethylhexyl Triazone (1.50%)	Sunscreen																
Butyl Methoxydibenzoylmethane (0.90%)	Sunscreen																
<p>Uses Helps to prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.</p>	<p>특정 건조함과 벗겨짐 현상 없이 위해 자외선 UVA와 UVB를 동시에 차단하여 Sunburn을 예방하여 줍니다. 또한 무해한 성분으로 피부 보호를 도와주어 민감한 피부를 진정시켜줍니다. 사용방법 기초화장 마무리 단계에서 셀젠 마일드 선을 적당한 양에 얼굴 전체에 꼼꼼히 바른후 두드려 흡수시켜 줍니다. 호는·호랑 자외선으로부터 피부를 보호합니다.(SPF50+ PA+++) 용법·용량 본품 적당량을 취하여 피부에 골고루 펴 바릅니다.</p>	<p> SPF 50+ PA+++ UVA/UVB</p>	<p>본 제품은 공정거래위원회 고시 소비자불쟁해결기준에 의거 교환 또는 보상을 받을 수 있습니다. 소비자상담실:080-702-7093</p>														
<p>Warnings For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if irritation occurs. Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>특정 건조함과 벗겨짐 현상 없이 위해 자외선 UVA와 UVB를 동시에 차단하여 Sunburn을 예방하여 줍니다. 또한 무해한 성분으로 피부 보호를 도와주어 민감한 피부를 진정시켜줍니다. 사용방법 기초화장 마무리 단계에서 셀젠 마일드 선을 적당한 양에 얼굴 전체에 꼼꼼히 바른후 두드려 흡수시켜 줍니다. 호는·호랑 자외선으로부터 피부를 보호합니다.(SPF50+ PA+++) 용법·용량 본품 적당량을 취하여 피부에 골고루 펴 바릅니다.</p>	<p>THE SCIENCE OF BEAUTY PAVE YOUR WAY TO THE BEAUTIFUL e 50 g / 1.76 oz</p>	<p>MANUFACTURER STC NARA CO., LTD. 139-11, Mojeon 1-gil, Seong-geo-eup, Seobuk-gu, Cheonan-si, Chungcheongnam-do, Korea TECH. PROVIDER STC LIFE SCIENCE RESEARCH CENTER MANUFACTURER AND DISTRIBUTOR STC LIFE CO., LTD. 139-11, Mojeon 1-gil, Seong-geo-eup, Seobuk-gu, Cheonan-si, Chungcheongnam-do, Korea Consumer Consultations: +82-80-702-7093  Manufactured in Korea www.allthatskin.com</p>														
<p>Directions • Apply a proper amount evenly for the last step of skin care. • Apply liberally 15 minutes before sun exposure. • Reapply at least every two hours. • Use a water resistant sunscreen if swimming or sweating.</p>	<p>특정 건조함과 벗겨짐 현상 없이 위해 자외선 UVA와 UVB를 동시에 차단하여 Sunburn을 예방하여 줍니다. 또한 무해한 성분으로 피부 보호를 도와주어 민감한 피부를 진정시켜줍니다. 사용방법 기초화장 마무리 단계에서 셀젠 마일드 선을 적당한 양에 얼굴 전체에 꼼꼼히 바른후 두드려 흡수시켜 줍니다. 호는·호랑 자외선으로부터 피부를 보호합니다.(SPF50+ PA+++) 용법·용량 본품 적당량을 취하여 피부에 골고루 펴 바릅니다.</p>	<p>CELGEN MILD SUN octinoxate, octisalate, bemotrizinol, titanium dioxide, ethylhexyl triazone, avobenzone cream</p>	<p></p>														
<p>Sun protection measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including : 1) Limited time in the sun, especially from 10a.m-2p.m. 2) Wear long-sleeved shirts, pants, hats, and sunglasses 3) Ask a doctor to use for children under 6 months.</p>	<p>특정 건조함과 벗겨짐 현상 없이 위해 자외선 UVA와 UVB를 동시에 차단하여 Sunburn을 예방하여 줍니다. 또한 무해한 성분으로 피부 보호를 도와주어 민감한 피부를 진정시켜줍니다. 사용방법 기초화장 마무리 단계에서 셀젠 마일드 선을 적당한 양에 얼굴 전체에 꼼꼼히 바른후 두드려 흡수시켜 줍니다. 호는·호랑 자외선으로부터 피부를 보호합니다.(SPF50+ PA+++) 용법·용량 본품 적당량을 취하여 피부에 골고루 펴 바릅니다.</p>	<p></p>	<p></p>														
<p>Inactive ingredients Water, Glycerin, Cyclopentasiloxane, Cetyl Ethylhexanoate, Silica, Butylene Glycol, Polymethyl Methacrylate, Dimethicone, Portulaca Oleracea Extract, Caprylhydroxamic Acid, Propanediol, Arginine, Glyceryl Stearate, PEG-100 Stearate, 1,2-Hexanediol, Caprylyl Glycol, Polysorbate 60, Carbomer, Fragrance, Red Ginseng Extract, Camellia Sinensis Leaf Extract, Disodium EDTA, Sodium Chloride, Glucose</p>	<p>특정 건조함과 벗겨짐 현상 없이 위해 자외선 UVA와 UVB를 동시에 차단하여 Sunburn을 예방하여 줍니다. 또한 무해한 성분으로 피부 보호를 도와주어 민감한 피부를 진정시켜줍니다. 사용방법 기초화장 마무리 단계에서 셀젠 마일드 선을 적당한 양에 얼굴 전체에 꼼꼼히 바른후 두드려 흡수시켜 줍니다. 호는·호랑 자외선으로부터 피부를 보호합니다.(SPF50+ PA+++) 용법·용량 본품 적당량을 취하여 피부에 골고루 펴 바릅니다.</p>	<p></p>	<p></p>														

CELGEN MILD SUN

octinoxate, octisalate, bemotrizinol, titanium dioxide, ethylhexyl triazone, avobenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76731-204
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.125 g in 100 g
ETHYLHEXYL TRIAZONE (UNII: XQN8R9SAK4) (ETHYLHEXYL TRIAZONE - UNII:XQN8R9SAK4)	ETHYLHEXYL TRIAZONE	1.5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.9 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
BEMOTRIZINOL (UNII: PWZ1720CBH) (BEMOTRIZINOL - UNII:PWZ1720CBH)	BEMOTRIZINOL	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
PROPANEDIOL (UNII: 5965N8W85T)	
ARGININE (UNII: 94ZLA3W45F)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYOXYL 100 STEARATE (UNII: YD01N1999R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PURSLANE (UNII: M6S840WYG5)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ANHYDROUS DEXTROSE (UNII: 5SL0G7R0OK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76731-204-01	50 g in 1 TUBE; Type 0: Not a Combination Product	09/03/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/03/2020	

Labeler - BBHC CO., LTD (689522401)

Registrant - STC Nara Co., Ltd (689135085)

Establishment

Name	Address	ID/FEI	Business Operations
STC Nara Co., Ltd		689135085	manufacture(76731-204)

Revised: 9/2020

BBHC CO., LTD