

**ALPHA-CAINE TOPICAL ANESTHETIC- benzocaine gel**  
**Dental Technologies, Inc.**

-----  
**Alpha-Caine Drug Facts, Mint**

**Active ingredient**

Benzocaine 20%

**Purpose**

Oral Anesthetic

**Uses**

For the temporary relief of occasional minor irritation and pain, associated with:

- Sore mouth and throat
- Ulcers
- Minor dental procedures
- Needle punctures
- Minor irritation of the mouth and gums caused by dentures or orthodontic appliances

**Warnings**

For external use only

**Methemoglobinemia warning**

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert:**

Do not use if you have a history of allergy to any "caine" anesthetics, such as benzocaine, butacaine, procaine or tetracaine.

**Sore throat warning:**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly.

**Do not use**

- for teething
- in children under 2 years of age

**When using this product**

avoid contact with eyes

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact Poison Control Center right away.

**Directions**

do not exceed recommended dosage.

- **adults and children 2 years of age and older:** apply to affected area. Gargle, swish around in the mouth, or allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by dentist or doctor.
- **children under 12 years of age:** should be supervised in the use of the product.
- **children under 2 years of age:** do not use

**Other information**

Store at 59° to 86° F (15° to 30° C)

**Inactive ingredients**

Blue 1\*, flavor, PEG-8, PEG-75, Red 3\*, Red 33\*, Red 40\*, sodium saccharin, Yellow 10\*

\*contains one or more of these ingredients.

**Questions or comments?**

1-800-835-0885 or 1-847-677-5500 M-F 8:00 a.m. – 4:30 p.m. CST.

Visit [www.dentaltech.com](http://www.dentaltech.com)





## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55346-2902-1	30 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/31/1999	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	12/31/1999	

**Labeler** - Dental Technologies, Inc. (148312838)

**Registrant** - Dental Technologies, Inc. (148312838)

## Establishment

Name	Address	ID/FEI	Business Operations
Dental Technologies, Inc.		148312838	manufacture(55346-2902) , pack(55346-2902) , label(55346-2902)

Revised: 11/2025

Dental Technologies, Inc.