

IDOZYME LIQUID- iodine solution, concentrate
WestAgro, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

WESTAGRO IodoZyme Liquid

CONCENTRATED IODINE TEAT DIP

- **Concentrated formula must be diluted into a ready to use product.**
- **Recommended as a pre dip and/or post dip.**
- **Mild pH-balanced ready to use formula.**
- **Field proven and reliable formula.**
- **Ready to use product can be dipped or sprayed.**
- **High free iodine teat dip with high power to reduce new intramammary infections.**
- **Keep IodoZyme® concentrate and ready to use containers tightly closed while in use.**
- **Dilute the dip in water and use within:**
 - **1+9, 1+19: 7 days**
 - **1+38: 1 day**

ACTIVE INGREDIENTS:

Iodine 2.9% w/v
Glycerin 60.3% w/v

Manufactured by:
WESTAGRO
11100 N. Congress Ave.

Kansas City, MO 64153

Phone: 816-891-7700

© 2024, Made in USA

NPE FREE Formula

DIRECTIONS FOR USE:

GENERAL INSTRUCTIONS

- Dilute before using. See "Directions for Dilution."
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking.
- Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not pour used teat dip back into original container.
- Do not use IodoZyme® Liquid for cleaning or sanitizing equipment.

Not For Human Use - Additional information on Safety Data Sheet. Follow dilution

directions below to achieve the desired formula. DeLaval recommends blending with DeLaval's dispensing systems, following the approved pump operating instructions. Failure to follow the instructions may result in a product that is not as effective as a teat dip or may cause injury to animals. If blending IodoZyme® Liquid manually, add half of the required tap water (room temperature) to the ready to use container. Add the correct amount of IodoZyme® concentrate to the ready to use container, then add the second half of water.

DILUTION RATIOS

Udder Wash	Pre-Dip	Post-Dip
0.075% Iodine - 1.5% Glycerin	0.15% Iodine - 3% Glycerin	0.3% Iodine - 6% Glycerin
1 part IodoZyme Liquid to 38 parts water	1 part IodoZyme Liquid to 19 parts water	1 part IodoZyme Liquid to 9 parts water

Udder Wash (1+38)

Always use fresh solution. Prepare a wash solution using 1-part IodoZyme® Liquid Concentrate to 38 parts water. Perform forestripping and inspect teats for clinical mastitis. Use the wash solution and wash teats to the base of the udder. Dry teat with individual paper or cloth towel. Attach milker unit. Not to be used as a teat dip.

Pre-Dipping (1+19)

Made sure udder and teats are clean and dry. Check milk and udder for mastitis. Dip or spray cow's teats with properly diluted IodoZyme® Liquid. Allow 15 to 30 seconds contact time. Dry cow's teats with a single-service paper towel before milking. Attach milker unit.

Post-Dipping (1+9)

Immediately after removing the milker unit, dip or spray each teat with properly diluted IodoZyme® Liquid. Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Made in USA
0145-H0524

CHEMTREC EMERGENCY #

1-800-424-9300

0145

NDC 33392-145

KEEP OUT OF REACH OF CHILDREN

! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

! CUIDADO

FIRST AID:

Contact with product can cause irritation to eyes. Keep out of eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

THIS PRODUCT IS NOT FOR HUMAN USE.

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. If product has frozen, thaw in a warm room and shake well before use. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

NET CONTENTS: US GAL (L)

LOT NO.:

EXP. DATE:

DIRECTIONS FOR USE:

GENERAL INSTRUCTIONS

- Dilute before using. See "Directions for Dilution."
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking.
- Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not pour used teat dip back into original container.
- Do not use IodoZyme® Liquid for cleaning or sanitizing equipment.

Not For Human Use – Additional Information on Safety Data Sheet. Follow dilution directions below to achieve the desired formula. DeLaval recommends blending with DeLaval's dispensing systems, following the approved pump operating instructions. Failure to follow the instructions may result in a product that is not effective as a teat dip or may cause injury to animals. If blending IodoZyme® Liquid manually, add half of the required tap water (room temperature) to the ready to use container. Add the correct amount of IodoZyme® concentrate to the ready to use container, then add the second half of water.

DILUTION RATIOS

Udder Wash	Pre-Dip	Post-Dip
0.075% Iodine – 1.5% Glycerin	0.15% Iodine – 3% Glycerin	0.3% Iodine – 6% Glycerin
1 part IodoZyme Liquid to 38 parts water	1 part IodoZyme Liquid to 19 parts water	1 part IodoZyme Liquid to 9 parts water

Udder Wash (1+38)

Always use fresh solution. Prepare a wash solution using 1-part IodoZyme® Liquid Concentrate to 38 parts water. Perform forestripping and inspect teats for clinical mastitis. Use the wash solution and wash teats to the base of the udder. Dry teat with individual paper or cloth towel. Attach milker unit. Not to be used as a teat dip.

Pre-Dipping (1+19)

Make sure udder and teats are clean and dry. Check milk and udder for mastitis. Dip or spray cow's teats with properly diluted IodoZyme® Liquid. Allow 15 to 30 seconds contact time. Dry cow's teats with a single-service paper towel before milking. Attach milker unit.

Post-Dipping (1+9)

Immediately after removing the milker unit, dip or spray each teat with properly diluted IodoZyme® Liquid. Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Made in USA
0145-H0524

CHEMTREC EMERGENCY #
1-800-424-9300



WESTAGRO®

IodoZyme®
Liquid

CONCENTRATED IODINE TEAT DIP

- Concentrated formula must be diluted into a ready to use product.
- Recommended as a pre dip and / or post dip.
- Mild pH-balanced ready to use formula.
- Field proven and reliable formula.
- Ready to use product can be dipped or sprayed.
- High free iodine teat dip with high power to reduce new intramammary infections.
- Keep IodoZyme® concentrate and ready to use containers tightly closed while in use.
- Dilute the dip in water and use within:
 - 1+9, 1+19: 7 days
 - 1+38: 1 day

ACTIVE INGREDIENTS:

Iodine.....2.9% w/v
Glycerin.....60.3% w/v

Manufactured by:

WESTAGRO
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
© 2024, Made in USA



0145
NDC 33392-145

**KEEP OUT OF
REACH OF CHILDREN**



**MANTENER FUERA DEL
ALCANCE DE LOS NIÑOS**



FIRST AID:

Contact with product can cause irritation to eyes. Keep out of eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

THIS PRODUCT IS NOT FOR HUMAN USE.

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. If product has frozen, thaw in a warm room and shake well before use. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

U.S. Patent # 5,885,620
6,153,229

NET CONTENTS: 55 US GAL (208.2 L)

LOT NO.:

EXP. DATE:



Add image transcription here...

IODOZYME LIQUID

iodine solution, concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-145
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.029 g in 1 L
GLYCERIN (UNII: PDC6A3C0OX) (glycerin - UNII:PDC6A3C0OX)	GLYCERIN	.603 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33392-145-06	10.4 L in 1 PAIL		
2	NDC:33392-145-07	52.1 L in 1 DRUM		
3	NDC:33392-145-27	1042.2 L in 1 TANK		
4	NDC:33392-145-01	209 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2012	

Labeler - WestAgro, Inc. (069288728)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
Genex Cooperative, Inc		003437378	repack

Establishment

Name	Address	ID/FEI	Business Operations
Dairy Supply Service Inc		079912628	repack

Establishment

Name	Address	ID/FEI	Business Operations
Ederer Dairy Supply LLC		022794466	repack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, pack, label

Establishment

Name	Address	ID/FEI	Business Operations
Bob's Dairy Supply, Inc.		030184725	repack

Establishment

Name	Address	ID/FEI	Business Operations
Advanced Dairy, LLC		117871358	repack

Establishment

Name	Address	ID/FEI	Business Operations
Advanced Dairy, LLC		118248357	repack