

SENNAPLUS- docusate sodium, sennosides tablet
CVS Pharmacy

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

| age | starting dosage | maximum dosage |
|--|-----------------------|-----------------------|
| adults and children 12 years of age and over | 2 tablets once a day | 4 tablets twice a day |
| children 6 to under 12 years | 1 tablet once a day | 2 tablets twice a day |
| children 2 to under 6 years | 1/2 tablet once a day | 1 tablet twice a day |
| children under 2 years | ask a doctor | ask a doctor |

Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Senokot-S®†

Dual action

Senna Plus

DOCUSATE SODIUM, 50 mg

SENNOSIDES, 8.6 mg

Laxative/Stool softener

Natural vegetable laxative ingredient plus stool softener

TABLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

†This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot-S®.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

Product Labeling



VALUE SIZE | 180 Tablets

CVS Health.

Compare to the active ingredients in Senokot-S[®]
NDC 69842-883-18

Senna Plus
DOCUSATE SODIUM, 50 mg
SENNOSIDES, 8.6 mg
Laxative/Stool softener

Natural vegetable laxative ingredient plus stool softener

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each tablet)
 Docusate sodium 50 mg
 Sennosides 8.6 mg

Purpose
Stool softener
Laxative


Uses
 ■ relieves occasional constipation (irregularity)
 ■ generally produces bowel movement in 6-12 hours

Warnings
Do not use
 ■ if you are now taking mineral oil, unless directed by a doctor
 ■ laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have
 ■ stomach pain ■ nausea ■ vomiting
 ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

Drug Facts (continued under label)

#707924



0 50428 26450 8

PLD-C598A
LB007321

Lot No.: _____ Exp. Date: _____

PEEL HERE

This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot-S[®].
 Distributed by: **CVS Pharmacy, Inc.**
 One CVS Drive, Woonsocket, RI 02895
 © 2021 CVS/pharmacy
 CVS.com[®] 1-800-SHOP CVS
 V-14921

CVS Quality
Money Back Guarantee

Drug Facts (continued)

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ take preferably at bedtime or as directed by a doctor

| age | starting dosage | maximum dosage |
|--|-----------------------|-----------------------|
| adults and children 12 years of age and over | 2 tablets once a day | 4 tablets twice a day |
| children 6 to under 12 years | 1 tablet once a day | 2 tablets twice a day |
| children 2 to under 6 years | 1/2 tablet once a day | 1 tablet twice a day |
| children under 2 years | ask a doctor | ask a doctor |

Other information
 ■ each tablet contains: calcium 30 mg
 ■ each tablet contains: sodium 6 mg LOW SODIUM
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

CVS HEALTH Senna Plus

| SENNAPLUS | | | |
|--|-------------------|---------------------------|---------------|
| docusate sodium, sennosides tablet | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69842-883 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | Basis of Strength | Strength | |
| DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | DOCUSATE SODIUM | 50 mg | |
| SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) | SENNOSIDES | 8.6 mg | |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| CROSCARMELOSE SODIUM (UNII: M28OL1HH48) | |
| DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |

| Product Characteristics | | | |
|-------------------------|--------|---------------------|----------|
| Color | orange | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | PSD22 |
| Contains | | | |

| Packaging | | | | |
|-----------|------------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:69842-883-30 | 1 in 1 BOX | 12/27/2019 | |
| 1 | | 30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| 2 | NDC:69842-883-18 | 180 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 12/27/2019 | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M007 | 12/27/2019 | |

Labeler - CVS Pharmacy (062312574)