

HUMCO SODIUM BICARBONATE- sodium bicarbonate powder

Humco Holding Group, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Humco Sodium Bicarbonate, USP

Drug Facts

Active Ingredient

Sodium Bicarbonate, USP

Purpose

Antacid

Use

For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.

Warnings

NOT FOR INJECTIONS

Except under supervision of a doctor do not administer to children under 6 years of age.

Do not take more than six, 1/2 tsp. per person up to 60 years old, or three 1/2 tsp. per person 60 years or older in a 24 hour period.

Do not use this product if you are on a sodium restricted diet (each 1/2 tsp. contains 30 mEq (0.7 g) Sodium).

Do not use the maximum dose more than 2 weeks.

Ask a doctor or pharmacist before use if

you are currently taking a prescription drug. Antacids may interact with certain prescription drugs.

Keep out of reach of children.

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions

Adult and children 6 yrs of age and older:

Take 1/2 tsp. in 1/2 glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by doctor.

Inactive ingredients

none

Packae Principal Display Panel

Label 4 oz

| <p>Drug Facts</p> <table border="1"><thead><tr><th>Active ingredient</th><th>Purpose</th></tr></thead><tbody><tr><td>Sodium Bicarbonate USP.....</td><td>Antacid</td></tr></tbody></table> <p>Use For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.</p> <p>Warnings NOT FOR INJECTIONS. Except under supervision of a doctor:</p> <ul style="list-style-type: none">• Do not administer to children under 6 years of age.• Do not take more than six, ½ tsp. per person up to 60 years old, or three, ½ tsp. per person 60 years or older in a 24 hour period.• Do not use this product if you are on a sodium restricted diet (each ½ tsp. contains 30mEq. (0.7g) Sodium).• Do not use the maximum dose for more than 2 weeks. <p>Ask a doctor or pharmacist before use if you are currently taking a prescription drug. Antacids may interact with certain prescription drugs.</p> <p><i>Continued ▶</i></p> | Active ingredient | Purpose | Sodium Bicarbonate USP..... | Antacid | <p>NDC 0395-2685-94 SAFETY SEALED</p> <p>USP</p> <p>SODIUM BICARBONATE ORAL POWDER</p> <p>The Traditional Home Health Care Solutions</p> <p>GASTROINTESTINAL</p> <p>Antacid</p> <p>4 OZ (113g)</p> <p>HUMCO™</p> | <p>*Warning: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.</p> <p>Drug Facts (Continued)</p> <p>Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.</p> <p>Directions Adults and children 6 yrs of age or older: Take ½ level tsp. in ½ glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by doctor.</p> <p>Packed by: R120712.RLG HUMCO, Texarkana, TX 75501 Questions or Comments? 1-800-662-3435 "We Help People Feel Better"</p> <p>3 03952 68594 4</p> |
|---|-------------------|---------|-----------------------------|---------|---|---|
| Active ingredient | Purpose | | | | | |
| Sodium Bicarbonate USP..... | Antacid | | | | | |

Principal Display Panel

Label 16 oz

Drug Facts

Active ingredient Purpose
Sodium Bicarbonate USP.....Antacid

Use
For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.

Warnings
NOT FOR INJECTIONS.
Except under supervision of a doctor: ■ Do not administer to children under 6 years of age.
■ Do not take more than six, ½ tsp. per person up to 60 years old, or three, ½ tsp. per person 60 years or older in a 24 hour period.
■ Do not use this product if you are on a sodium restricted diet (each ½ tsp. contains 30mEq. (0.7g) Sodium).
■ Do not use the maximum dose for more than 2 weeks.

Ask a doctor or pharmacist before use if you are currently taking a prescription drug. Antacids may interact with certain prescription drugs.

Continued ▶

* Go to: www.simplehomeremedies.com to find helpful hints and learn more about Sodium Bicarbonate.

NDC 0395-2685-01

*SAFETY SEALED

USP

SODIUM BICARBONATE
ORAL POWDER

The Traditional Home Health Care Solutions



*Antacid

16 OZ
(1 LB) 454g

HUMCO™

WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or foil seal under cap.

Drug Facts (Continued)

Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions
Adults and children 6 yrs of age or older: Take ½ level tsp. in ½ glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by doctor.

R120712.RLG



Packed by:

HUMCO, Texarkana, TX 75501
Questions or Comments?

☎1-800-662-3435

"We Help People Feel Better"

New Label

Drug Facts

Active ingredient Purpose
Sodium Bicarbonate USP.....Antacid

Indications For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.

Warnings
NOT FOR INJECTIONS.
Except under supervision of a doctor:
• Do not administer to children under 6 years of age. • Do not take more than six, ½ tsp. per person up to 60 years old, or three, ½ tsp. per person 60 years or older in a 24 hour period. • Do not use this product if you are on a sodium restricted diet (each ½ tsp. contains 30 mEq. (0.7g) Sodium). • Do not use the maximum dose for more than 2 weeks.

Ask a doctor or pharmacist before use if you are currently taking a prescription drug. Antacids may interact with certain prescription drugs.

Continued ▶

SODIUM BICARBONATE
ORAL POWDER

HUMCO™

A trusted name in home health care

* Safety Sealed
Gastro-intestinal

USP

ANTACID

4 oz
(113g)

***Warning:** Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.

Drug Facts (Continued)

Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions
Adults and children 6 yrs of age or older: Take ½ level tsp. in ½ glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by doctor.



Packed by: HUMCO, Texarkana, TX 75501
Questions or Comments? ☎1-800-662-3435
"We Help People Feel Better"

* Go to: www.simplehomeremedies.com to find helpful hints, and learn more about Sodium Bicarbonate

R113017

HUMCO SODIUM BICARBONATE

sodium bicarbonate powder

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0395-2685 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37) | SODIUM BICARBONATE | 1000 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|-----------------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:0395-2685-94 | 113 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/14/2017 | |
| 2 | NDC:0395-2685-01 | 454 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/14/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph final | part331 | 03/25/1998 | |

Labeler - Humco Holding Group, Inc. (825672884)**Registrant** - Humco Holding Group, Inc. (825672884)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|---------------------------|----------------|---------------|---|
| Humco Holding Group, Inc. | | 825672884 | label(0395-2685) , manufacture(0395-2685) , pack(0395-2685) , analysis(0395-2685) |

Revised: 12/2017

Humco Holding Group, Inc.