**OXYMETAZOLINE HYDROCHLORIDE- oxymetazoline hydrochloride solution**
**CHAIN DRUG MARKETING ASSOCIATION INC**

---

**No Drip Severe Congestion**

**Nasal Pump Mist**

**Active Ingredient** **Purpose**

Oxymetazoline HCl 0.05% ..... Nasal decongestant

- Rapid & Powerful Congestion Relief

**Uses**

- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

**Warnings**

**Warnings**

***Ask a doctor before use if you have***

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product**

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if** symptoms persist.

**If pregnant or breast feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- **adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril not more often than every 10-12 hours. Do not exceed 2 doses in any 24-hour period.
- **children under 6 years of age:** ask a doctor
- **Shake well before use.** To open, rotate cap to align the marks. Squeeze cap on both sides and turn in a counter-clockwise direction and pull off to remove. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap back onto the bottle.

**Other information**

- store between 20° -25°C (68°-77 °F)
- retain carton for future reference on full labeling

**Questions or comments?**
1-800-935-2362 (Mon-Fri 9am-5pm EST)

***Inactive ingredients***

avicel, benzalkonium chloride, benzyl alcohol, camphor, dibasic sodium phosphate, edetate disodium dihydrate, eucalyptol, menthol, monobasic sodium phosphate, polyethylene glycol, povidone, purified water

*This product is not manufactured or distributed by Bayer HealthCare LLC mdistributor of Afrin No Drip Severe Congestion

Distributed by C.D.M.A. lnc.
43157 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Question: 800-935-2362

**PRINCIPAL DISPLAY PANEL**


NDC 63868-608-01
QUALITY CHOICE
"Compare Active Ingredient to Afrin" No Drip Severe Congestion
No Drip
Severe
Congestion
Nasal Pump Mist
Oxymetazoline hydrochloride 0.05%
12 HOURS
Nasal Decongestant
1 fl oz (30 mL)
Tamper Evident: Do not use the product if the tamper evident seal is broken or missing.
SEE CARTON FOR FULL LABELING
Drug Facts
Active ingredient Purpose
Oxymetazoline HCl 0.05%..... Nasal decongestant
Uses see carton
Warnings see carton
Directions
■ adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10-12 hours. Do not exceed 2 doses in any 24-hour period.
■ children under 6 years of age: ask a doctor
■ Shake well before use. To open, rotate cap to align the marks. Squeeze cap on both sides and turn in a counter-clockwise direction and pull off to remove. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap back onto the bottle.
Other information
■ Store between 20° to 25° C (68° to 77° F)
Questions or comments?
1-800-935-2362 (Mon-Fri 9am- 5pm EST)
SATISFACTION 100% QC GUARANTEED
Distributed by C.D.M.A, Inc.®
43157 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Question: 800-935-2362
Lot #
Exp.


# OXYMETAZOLINE HYDROCHLORIDE

oxymetazoline hydrochloride solution

| Product Information | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:63868-608 |
| **Route of Administration** | NASAL | | |

| Active Ingredient/Active Moiety | | |
|---|---|---|
| **Ingredient Name** | **Basis of Strength** | **Strength** |

| | | |
|---|---|---|
| **OXYMETAZOLINE HYDROCHLORIDE** (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY) | OXYMETAZOLINE HYDROCHLORIDE | 0.05 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name | Strength |
|---|---|
| **BENZALKONIUM CHLORIDE** (UNII: F5UM2KM3W7) | |
| **MICROCRYSTALLINE CELLULOSE** (UNII: OP1R32D61U) | |
| **BENZYL ALCOHOL** (UNII: LKG8494WBH) | |
| **CAMPHOR (NATURAL)** (UNII: N20HL7Q941) | |
| **SODIUM PHOSPHATE DIBASIC DIHYDRATE** (UNII: 94255I6E2T) | |
| **EDETATE DISODIUM** (UNII: 7FLD91C86K) | |
| **EUCALYPTOL** (UNII: RV6J6604TK) | |
| **MENTHOL** (UNII: L7T10EIP3A) | |
| **WATER** (UNII: 059QF0KO0R) | |
| **SODIUM PHOSPHATE, MONOBASIC** (UNII: 3980JIH2SW) | |
| **POLYETHYLENE GLYCOL, UNSPECIFIED** (UNII: 3WQ0SDW1A) | |
| **POVIDONE** (UNII: FZ989GH94E) | |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| **1** | NDC:63868-608-01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/15/2021 | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| OTC Monograph Drug | M012 | 03/15/2021 | |

## Labeler - CHAIN DRUG MARKETING ASSOCIATION INC (011920774)

## Registrant - Seaway Pharma Inc. (117218785)

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| Seaway Pharma Inc. | | 117218785 | manufacture(63868-608) |

Revised: 12/2024 CHAIN DRUG MARKETING ASSOCIATION INC