

**DERMABLEND PROFESSIONAL SMOOTH CAMO MEDIUM COVERAGE
FOUNDATION BROAD SPECTRUM SPF 25 SUNSCREEN- titanium dioxide lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredient

Titanium dioxide 6.8%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, undecane, dimethicone, glycerin, tridecane, polyglyceryl-4 isostearate, pentylene glycol, cetyl PEG/PPG-10/1, hexyl laurate, magnesium sulfate, disteardimonium hectorite, trihydroxystearin, cellulose gum, aluminum hydroxide, disodium stearyl glutamate, acetylated glycol stearate, acrylates copolymer, ethylhexylglyceerin; may contain: titanium dioxide, iron oxides

Questions or comments?

1-877-900-6700

Monday - Friday (9 a.m. - 5 p.m. EST)

Drug Facts

Active ingredient	Purpose
Titanium dioxide 6.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients water, undecane, dimethicone, glycerin, tridecane, polyglyceryl-4 isostearate, pentyleneglycol, cetyl PEG/PPG-10/1, dimethicone, hexyl laurate, magnesium sulfate, disteardimonium hectorite, trihydroxystearin, cellulose gum, aluminum hydroxide, disodium stearyl glutamate, acetylated glycol stearate, acrylates copolymer, ethylhexylglycerin; may contain: titanium dioxide, iron oxides

Drug Facts (continued)

Questions or comments?

1-877-900-6700 Monday - Friday (9 a.m. - 5 p.m. EST)

G926443
FIL B165327/3

DERMABLEND™
PROFESSIONAL

D

SMOOTH
Liquid Camo
Medium Coverage
Foundation

Titanium Dioxide Sunscreen
Broad Spectrum SPF 25

30 mL - 1.0 fl.oz.

SMOOTH Liquid Camo provides medium coverage for minor to moderate skin issues: Rosacea, redness, hyperpigmentation, acne scars, and birthmarks. SMOOTH Liquid Camo gives twice the coverage of a classic foundation for up to 16 hours of color wear.

Contains Camo-Pigments™, a high level of pigments in a super blendable formula for amazing coverage that looks like skin, not makeup. Never cakey or masky.

Lightweight texture with a matte finish. All day hydration. Suitable for sensitive skin.

Dermablend
L'Oréal USA, Inc.
New York, NY
10017
Made in USA

<h3>Drug Facts</h3>	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Drug Facts (continued)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Questions or comments? 1-877-900-6700 (Monday - Friday 9 a.m. - 5 p.m. EST)</p>	<h1>DERMABLEND™</h1> <p>PROFESSIONAL</p>	<p>SMOOTH Liquid Camo provides medium coverage for minor to moderate skin issues: Rosacea, redness, hyperpigmentation, acne scars, and birthmarks. SMOOTH Liquid Camo gives twice the coverage of a classic foundation for up to 16 hours of color wear.</p>
<p>Active ingredient Titanium dioxide 6.8%..... Sunscreen</p>		<p>Uses</p> <ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	<div style="text-align: center;">  </div>
<p>Warnings For external use only</p>	<p>Do not use on damaged or broken skin</p>	<p style="text-align: center;">SMOOTH Liquid Camo Medium Coverage Foundation</p> <p style="text-align: center;">Titanium Dioxide Sunscreen Broad Spectrum SPF 25</p>	
<p>When using this product keep out of eyes. Rinse with water to remove.</p>	<p>Stop use and ask a doctor if rash occurs</p>		<p style="text-align: center;">30 mL - 1.0 fl.oz.</p>
<p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>G926443 FIL B165327/3</p>	<p>Directions For sunscreen use:</p> <ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor 	
<p>Other information</p> <ul style="list-style-type: none"> • protect the product in this container from excessive heat and direct sun 	<p>Inactive ingredients water, undecane, dimethicone, glycerin, tridecane, polyglyceryl-4 isostearate, pentylene glycol, cetyl PEG/PPG-10/1, dimethicone, hexyl laurate, magnesium sulfate, disteardimonium hectorite, trihydroxystearin, cellulose gum, aluminum hydroxide, disodium stearyl glutamate, acetylated glycol stearate, acrylates copolymer, ethylhexylglycerin, may contain: titanium dioxide, iron oxides</p>		

DERMABLEND PROFESSIONAL SMOOTH CAMO MEDIUM COVERAGE FOUNDATION BROAD SPECTRUM SPF 25 SUNSCREEN

titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-330
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	68 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
UNDECANE (UNII: JVOQT00NUE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIDECANE (UNII: A3LZF0L939)	

POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8TOX)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ACETYLATED GLYCOL STEARATE (UNII: K71M6R9N7E)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-330-01	1 in 1 CARTON	01/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49967-330-02	7 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2014	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
Dimensional Merchandising Inc.		076693183	manufacture(49967-330) , pack(49967-330)

Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		185931458	manufacture(49967-330)

Revised: 12/2023

L'Oreal USA Products Inc