

LEADER EYE DROPS REDNESS RELIEF- glycerin, naphazoline hydrochloride solution/ drops
Cardinal Health

Leader Eye Drops Redness Relief (PLD)

Active ingredients

Glycerin 0.25%

Naphazoline hydrochloride 0.012%

Purposes

Glycerin...Lubricant

Naphazoline hydrochloride...Redness reliever

Uses

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use

- if solution changes color or becomes cloudy

Ask a doctor before use if you have

narrow angle glaucoma

When using this product

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Instill 1 or 2 drops in the affected eye(s) up to 4 times daily
children under 6 years of age:ask a doctor

Other information

- store at room temperature
- remove contact lenses before using

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Questions or comments?

Call **1-888-527-4276**

Redness Relief

Sterile | Eye Drops

LEADER™

Drug Facts

Active ingredients

Glycerin 0.25%.....Lubricant
Naphazoline HCl 0.012%.....Redness reliever

Purposes

Uses

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶

Drug Facts (continued)

Directions

- instill 1 to 2 drops in the affected eye(s) up to 4 times daily
- children under 6 years of age: ask a doctor

Other information

- store at room temperature
- remove contact lenses before using

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Questions or comments?

Call 1-888-527-4276

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Clear Eyes® Redness Relief.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

LEADER™

NDC 70000-0010-1

Sterile | Eye Drops

Redness Relief

Glycerin, 0.25%
Naphazoline HCl, 0.012%
Lubricant | Redness Reliever

COMPARE TO CLEAR EYES® REDNESS RELIEF active ingredients*

100% Money Back Guarantee

Relieves Dryness, Burning and Irritations

0.5 FL OZ (15 mL)

LOT
EXP

FPO
LEAVE THIS AREA BLANK
FOR LOT AND EXP.
NOT TEXT OR GRAPHICS
IN THIS AREA.

CardinalHealth™

DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com
1-800-200-6313
Essential to Care™ since 1979

© 2019 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

100% Money Back Guarantee
Return to place of purchase if not satisfied.





LEADER EYE DROPS REDNESS RELIEF

glycerin, naphazoline hydrochloride solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0010
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.25 g in 100 mL
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.012 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BORIC ACID (UNII: R57ZHV85D4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	

SODIUM BORATE (UNII: 91MBZ8H3QO)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0010-1	1 in 1 CARTON	04/30/2019	
1		15 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:70000-0010-2	2 in 1 CARTON	04/30/2019	
2		15 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	04/30/2019	

Labeler - Cardinal Health (063997360)

Registrant - KC Pharmaceuticals, Inc. (174450460)

Establishment

Name	Address	ID/FEI	Business Operations
KC Pharmaceuticals, Inc.		174450460	manufacture(70000-0010) , pack(70000-0010) , label(70000-0010)

Revised: 12/2023

Cardinal Health