

**SLEEP AID MAXIMUM STRENGTH- diphenhydramine hcl capsule
McKesson (Sunmark)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store at 15°-30°C (59°-86°F)

Inactive ingredients

edible white ink, FD&C blue #1, gelatin, glycerin, light mineral oil*, polyethylene glycol, purified water, sorbitol-sorbitan

*may contain this ingredient

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO UNISOM® SLEEPGELS® ACTIVE INGREDIENT**

For relief of occasional sleeplessness

Sleep Aid

Maximum Strength

DIPHENHYDRAMINE HYDROCHLORIDE

EASY TO SWALLOW

SOFTGELS, 50 mg EACH

**This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark Unisom® SleepGels®.

Another Quality Product Distributed by McKesson

One Post Street, San Francisco, CA 94104

www.sunmarkbrand.com

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Package Label

sunmark®

COMPARE TO
UNISOM® SLEEPGELS®
ACTIVE INGREDIENT**

NDC 49348-002-06

For relief of occasional sleeplessness

sunmark®

sleep aid

Maximum Strength

For relief of occasional sleeplessness
DIPHENHYDRAMINE HYDROCHLORIDE



EASY TO SWALLOW

32 SOFTGELS, 50 mg EACH

sunmark®

sleep aid

Maximum Strength

For relief of occasional sleeplessness
DIPHENHYDRAMINE HYDROCHLORIDE

EASY TO SWALLOW

32 SOFTGELS, 50 mg EACH

sunmark®

sleep aid

Maximum Strength

For relief of occasional sleeplessness
DIPHENHYDRAMINE HYDROCHLORIDE



EASY TO SWALLOW

32 SOFTGELS, 50 mg EACH



TAMPER EVIDENT: DO NOT USE IF PRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE
WARNINGS AND PRODUCT INFORMATION.

FD030042
PLU-E27L

Another Quality Product Distributed by McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
Please visit us at www.sunmarkbrand.com

McKesson

**This product is not manufactured or distributed by Chatterm, Inc., owner of the registered trademark Unisom® Sleepgels®.

Warnings

- Do not use
- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic drinks.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and childen 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store at 15°-30°C (59°-86°F)

Inactive ingredients edible white ink, FD&C blue #1, gelatin, glycerin, light mineral oil, polyethylene glycol, purified water, sorbitol-sorbitan

*may contain this ingredient

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST



Sunmark Sleep Aid Maximum Strength

SLEEP AID MAXIMUM STRENGTH

diphenhydramine hcl capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	13mm
Flavor		Imprint Code	P50;A99;S90
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-002-06	1 in 1 BOX	02/01/2014	12/31/2020
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	02/01/2014	12/31/2020

Labeler - McKesson (Sunmark) (177667227)

Revised: 12/2018

McKesson (Sunmark)