

OXYGEN- oxygen gas
Keen Compressed Gas Co. Inc.

Oxygen

OXYGEN COMPRESSED USP LABEL

KEEN

OXYGEN, COMPRESSED USP UN 1072

DO NOT REMOVE THIS PRODUCT LABEL.

16300 12/14 MADE IN USA

OXYGEN 2

USP

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a backflow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125° F). Read and follow the Safety Data Sheet (SDS) before use. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act **CAS 7782-44-7** **Produced by Air Liquefaction**

FILLED & DISTRIBUTED BY:

KEEN COMPRESSED GAS CO.

4063 NEW CASTLE AVE

NEW CASTEL, DE 19720 • (302) 594-4545

Pressure: PSIG at 70 °F

Size

Contents liters



OXYGEN REFRIGERATED LIQUID USP LABEL

KEEN

FILLED & DISTRIBUTED BY:

KEEN COMPRESSED GAS CO.

4063 NEW CASTLE AVE.

NEW CASTLE, DE 19720 • (302) 594-4545

OXYGEN, REFRIGERATED LIQUID USP UN1073

OXYGEN, *U.S.P.

OXYGEN 2

Gross Wt. lbs. oz.

Net Wt. lbs. oz.

Size

Contents

Liters

***Oxygen produced by Air Liquefaction**

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDER, CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBELS IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a backflow preventive device in the piping. Use only the equipment of compatible materials equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction of resuscitative equipment. Keep out of reach of children.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the *Federal Food, Drug, and Cosmetic Act*.

FIRST AID FIRST AID: IF ON SKIN: Thaw affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL

CAS: 7782-44-7

46301 12/14

KEEN

FILLED & DISTRIBUTED BY:

KEEN COMPRESSED GAS CO.

4063 NEW CASTLE AVE.

NEW CASTLE, DE 19720 • (302) 594-4545

**OXYGEN,
REFRIGERATED LIQUID**



UN1073

OXYGEN,* U.S.P.

Gross Wt.	lbs.	oz.
Net Wt.	lbs.	oz.
Size		
	Contents	Liters

*Oxygen produced by Air Liquefaction

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS
OR INJURY.
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE
ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood.
Keep and store away from clothing and other combustible materials.

Keep valves and fittings free from grease and oil.
 Use and store only outdoors or in a well-ventilated place.
 Wear cold insulating gloves, face shield, and eye protection.
 In case of fire: Stop leak if safe to do so.
 Use a back flow preventive device in the piping.
 Use only with equipment of compatible materials of construction and rated for cylinder pressure.
 Use only with equipment cleaned for oxygen service.
 DO NOT change or force fit connections.
 Avoid spills. Do not walk on or roll equipment over spills.
 Close valve after each use and when empty.
 Always keep container in an upright position.
 Read and follow the Safety Data Sheet (SDS) before use.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless use in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal *Food, Drug, and Cosmetic Act*.



IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.



DO NOT REMOVE THIS PRODUCT LABEL.

46301
12/14

CAS: 7782-44-7

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:48273-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48273-001-11	127400 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2019	
2	NDC:48273-001-01	2545 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
3	NDC:48273-	200 L in 1 CYLINDER; Type 0: Not a Combination	01/01/2019	

3	001-13	Product	01/01/2019	
4	NDC:48273-001-15	640 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
5	NDC:48273-001-02	1720 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
6	NDC:48273-001-03	387 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
7	NDC:48273-001-04	643 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
8	NDC:48273-001-06	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
9	NDC:48273-001-07	5324 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
10	NDC:48273-001-08	7051 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
11	NDC:48273-001-09	7929 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
12	NDC:48273-001-10	9401 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
13	NDC:48273-001-12	141 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
14	NDC:48273-001-14	234 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
15	NDC:48273-001-16	450 L in 1 TANK; Type 0: Not a Combination Product	01/01/2019	
16	NDC:48273-001-17	5678 L in 1 TANK; Type 0: Not a Combination Product	01/01/2019	
17	NDC:48273-001-18	195386 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
18	NDC:48273-001-19	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
19	NDC:48273-001-20	2605 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
20	NDC:48273-001-21	566 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/2019	

Labeler - Keen Compressed Gas Co. Inc. (002484723)

Registrant - Keen Compressed Gas Co. Inc. (002484723)

Establishment

Name	Address	ID/FEI	Business Operations
Keen Compressed Gas Co. Inc.		617860770	manufacture(48273-001)