

OXYGEN- oxygen gas
Keen Compressed Gas Co. Inc.

Oxygen

OXYGEN, COMPRESSED USP

UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

KEEN COMPRESSED GAS CO

Manufactured by:

4063 New Castle Ave. New Castle, DE 19720

(302) 594-4545

www.keengas.com

NO SMOKING

NO VAPING



REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS: LTRS: CU.FT

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

KEEN COMPRESSED GAS CO

Manufactured by:

4063 New Castle Ave. New Castle, DE 19720

(302) 594-4545

www.keengas.com

NO SMOKING

REFRIGERATED LIQUID

**OXYGEN,
REFRIGERATED
LIQUID
USP
UN1073**



**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑
DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

CONTENTS: _____ LTRS:
CU.FT.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: Produced by Air Liquefaction.

**MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC
BURNS OR INJURY.
COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED
LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.**

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub

CAS: 7782-44-7
DO NOT REMOVE THIS PRODUCT LABEL.

Manufactured by:
KEEN COMPRESSED GAS CO. 4063 New Castle Ave.
New Castle, DE 19720
www.keengas.com
(302) 594-4545



NO SMOKING
NO VAPING

NO VAPING

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:48273-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48273-001-11	127400 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2019	
2	NDC:48273-001-01	2545 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
3	NDC:48273-001-13	200 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
4	NDC:48273-001-15	640 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
5	NDC:48273-001-02	1720 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
6	NDC:48273-001-03	387 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
7	NDC:48273-001-04	643 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
8	NDC:48273-001-06	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
9	NDC:48273-001-07	5324 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
10	NDC:48273-001-08	7051 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
11	NDC:48273-001-09	7929 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
12	NDC:48273-001-10	9401 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
13	NDC:48273-001-12	141 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
14	NDC:48273-001-14	234 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
15	NDC:48273-001-16	450 L in 1 TANK; Type 0: Not a Combination Product	01/01/2019	
16	NDC:48273-001-17	5678 L in 1 TANK; Type 0: Not a Combination Product	01/01/2019	
17	NDC:48273-001-18	195386 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
18	NDC:48273-001-19	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
19	NDC:48273-001-20	2605 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	

20	NDC:48273-001-21	566 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
NDA	NDA205767		01/01/2019	

Labeler - Keen Compressed Gas Co. Inc. (002484723)

Registrant - Keen Compressed Gas Co. Inc. (002484723)

Establishment			
Name	Address	ID/FEI	Business Operations
Keen Compressed Gas Co. Inc.		617860770	manufacture(48273-001)

Revised: 11/2025

Keen Compressed Gas Co. Inc.