

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray**  
**Nice-Pak Products, LLC**

-----  
**Solar Plex D43.000/D43AA**  
**Sport Sunscreen Spray SPF 50**

**Active Ingredients**

Avobenzone 3%

Homosalate 12%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable**

Keep away from fire or flame.

- After application, wait until product dries before approaching a source of heat or flame, or before smoking

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if**

rash occurs

## **Keep out of reach of children.**

If swallowed, seek immediate medical attention or call a poison control center.

## **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

- protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/octylacrylamide copolymer, butyloctyl salicylate, neopentyl glycol diheptanoate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

## **Claims**

May stain or damage some fabrics or surfaces

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone Sunscreen Spray Sport Broad Spectrum SPF 50.

## **Adverse Reaction**

Distributed by: Consumer Product Partners, LLC

St. Louis, MO 63114 • 1-888-593-0593

## Principal display panel

SPF 50

SOLAR PLEX®

SPORT SUNSCREEN SPRAY

Broad Spectrum SPF 50

Water resistant (80 minutes)

Won't run when you start to sweat

Oxybenzone, Octinoxate, & Octocrylene free

Compare to Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 50\*

NET WT 5.5 OZ (156 g)

**SPF 50**

**SOLAR PLEX®**

**SPORT SUNSCREEN SPRAY**

**Broad Spectrum SPF 50**

Water resistant (80 minutes)

Won't run when you start to sweat

Oxybenzone, Octinoxate, & Octocrylene free

Compare to Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 50\*

NET WT 5.5 OZ (156 g)

**Drug Facts**

Active ingredients	Purpose
Ambenzone 7%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

**Uses**

- Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

**Flammable:** Keep away from fire or flame. After application, wait until product dries before approaching a source of heat or flame, or before smoking.

Do not use on damaged or broken skin.

**When using this product:** Keep out of eyes. Rinse with water to remove. Contains water resistant. Do not puncture or microwave. Do not store at temperature above 120°F.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure.
- Apply to all skin exposed to the sun. Each container 4 to 6 inches from the skin to apply.
- Do not spray directly into face. Spray on hands then apply to face.
- Do not apply in windy conditions. Use in a well-ventilated area and avoid inhalation.
- Reapply after 80 minutes of swimming or sweating. Immediately after towel drying.
- at least every 2 hours.

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m.; wear long-sleeved shirts, pants, hats and sunglasses; children under 6 months of age. Ask a doctor.

**Other information**

- Keep this product in its container to avoid heat and direct sun.

**Inactive ingredients:** alcohol, castor oil, dimethyl 2-cyanoacrylate, diisopropyl sebacate, styrene/acrylate copolymer, butylacrylate copolymer, polyethyl methacrylate, fragrance, vinyl carbazole, hydroxyethyl methacrylate, isobutyl methacrylate.

May stain or damage some fabrics or surfaces.

\*This product is not manufactured or distributed by Heleneolol AG, distributor of Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 50. Distributed by Consumer Product Partners, LLC, St. Louis, MO 63114 • 1-800-993-0500

## AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11344-943
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g	
	<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 g	
	<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>	<b>Strength</b>		
	<b>ALCOHOL</b> (UNII: 3K9958V90M)			
	<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)			
	<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)			
	<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW)</b> (UNII: 7LL6SY9YFV)			
	<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)			
	<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)			
	<b>.ALPHA.-AMYL CINNAMALDEHYDE</b> (UNII: WC51CA3418)			
	<b>HYDROXYCITRONELLAL</b> (UNII: 8SQ0VA4YUR)			
	<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)			
	<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)			
<b>Packaging</b>				
#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11344-943-34	156 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	11/08/2024	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M020	11/08/2024		

**Labeler** - Nice-Pak Products, LLC (119091520)

**Registrant** - Nice-Pak Products, LLC (119091520)

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Nice-Pak Products, LLC		119091514	manufacture(11344-943)