

GENUINE FIRST AID FIRST AID ANTISEPTIC PAIN RELIEVING CREAM-
benzalkonium chloride, lidocaine hydrochloride cream
GFA Production (Xiamen) Co., Ltd.

Genuine First Aid First Aid Antiseptic Pain Relieving Cream

Drug Facts

Active ingredients

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5%

Purpose

First aid antiseptic

Pain relieving cream

Uses

- First aid to help prevent infection in minor cuts, scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

Warnings

For external use only.

Do not use

- in the eyes.
- over large areas of the body
- in large quantities
- over raw surfaces or listed areas
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- animal bites
- deep or puncture wounds
- serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse
- symptoms persist for more than 7 days or clear up and occurs again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- Adults and children 2 years of age and older. Apply a small amount of this product to affected area not more than 3 times daily
- Children under 2 years of age:consult a doctor
- May be covered with a sterile bandage.

Other information

Store at room temperature

Inactive ingredients

glycerin monostearate, glycerol, purified water

Package Labeling:

Reorder BC-001

**First Aid Antiseptic
Pain Relieving Cream
Benzalkonium Chloride
Lidocaine Hydrochloride**



GENUINE FIRST AID®

Net Wt. 1/32 oz (0.9 g)



GFA Production Xiamen Co., Ltd
No. 20 Huli Industrial Park, Meixi Road,
Tong'an, Xiamen, Fujian, China 361100

Drug Facts

| Active ingredients | Purpose |
|------------------------------|----------------------|
| Benzalkonium chloride 0.13% | First aid antiseptic |
| Lidocaine hydrochloride 0.5% | Pain relieving cream |

Uses

■ First aid to help prevent infection in minor cuts, scrapes, and burns.
■ For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

Warnings

For external use only.

Do not use ■ in the eyes ■ over large areas of the body
■ in large quantities ■ over raw surfaces or blistered areas
■ longer than 1 week unless directed by a doctor

Ask a doctor before use if you have ■ an allergy
■ deep or puncture wounds ■ serious burns.

Stop use and ask a doctor if ■ the condition persists or gets worse
■ symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Clean the affected area
■ Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily
■ Children under 2 years of age: consult a doctor
■ May be covered with a sterile bandage

Other information

Store at room temperature

Inactive ingredients

glycerin monostearate, glycerol, purified water

TO REPORT A SERIOUS ADVERSE EVENT, CONTACT +1(727)441-3222

LOT:

EXP:

GENUINE FIRST AID FIRST AID ANTISEPTIC PAIN RELIEVING CREAM

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:50814-059 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------|---------------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 1.3 mg in 1 g |
| LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987) | LIDOCAINE | 5 mg in 1 g |

Inactive Ingredients

| Ingredient Name | | | Strength | |
|-----------------------------|------------------|---|----------------------|--------------------|
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:50814-059-01 | 0.9 g in 1 PACKAGE; Type 0: Not a Combination Product | 01/01/2020 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | | 505G(a)(3) | 01/01/2020 | |
| | | | | |

Labeler - GFA Production (Xiamen) Co., Ltd. (421256261)