

CITROMA- magnesium citrate liquid

Duane Reade

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Magnesium Citrate

693

Active Ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Saline laxative

use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Warnings

Ask A Doctor before use if you have

- kidney disease
- a magnesium or potassium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and

ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

if pregnant or breast-feeding

ask health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum of 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

discard unused product within 24 hours of opening bottle

other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- potassium content 80 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients

cherry flavor, citric acid, potassium bicarbonate, purified water, red 40, sodium saccharin

DISTRIBUTED BY DUANEREADE

440 NINTH AVE, NY,NY 10001

(866)375-6925/ DUANEREADE.COM

principal display panel

UNIQUELY NY DR SINCE 1960

magnesium citrate


oral solution / saline laxative

- alcohol content 0.0031% (from flavoring)
- cherry flavor
- pasteurized
- the sparkling laxative
- very low sodium

Do not use if tamper evident twist off caps

is missing, broken or separated from neckring

10 FL OZ (296 mL)

UNIQUELY NY  SINCE 1960

magnesium citrate

oral solution / saline laxative

- alcohol content 0.0031% (from flavoring)
- cherry flavor • pasteurized
- the sparkling laxative
- very low sodium

10 FL OZ (296 mL)

Drug Facts

Active ingredient
Magnesium citrate 1.745 g per fl oz.....

Purpose
Saline laxative

Use for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have kidney disease
 a magnesium or potassium-restricted diet abdominal pain, nausea, or vomiting
 noticed a sudden change in bowel habits that persists over a period of two weeks
 already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions drink a full glass (8 ounces) of liquid with each dose
 may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

discard unused product within 24 hours of opening bottle

Other information magnesium content 290 mg per 1 fl oz (30 mL)
 potassium content 80 mg per 1 fl oz (30 mL)
 store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients cherry flavor, citric acid, FD&C red #40, potassium bicarbonate, sodium saccharin, water purified

100% GUARANTEED

DISTRIBUTED BY DUANE READE
 440 NINTH AVENUE, NY, NY 10001
 (866)375-6925 / duanereade.com

© 2011 Duane Reade

L0003126SC

UPC 6-39194 04413 4
 0 00000 00000 0

CITROMA

magesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67732-693
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
CHERRY (UNII: BUC5I9595W)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN)	
WATER (UNII: 059QF0KO0R)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67732-693-38	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/20/1995	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	08/20/1995	

Labeler - Duane Reade (011988995)**Registrant** - Vi-Jon (790752542)**Establishment**

Name	Address	ID/FEI	Business Operations
Vi-Jon		790752542	manufacture(67732-693)

Revised: 5/2020

Duane Reade