

**CHILDRENS CHEWABLES- acetaminophen tablet, chewable**  
**Strategic Sourcing Services LLC**

-----  
**Foster and Thrive 44-450**

***Active ingredient (in each chewable tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (chewable tablets)*</b>
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- avoid high humidity

**Inactive ingredients**

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

**Questions or comments?**

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

**Principal display panel**

NDC 70677-1127-1

Foster & Thrive™

COMPARE TO  
CHILDREN'S TYLENOL®  
ACTIVE INGREDIENT\*\*

**Children's Chewables**  
**Acetaminophen 160 mg**  
**Chewable Tablets**  
**PAIN RELIEVER/FEVER REDUCER**

Ibuprofen Free  
Ages 2-11  
Aspirin Free  
Bubble Gum Flavored

ACTUAL SIZE

**24 CHEWABLE TABLETS**

Chew or crush tablets completely before swallowing.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*\*This product is not manufactured or distributed by  
Johnson & Johnson Corporation, owner of the registered  
trademark Children's Tylenol®. 50844 ORG052245008  
Rev. 03/23

©2023 McKesson Corporation

**Distributed by:**

McKesson Corp., via SSSL., Memphis, TN 38141  
Money Back Guarantee [www.fosterandthrive.com](http://www.fosterandthrive.com)

**Drug Facts** (continued)

**Warnings** Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount.

**Uses** Acetaminophen 160 mg. Pain reliever/fever reducer.

**Active ingredient** (in each chewable tablet)

**Purpose** Acetaminophen 160 mg. Pain reliever/fever reducer.

**Drug Facts** (continued)

**Warnings** Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount.

**Uses** Acetaminophen 160 mg. Pain reliever/fever reducer.

**Active ingredient** (in each chewable tablet)

**Purpose** Acetaminophen 160 mg. Pain reliever/fever reducer.

NDC 70677-1127-1

COMPARE TO CHILDREN'S TYLENOL® ACTIVE INGREDIENT\*\*

Foster & Thrive™

# Children's Chewables

## Acetaminophen 160 mg Chewable Tablets

### PAIN RELIEVER/FEVER REDUCER

Ibuprofen Free  
Ages 2-11  
Aspirin Free  
Bubble Gum Flavored



**24 CHEWABLE TABLETS**  
Chew or crush tablets completely before swallowing.

Foster & Thrive™

## Children's Chewables

### Acetaminophen 160 mg Chewable Tablets

#### PAIN RELIEVER/FEVER REDUCER

**24 CHEWABLE TABLETS**

no print / no varnish area  
lot no. & exp. date



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

©2023 McKesson Corporation  
Distributed by: McKesson Corp, via SSSL, Memphis, TN 38141  
Money Back Guarantee www.fosterandthrive.com  
Rev. 03/23

**Drug Facts** (continued)

**Other information** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number ■ avoid high humidity

**Inactive ingredients** citric acid, croscopolone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrose hydrate, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene glycol, polyethylene, stearic acid, sucralose

**Questions or comments?** Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

B-1243-450-08  
086952245008

**Drug Facts** (continued)

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has liver disease.**

**Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.**

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if** ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ This product does not contain directions or complete warnings for adult use

■ do not give more than directed  
■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age.  
■ chew or crush tablets completely before swallowing. do not swallow tablets whole  
■ repeat dose every 4 hours while symptoms last  
■ do not give more than 5 times in 24 hours  
■ do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\* or as directed by a doctor

E1024

Foster and Thrive 44-450

# CHILDRENS CHEWABLES

acetaminophen tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70677-1127
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

## Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPROVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	44;450
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1127-1	4 in 1 CARTON	04/26/2023	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M013	04/26/2023	

**Labeler** - Strategic Sourcing Services LLC (116956644)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(70677-1127)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(70677-1127) , pack(70677-1127)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(70677-1127)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(70677-1127)

Revised: 4/2024

Strategic Sourcing Services LLC