

CALAMINE PLUS PRAMOXINE HCL- calamine plus spray aerosol, spray
Topco Associates LLC

TopCare Calamine Plus Spray

Active ingredient

Calamine 8%
Pramoxine HCl 1%

Purpose

Skin protectant
External analgesic

Uses

temporarily relieves pain and itching associated with:

- insect bites
- rashes
- minor skin irritations
- minor cuts
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings

For external use only. Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- conditions worsens
- symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before using
- adults and children 2 years of age and older: apply as needed to the affected area, not more than 3 or 4 times daily
- cleanse the skin with soap and water

- let dry before use
- children under 2 years of age: consult a doctor

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

benzyl alcohol, camphor, disteardimonium hectorite, fragrance, hydrated silica, isobutane, oleyl alcohol, SD alcohol 40-B, sorbitan trioleate

Questions?

Call 1-866-964-0939

Principal Display Panel

TopCare

NO TOUCH

Calamine Plus Spray

Calamine 8% - Skin Protectant

Promoxine HCL 1% - External Analgesic

Drying action plus itch relief

Ideal for: poison ivy/oak/sumac

insect bites, minor skin irritations & cuts

SHAKE WELL BEFORE USE

NET WT 4.1 OZ (116 g)

NDC 36800-398-41



NO-RUB

COMPARE TO CALADRYL® LOTION ACTIVE INGREDIENTS*

Calamine Spray Plus

CALAMINE 8% / SKIN PROTECTANT
PRAMOXINE HCl 1% /
EXTERNAL ANALGESIC

Itch Relief from:

- Poison Ivy, Oak & Sumac
- Insect Bites
- Soothes Minor Skin Irritations



SHAKE WELL BEFORE USE

NET WT 4.1 OZ (116 g)



Scan here for more information

* This product is not manufactured or distributed by Valeant Pharmaceuticals North America LLC, owner of the registered trademark Caladryl.

Drug Facts	
Active ingredients	Purpose
Calamine 8%.....	Skin protectant
Pramoxine HCl 1%.....	External analgesic
Uses temporarily relieves pain and itching associated with: ■ insect bites ■ rashes ■ minor skin irritations ■ minor cuts ■ dries the oozing and weeping of poison ivy, poison oak and poison sumac	
Warnings For external use only.	
Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.	
When using this product ■ do not get into eyes ■ ask a doctor before using on children under 2 years of age	
Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again in a few days	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ shake well before using ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ cleanse the skin with soap and water ■ let dry before use ■ children under 2 years of age: consult a doctor	
Other information store between 20° to 25°C (68° to 77°F)	
Inactive ingredients benzyl alcohol, camphor, disteardimonium hectorite, fragrance, hydrated silica, isobutane, oleyl alcohol, SD alcohol 40-B, sorbitan trioleate	
Questions? Call 1-888-423-0139	

0 36800 40208 9

50-074TC-04

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
 ©TOPCO PBA0818 QUESTIONS? 1-888-423-0139
 topcare@topco.com www.topcarebrand.com
 MADE IN USA WITH U.S. AND IMPORTED PARTS

CALAMINE PLUS PRAMOXINE HCL

calamine plus spray aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-398
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675) (FERRIC OXIDE RED - UNII:1K09F3G675)	FERRIC OXIDE RED	0.345 mg in 116 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	24.16 mg in 116 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	2.72 mg in 116 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDRATED SILICA (UNII: Y607T4G8P9)	

ISOBUTANE (UNII: BXR49TP611)	
OLEYL ALCOHOL (UNII: 172F2WN8DV)	
ALCOHOL (UNII: 3K9958V90M)	
SORBITAN TRIOLEATE (UNII: QE6F49RPJ1)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-398-41	116 g in 1 CANISTER; Type 0: Not a Combination Product	01/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/01/2017	

Labeler - Topco Associates LLC (006935977)

Revised: 11/2025

Topco Associates LLC