

COLDCALM- onion, apis mellifera, atropa belladonna, eupatorium perfoliatum flowering top, gelsemium sempervirens root, strychnos nux-vomica seed, phytolacca americana root, pulsatilla vulgaris, dichromate ion tablet
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Coldcalm

Active ingredients** (in each tablet)

Allium cepa 3C HPUS (0.28 mg)

Apis mellifica 6C HPUS (0.28 mg)

Belladonna 6C HPUS (0.28 mg) (contains less than 10^{-14} mg atropine alkaloids)

Eupatorium perfoliatum 3C HPUS (0.28 mg)

Gelsemium sempervirens 6C HPUS (0.28 mg) (contains less than 10^{-14} gelsemine alkaloids)

Kali bichromicum 6C HPUS (0.28 mg) (contains less than 10^{-13} mg chromium)

Nux vomica 3C HPUS (0.28 mg) (contains less than 10^{-8} mg strychnine alkaloids)

Phytolacca decandra 6C HPUS (0.28 mg)

Pulsatilla 6C HPUS (0.28 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Allium cepa 3C HPUS ... Relieves sneezing and runny nose

Apis mellifica 6C HPUS ... Relieves nasal congestion

Belladonna 6C HPUS ... Relieves colds with a sudden onset

Eupatorium perfoliatum 3C HPUS ... Relieves aches and pain associated with colds

Gelsemium sempervirens 6C HPUS ... Relieves headaches associated with colds

Kali bichromicum 6C HPUS ... Relieves nasal discharge

Nux vomica 3C HPUS Relieves sneezing fits

Phytolacca decandra 6C HPUS ... Relieves occasional minor sore throat associated with colds

Pulsatilla 6C HPUS ... Relieves colds with a loss of taste and smell

Uses*

temporarily relieves cold symptoms such as:

- sneezing

- runny nose
- nasal congestion
- occasional minor sore throat

Do not use if you are allergic to Apis.

Ask a doctor before use

- in children under 4 years of age
- if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting

Stop use and ask a doctor if sore throat worsens or persists for more than 2 days
nasal congestion worsens or lasts more than 5 days in children under 12 years of age
or 7 days in adults

new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in mouth every 15 minutes for 1 hour. Then, dissolve 2 tablets every 6 hours. Decrease frequency with improvement.
- Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.
- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86° F (30° C)

Contains 20 meltaway tablets unflavored

Contains 60 meltaway tablets unflavored

Contains 100 meltway tablets unflavored

Contains 120 meltaway tablets unflavored

No Known Drug Interactions

Phenylephrine-free

Non-Drowsy

Cold Relief*

Sneezing, Runny Nose, Minor Sore Throat*

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

croscarmellose sodium, lactose, magnesium stearate

Questions or comments

ColdCalm.com

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1

(1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Made in France

Drug Facts

Active ingredients* (in each tablet)	Purpose*
Allium cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻⁴ mg chromium)
Nuxvomica 3C HPUS (0.28 mg)	Relieves sneezing fits (contains less than 10 ⁻⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves occasional minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves cold symptoms such as:
■ sneezing ■ runny nose ■ nasal congestion ■ occasional minor sore throat

Warnings
Do not use if you are allergic to Apis.
Ask a doctor before use ■ in children under 4 years of age
■ if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting
Stop use and ask a doctor if ■ sore throat worsens or persists for more than 2 days
■ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults
■ new symptoms occur
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Directions
■ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, dissolve 2 tablets in the mouth every 6 hours. Decrease frequency with improvement.
■ Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information
■ do not use if glued carton and flaps are open or if the blister seal is broken
■ store below 86°F (30°C)

Inactive ingredients
croscarmellose sodium, lactose, magnesium stearate

Questions or comments?
ColdCalm.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
♻️ please recycle

NDC 0220-8048-29

COLD RELIEF*
Sneezing • Runny Nose
Minor Sore Throat*

Help Your Body
the Natural Way

ColdCalm®
MELTAWAY TABLETS
HOMEOPATHIC MEDICINE

■ No Known Drug Interactions
■ Phenylephrine-Free
■ Non-Drowsy

BOIRON®
World Leader in
Homeopathic Medicines

120
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredients* (in each tablet)

Alum cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻⁴ mg chromium)
Nuxvomica 3C HPUS (0.28 mg)	Relieves sneezing fits (contains less than 10 ⁻⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves occasional minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses

temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- occasional minor sore throat

Warnings

Do not use if you are allergic to Apis.

Ask a doctor before use if: in children under 4 years of age; if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting.

Stop use and ask a doctor if: sore throat worsens or persists for more than 2 days; nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults; new symptoms occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Directions

- Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, dissolve 2 tablets in the mouth every 6 hours. Decrease frequency with improvement.
- Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

ColdCalm.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France

Distributed by Boiron Inc.
Newtown Square, PA 19073



NDC 0220-8048-04

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*



ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Phenylephrine-Free
- Non-Drowsy

BOIRON®

World Leader in
Homeopathic Medicines

60
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredients* (in each tablet)

Alum cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻⁴ mg chromium)
Nuxvomica 3C HPUS (0.28 mg)	Relieves sneezing fits (contains less than 10 ⁻⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves occasional minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses

temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- occasional minor sore throat

Warnings

Do not use if you are allergic to Apis.

Ask a doctor before use if: in children under 4 years of age; if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting.

Stop use and ask a doctor if: sore throat worsens or persists for more than 2 days; nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults; new symptoms occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Directions

- Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, dissolve 2 tablets in the mouth every 6 hours. Decrease frequency with improvement.
- Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

ColdCalm.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France

Distributed by Boiron Inc.
Newtown Square, PA 19073



NDC 0220-8048-82

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*



ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Phenylephrine-Free
- Non-Drowsy

BOIRON®

World Leader in
Homeopathic Medicines

100
MELTAWAY
TABLETS
Unflavored

COLD RELIEF

ColdCalm®

Adults and children 6 years of age and older:
At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, dissolve 2 tablets in the mouth every 6 hours. Decrease frequency with improvement. Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

BOIRON®

Drug Facts

Active Ingredients** (in each tablet)

	Purpose*
Album cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻⁴ mg chromium)
Nux vomica 3C HPUS (0.28 mg)	Relieves sneezing fits (contains less than 10 ⁻⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves occasional minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

temporarily relieves cold symptoms such as:
☐ sneezing ☐ runny nose ☐ nasal congestion ☐ occasional minor sore throat

Warnings

Do not use if you are allergic to Apis.

Ask a doctor before use ☐ In children under 4 years of age

☐ If sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting

Stop use and ask a doctor if ☐ sore throat worsens or persists for more than 2 days

☐ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults

☐ new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ☐ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, dissolve 2 tablets in the mouth every 6 hours. Decrease frequency with improvement. ☐ Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts (continued)

Other Information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

1-800-264-7661

Made in France

Distributed by Boiron Inc.

Newtown Square, PA

19073



NDC 0220-9048-91

SAMPLE NOT FOR SALE

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*



ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Phenylephrine-free
- Non-Drowsy

BOIRON®

World Leader in
Homeopathic Medicines

20
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active Ingredients** (in each tablet)

	Purpose*
Album cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻⁴ mg chromium)
Nux vomica 3C HPUS (0.28 mg)	Relieves sneezing fits (contains less than 10 ⁻⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves occasional minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

temporarily relieves cold symptoms such as:
☐ sneezing ☐ runny nose ☐ nasal congestion ☐ occasional minor sore throat

Warnings

Do not use if you are allergic to Apis.

Ask a doctor before use ☐ In children under 4 years of age

☐ If sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting

Stop use and ask a doctor if ☐ sore throat worsens or persists for more than 2 days

☐ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults

☐ new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ☐ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, dissolve 2 tablets in the mouth every 6 hours. Decrease frequency with improvement. ☐ Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts (continued)

Other Information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

1-800-264-7661

Made in France

Distributed by Boiron Inc.

Newtown Square, PA

19073



SAMPLE NOT FOR SALE

NDC 0220-9048-91

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*



ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Phenylephrine-free
- Non-Drowsy

BOIRON®

World Leader in
Homeopathic Medicines

20
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredients* (in each tablet)

Allium cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻¹⁰ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻¹⁰ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻¹⁰ mg chromium)
Nuxvomica 3C HPUS (0.28 mg)	Relieves sneezing attacks (contains less than 10 ⁻¹⁰ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves occasional minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

Uses temporarily relieves cold symptoms such as:

■ sneezing ■ runny nose ■ nasal congestion ■ occasional minor sore throat

Warnings

Ask a doctor before use ■ in children under 4 years of age ■ if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting.

Stop use and ask a doctor if ■ sore throat worsens or persists for more than 2 days ■ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults ■ new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts (continued)

Directions

- Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement.
- Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

ColdCalm.com
BoironUSA.com
info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France
Distributed by Boiron Inc,
Newtown Square, PA 19073



NDC 0220-9048-29

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*



ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- For Ages 4+ Years
- Non-Drowsy



BOIRON®

World Leader in
Homeopathic Medicines

120
MELTAWAY
TABLETS
Unflavored

COLD RELIEF

ColdCalm®

Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement. Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

BOIRON®

Drug Facts

Active Ingredients* (in each tablet)

Allium cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻¹⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻¹⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻¹³ mg chromium)
Nux vomica 3C HPUS (0.28 mg)	Relieves sneezing attacks (contains less than 10 ⁻⁶ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves occasional minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves cold symptoms such as:

■ sneezing ■ runny nose ■ nasal congestion ■ occasional minor sore throat

Warnings

Ask a doctor before use ■ in children under 4 years of age

■ if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting

Stop use and ask a doctor if ■ sore throat worsens or persists for more than 2 days

■ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults ■ new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement. ■ Children 4 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

1-800-264-7661

Made in France

Distributed by Boiron Inc.
Newtown Square, PA
19073



SAMPLE
NOT FOR SALE

NDC 0220-9048-91

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*



ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- For Ages 4+ Years
- Non-Drowsy

BOIRON®

World Leader in
Homeopathic Medicines

20
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active Ingredients* (in each tablet)

Allium cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻¹⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻¹⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻¹³ mg chromium)
Nux vomica 3C HPUS (0.28 mg)	Relieves sneezing attacks (contains less than 10 ⁻⁶ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves cold symptoms such as:

■ sneezing ■ runny nose ■ nasal congestion ■ minor sore throat

Warnings

Ask a doctor before use ■ in children under 3 years of age

■ if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen, or if new symptoms occur.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement. ■ Children 3 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Made in France

Distributed by
Boiron Inc.
Newtown Square, PA
19073

1-800-264-7661



SAMPLE
NOT FOR SALE

NDC 0220-9048-91

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*



ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- For Ages 3 & Up
- Non-Drowsy

BOIRON®

World Leader in
Homeopathic Medicines

20
MELTAWAY
TABLETS
Unflavored

COLD RELIEF

ColdCalm®

Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement. Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

BOIRON®

Drug Facts

Active ingredients* (in each tablet)

Allium cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻¹⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻¹⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻¹⁴ mg chromium)
Nux vomica 3C HPUS (0.28 mg)	Relieves sneezing attacks (contains less than 10 ⁻¹⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves occasional minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- occasional minor sore throat

Warnings

Ask a doctor before use if: in children under 4 years of age; if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting.

Stop use and ask a doctor if: sore throat worsens or persists for more than 2 days; nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults; new symptoms occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Directions

Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement. Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

ColdCalm.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

♻️ please recycle

NDC 0220-9048-04

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*

Help Your Body
the Natural
Way

ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- For Ages 4+ Years
- Non-Drowsy

BOIRON®

World Leader in
Homeopathic Medicines

60
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredients* (in each tablet)

Allium cepa 3C HPUS (0.28 mg)	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg)	Relieves nasal congestion
Belladonna 6C HPUS (0.28 mg)	Relieves colds with a sudden onset (contains less than 10 ⁻¹⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg)	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg)	Relieves headaches associated with colds (contains less than 10 ⁻¹⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg)	Relieves nasal discharge (contains less than 10 ⁻¹⁴ mg chromium)
Nux vomica 3C HPUS (0.28 mg)	Relieves sneezing attacks (contains less than 10 ⁻¹⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg)	Relieves minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg)	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- minor sore throat

Warnings

Ask a doctor before use

if: in children under 3 years of age; if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting. Stop use and ask a doctor if symptoms persist for more than 2 days or worsen, or if new symptoms occur.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Directions

Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement. Children 3 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

ColdCalm.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

♻️ please recycle

NDC 0220-9048-29

COLD RELIEF*

Sneezing • Runny Nose
Minor Sore Throat*

Help Your Body
the Natural
Way

ColdCalm®
MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- For Ages 3 & Up
- Non-Drowsy

BOIRON®

World Leader in
Homeopathic Medicines

120
MELTAWAY
TABLETS
Unflavored

BOIRON®

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Take at
the First Sign
of Symptoms

3 06969 04829 0

Drug Facts

Active ingredients** (in each tablet)	Purpose*
Allium cepa 3C HPUS (0.28 mg).....	Relieves sneezing and runny nose
Apis mellifica 6C HPUS (0.28 mg).....	Relieves nasal congestion
Boladoona 6C HPUS (0.28 mg).....	Relieves colds with a sudden onset (contains less than 10 ⁻¹⁴ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.28 mg).....	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS (0.28 mg).....	Relieves headaches associated with colds (contains less than 10 ⁻¹⁴ mg gelsemine alkaloids)
Kali bichromicum 6C HPUS (0.28 mg).....	Relieves nasal discharge (contains less than 10 ⁻¹⁴ mg chromium)
Nux vomica 3C HPUS (0.28 mg).....	Relieves sneezing attacks (contains less than 10 ⁻¹⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.28 mg).....	Relieves minor sore throat associated with colds
Pulsatilla 6C HPUS (0.28 mg).....	Relieves colds with a loss of taste and smell

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- minor sore throat

Warnings

Ask a doctor before use

- in children under 3 years of age
- if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen, or if new symptoms occur.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
 **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Directions

- Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement.
- Children 3 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

ColdCalm.com
 BoironUSA.com
 info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)

Made in France
 Distributed by Boiron Inc.
 Newtown Square, PA 19073

♻️ please recycle

NDC 0220-9048-04

COLD RELIEF*

Sneezing • Runny Nose
 Minor Sore Throat*

Help Your Body
 the Natural
 Way

ColdCalm®
 MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- For Ages 3 & Up
- Non-Drowsy

BOIRON®

World Leader in
 Homeopathic Medicines

60
 MELTAWAY
 TABLETS
 Unflavored

BOIRON®

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Take at
 the First Sign
 of Symptoms



Drug Facts

Active ingredients**	Purpose*
Allium cepa 3C HPUS.....	Relieves sneezing and runny nose
Apis mellifica 6C HPUS.....	Relieves nasal congestion
Boladoona 6C HPUS.....	Relieves colds with a sudden onset (contains less than 10 ⁻¹⁴ mg alkaloids per dose)
Eupatorium perfoliatum 3C HPUS.....	Relieves aches and pain associated with colds
Gelsemium sempervirens 6C HPUS.....	Relieves headaches associated with colds
Kali bichromicum 6C HPUS.....	Relieves nasal discharge
Nux vomica 3C HPUS.....	Relieves sneezing attacks (contains less than 10 ⁻¹⁴ mg alkaloids per dose)
Phytolacca decandra 6C HPUS.....	Relieves minor sore throat associated with colds
Pulsatilla 6C HPUS.....	Relieves colds with a loss of taste and smell

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- minor sore throat

Warnings **Ask a doctor before use** in children under 3 years of age. **Stop use and ask a doctor if** symptoms persist for more than 2 days or worsen, or if sore throat is severe or persistent or it occurs with a high fever, headache, nausea or vomiting. This may be a sign of a more serious condition. **If pregnant or breastfeeding,** ask a health professional before use. **Keep out of reach of children.**

Directions

- Adults and children 3 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, dissolve 2 tablets under the tongue 3 times a day, until symptoms are relieved.
- Children 3 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information ■ do not use if (glued carton end flaps are open or if the blister seal is broken) ■ do not store above 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*These "Uses" have not been evaluated by the Food and Drug Administration. **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

COLD RELIEF
ColdCalm®

Drug Facts (continued)

Questions or comments?

ColdCalm.com
 BoironUSA.com
 info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)

Distributed by Boiron Inc.
 6 Campus Boulevard
 Newtown Square, PA
 19073-3257

Made in France



NDC 0220-9048-04

COLD RELIEF*

Sneezing • Runny Nose
 Nasal Congestion
 Minor Sore Throat*

ColdCalm®

HOMEOPATHIC MEDICINE

- Non-Drowsy
- No Known Drug Interactions

help your body
 the NATURAL
 way

BOIRON®

World Leader in Homeopathic Medicines

60
 QUICK-DISSOLVING
 TABLETS

COLD RELIEF

ColdCalm®

The Boiron Promise
 At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. Please visit BoironUSA.com/promise for details.

♻️ please recycle

Drug Facts

Active ingredients**

Allium cepa 3C HPUS.....Relieves sneezing and runny nose

Apis mellifica 6C HPUS.....Relieves nasal congestion

Belladonna 6C HPUS.....Relieves colds with a sudden onset (contains less than 10*mg alkaloids per dose)

Eupatorium perfoliatum 3C HPUS.....Relieves sinus pain

Gelsemium sempervirens 6C HPUS.....Relieves headaches associated with colds

Kali bichromicum 6C HPUS.....Relieves nasal discharge

Nux vomica 3C HPUS.....Relieves sneezing attacks (contains less than 10*mg alkaloids per dose)

Phytolacca decandra 6C HPUS.....Relieves sore throat associated with colds

Pulsatilla 6C HPUS.....Relieves colds with a loss of taste and smell

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses* ■ temporarily relieves cold symptoms such as: ■ sneezing ■ runny nose ■ nasal congestion ■ minor sore throat

Warnings Ask a doctor before use in children under 3 years of age. Stop use and ask a doctor if symptoms persist for more than 3 days or worsen, or if sore throat persists for more than 2 days or occurs with a fever, headache, rash, nausea or vomiting. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions ■ Adults and children 3 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, dissolve 2 tablets under the tongue every 2 hours until symptoms are relieved. ■ Children 3 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information ■ do not use if glued carton end flaps are open or if the blister seal is broken ■ store at 68-77°F (20-25°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions see www.boironusa.com for details.

COLD RELIEF

Coldcalm®

Drug Facts
(continued)

Questions or comments?
www.boironusa.com
info@boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc.
6 Campus Blvd, Newtown Square, PA 19073-3267

Made in France



NDC 0220-9048-04

COLD RELIEF*

Sneezing • Runny Nose

Nasal Congestion

Minor Sore Throat*

Coldcalm®

HOMEOPATHIC MEDICINE

■ Non-Drowsy
■ No Drug Interactions

works NATURALLY with your body

BOIRON®

QUICK-DISSOLVING TABLETS

60

World Leader in Homeopathic Medicines

The Boiron Promise
At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing safe, natural medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/ promise for details.

please recycle

COLDCALM

onion, apis mellifera, atropa belladonna, eupatorium perfoliatum flowering top, gelsemium sempervirens root, strychnos nux-vomica seed, phytolacca americana root, pulsatilla vulgaris, dichromate ion tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9048
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	3 [hp_C]
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_C]
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	6 [hp_C]
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	3 [hp_C]
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	6 [hp_C]
DICHROMATE ION (UNII: 9LK4Y4BFN2V) (DICHROMATE ION - UNII:9LK4Y4BFN2V)	DICHROMATE ION	6 [hp_C]
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	3 [hp_C]
PHYTOLACCA AMERICANA ROOT (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	6 [hp_C]
PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
LACTOSE (UNII: J2B2A4N98G)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND (BOIRON)	Size	9mm	
Flavor		Imprint Code	;	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9048-04	60 in 1 BLISTER PACK; Type 0: Not a Combination Product	01/01/1995	
2	NDC:0220-9048-29	120 in 1 BLISTER PACK; Type 0: Not a Combination Product	12/09/2020	
3	NDC:0220-9048-91	20 in 1 BLISTER PACK; Type 0: Not a Combination Product	07/14/2021	
4	NDC:0220-9048-92	100 in 1 BLISTER PACK; Type 0: Not a Combination Product	04/01/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			01/01/1995	

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9048)

Revised: 4/2025

Laboratoires Boiron