# MILK OF MAGNESIA MINT- magnesium hydroxide suspension CARDINAL HEALTH

-----

ldr mom mint

## Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

## **Purpose**

Saline laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

### Warnings

## Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

## Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed

## by a doctor

• drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

## Other information

- each 15 mL tablespoonful contains: magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed

## **Inactive ingredients**

flavor, purified water, saccharin sodium, sodium hypochlorite

**Questions or comments?** 

1-800-200-6313

package label



12 FL OZ (355 mL)

Drug Facts

TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.

## Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg .....

Purpose Saline laxative

Use • relieves occasional constipation (irregularity)

· generally produces bowel movement in ½ to 6 hours

#### Warnings

Ask a doctor before use if you have

a magnesium-restricted diet

- kidney disease
- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.

#### Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions** • shake well before use

- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

#### Other information

- each 15 mL contains: magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed



Inactive ingredients flavor, purified water, saccharin sodium, sodium hypochlorite

#### Questions or comments? 1-800-200-6313

\*This product is not manufactured or distributed by Bayer Healthcare LLC, distributors of Phillips brand Milk of Magnesia.

©2022 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY CARDINAL HEALTH **DUBLIN, OHIO 43017** 

www.myleader.com

995-19212-1 REV GC1121 1-800-200-6313



Return to place of purchase.

### **MILK OF MAGNESIA MINT**

magnesium hydroxide suspension

#### **Product Information**

Cramp-Free

Sugar-Free

295-19212-1 REV GC1121

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:70000-0065

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

	Ingredient Name	Basis of Strength	Strength
	MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION -	MAGNESIUM	1200 mg
l	UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	HYDROXIDE	in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			

Product Characteristics				
Color		Score		
Shape		Size		
Flavor	MINT	Imprint Code		
Contains				

F	Packaging			
# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:70000- 0065-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/01/2020	

## Labeler - CARDINAL HEALTH (063997360)

## **Registrant -** GCP Laboratories (965480861)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
GCP Laboratories		965480861	manufacture(70000-0065)	

Revised: 11/2023 CARDINAL HEALTH