#### NITROGEN - nitrogen gas Encompass Medical & Specialty Gases, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### Nitrogen Label

NITROGEN, COMPRESSED NF UN1066

NON-FLAMMABLE GAS 2 38048 (R 08/10)

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperatures should not exceed 52C (125F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

Cylinders must be refilled by:

Encompass Medical and Specialty Gases, LTD. 4646 Linden Road P.O. Box 5404 Rockford, IL 61109 CONTENTS: LITERS CYL. SIZE TOP PSIG at 70 F



NITROGEN, COMPRESSED UN1066 NF Produced by Air Liquefaction CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL. NON-FLAMMABLE GAS 2 MEDICAL GAS Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of


Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. When used as a diluent for oxygen to produce respirable mixtures, user must assure sufficient oxygen

concentration to sustain life.

CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION AND DEATH. Open valve slowly and close after each use. Keep away from heat, flame or sparks. Do not strike arc or laser beam on cylinder. Transport, store and use with adequate ventilation. Use equipment rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperatures should not exceed 52C (125F). Always secure cylinder in upright position. Return cylinder with 25 psig pressure. Return cylinder with cylinder cap secured, if applicable. Use this product in accordance with the Material Safety Data Sheet, available at Web Site: www.us.lindegas.com. FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Distributed by: Linde Gas 2883 Simpson Circle Norcross, GA 30071 LifeGas Contents: Cylinder Type K M Liters 5971 2972

LG022B



REFRIGERATED NITROGEN NITROGEN, REFRIGERATED LIQUID NF UN1977 NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE FROSTBITE. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear fae shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperatures should not exceed 52C (125F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: 7727-37-9 CONTENTS: LTRS: CU.FT:

DO NOT REMOVE THIS PRODUCT LABEL.

### Cylinders must be refilled by: Encompass Medical and Specialty Gases, LTD. 4646 Linden Road P.O. Box 5404 Rockford, IL 61109 43756 (05/05)

Encompas 4646 Linde	DO NOT	CONTENTS:	IN CASE immediately CAS: 7722	FIRST AID: IF INHA respirati	Store an Do not g For liquic Do not d Cylinder Close va Use a ba Use in a (MSDS).	WARNING: EXTREI CAN C/ CAN C/			1 ALWAYS KEEP DO NOT CHA	UN1977		NITROGEN, REFRIGERATED	NAMES OF A DESCRIPTION
Cylinders must be refilled by: Encompass Medical & Specialty Gases, LTD. 4646 Linden Road • P.O. Box 5404 • Rockford, IL 61109	REMOVE THIS PRODUCT LABEL		CASE OF FROSTBITE, obtain medical ediately. : 7727-37-9	IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.	Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperature should not exceed 52°C (125°F). Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Close valve after each use and when empty. Use a back flow Preventive device in the piping. Use in accordance with the MATERIAL SAFETY DATA SHEET Use in accordance with the MATERIAL SAFETY DATA SHEET (MSDS).	EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.	of Nitrogen may be For use only by or under the itioner who is experienced in of Nitrogen and is familiar with of Nitrogen and frequency a sand with the hazards, contraindi precautions to be taken.	RX ONLY	ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.	2	NON-FLAMMABL GAS	N, RATED	
99 43756		CU FT:	treatment	give artificial a physician.	ovement. 9. ATA SHEET	ESSURE.	hazardous or supervision of a 1 the use and the indications, and duration of cations and side		rion. † INS.		BLE		No.

NITROGEN							
nitrogen gas							
<b>Product Information</b>							
Product T ype	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:48883-002				
Route of Administration	RESPIRATORY (INHALATION)						
Active Ingredient/Active Moiety							
Ingred	ient Name	<b>Basis of Strength</b>	Strength				

I	Ingredient Name	Basis of Strength	Strength
	Nitrogen (UNII: N762921K75) (Nitrogen - UNII:N762921K75)	Nitrogen	990 mL in 1 L

#	Item Code	Package Description	Marketing Start Date	<b>Marketing End Date</b>
1	NDC:48883-002-01	396 L in 1 CYLINDER		
2	NDC:48883-002-02	651 L in 1 CYLINDER		
3	NDC:48883-002-03	3256 L in 1 CYLINDER		
4	NDC:48883-002-04	6510 L in 1 CYLINDER		
5	NDC:48883-002-05	8516 L in 1 CYLINDER		
6	NDC:48883-002-06	106189 L in 1 DEWAR		
7	NDC:48883-002-07	116099 L in 1 DEWAR		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		0 1/0 1/19 55	

Labeler - Encompass Medical & Specialty Gases, Ltd. (963344143)

## Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Encompass Medical & Specialty Gases, Ltd.		963344143	manufacture

## Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Encompass Medical & Specialty Gases, Ltd.		963718361	manufacture

Revised: 11/2010

Encompass Medical & Specialty Gases, Ltd.