NITRICUM ACIDUM- nitric acid pellet Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

NITRICUM AC

USES

To relieve the symptoms of cold sores.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

NITRICUM AC Cold sores

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, stop use and consult your practitioner.

DIRECTIONS

Adults: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides. Children: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL

The OTC potency range of NITRICUM AC 6x–30x, 1c–30c, 200c, 1m, 10m, 50m, and CM.

Availability is subject to change.



Contents: I oz Sucrose/Lactose Pills HPUS[†]

Nitricum ac 30C Dry Cough*

Directions: Adults: Dissolve 4 under the tongue 3 times a day. Children: 1/2 dose. Repeat at greater intervals as condition subsides, or as directed by a licensed practitioner. Warning: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult a licensed practitioner. Keep out of reach of children. Do not use if seal is broken.

Washington Homeopathic Products Lot 17686 260 JR Hawvermale Way, Berkeley Springs, WV 25411 800-336-1695 • homeopathyworks.com • Est No. 3006489197

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

†Product is monographed in the Homeopathic Pharmacopoeia of the United States.

All WHP single remedies are made to order; thus, the labels are printed on the same label stock as the orders are filled.

'Bottle Size' and 'Potency' vary on the label depending on customer choice.

Standard bottle sizes for pellet-form remedies are 2 dram, 4 dram, 1 ounce, 2 ounce, and 4 ounce.

NITRICUM ACIDUM

nitric acid pellet

_		-	_	•		
	ro					

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:68428-533

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITDIC ACID (LINII: 411VDN1TVA) (NITDIC ACID. LINII: 411VDN1TVA)	NITDIC ACID	20 [bp. C]

Inactive Ingredients

Ingredient Name	Strength
Ingredient Nume	ottengti

SUCROSE (UNII: C151H8M554)

LACTOSE (UNII: J2B2A4N98G)

Product Characteristics					
Color	white (white)	Score			
Shape		Size			
Flavor		Imprint Code			
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:68428-533- 03	75 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/03/2010				
2	NDC:68428-533- 05	150 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/03/2010				
3	NDC:68428-533-11	300 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/03/2010				
4	NDC:68428-533- 12	600 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/03/2010				
5	NDC:68428-533- 06	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/03/2010				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		02/03/2010			

Labeler - Washington Homeopathic Products (084929389)

Establishment					
Name	Address	ID/FEI	Business Operations		
Washington Homeopathic Products		084929389	manufacture(68428-533)		

Revised: 8/2018 Washington Homeopathic Products