

SHISEIDO SPORTS HYDROBB COMPACT LIGHT- octinoxate, octocrylene, and titanium dioxide cream

SHISEIDO SPORTS HYDROBB COMPACT MEDIUM- octinoxate, octocrylene, and titanium dioxide cream

SHISEIDO SPORTS HYDROBB COMPACT MEDIUM DARK- octinoxate, octocrylene, and titanium dioxide cream

SHISEIDO SPORTS HYDROBB COMPACT DARK- octinoxate, octocrylene, and titanium dioxide cream

SHISEIDO SPORTS HYDROBB COMPACT VERY DARK- octinoxate, octocrylene, and titanium dioxide cream

SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SHISEIDO SPORTS HYDROBB COMPACT

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 13.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

Inactive Ingredients

CYCLOHEXASILOXANE·WATER·DIMETHICONE·DIPROPYLENE GLYCOL·ORYZA SATIVA (RICE) BRAN WAX·SILICA·BIS-BUTYLDIMETHICONE POLYGLYCERYL-3·PEG-10 DIMETHICONE·ALUMINUM HYDROXIDE·PARAFFIN·HYDROGEN DIMETHICONE·GLYCERIN·PEG/PPG-14/7 DIMETHYL ETHER·PCA DIMETHICONE·TRIMETHYLSILOXYSILICATE·LECITHIN·GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT·BIS-PEG-18 METHYL ETHER DIMETHYL SILANE·POLYSILICONE-2·ALUMINA·DISTEARYLDIMONIUM CHLORIDE·PALMITIC ACID·POLYMETHYLSILSESQUIOXANE·DISTEARDIMONIUM HECTORITE·TALC·METHYL METHACRYLATE CROSSPOLYMER·MICROCRYSTALLINE WAX·TOCOPHEROL·ISOPROPYL ALCOHOL·MENTHOXYPROPANEDIOL·BHT·STEARIC ACID·ETHYLPARABEN·METHYLPARABEN·FRAGRANCE·TITANIUM DIOXIDE·IRON OXIDES·MICA·

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 12 g Container Carton - Light

SHISEIDO

GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+

WetForce

Quick Dry

BROAD SPECTRUM

SPF 50+

WATER RESISTANT

(40 MINUTES)

SUNSCREEN

12g NET WT. .42 OZ.

Light
GLO. 15493



Sports HydroBB Compact (Refill)



BROAD SPECTRUM SPF 50+

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+

WATER RESISTANT
(40 MINUTES)

SUNSCREEN

12g NET WT. .42 OZ.

Drug Facts
(continued)

Inactive ingredients

CYCLOHEXALDIAZINE • WATER • DIMETHICONE • DIPROPYLENE GLYCOL • DRYDA SAVINA (RICE) BRAN WAX • SILICA • BIS-SULFODIMETHICONE POLYGLYCERIN-3 • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • PARAFIN • HYDROGEN DIMETHICONE • GLYCERIN • PEG-PPG-14/13 METHYL ETHER • PEA DIMETHICONE • TRIMETHYLLOXYSUCATE • LECITHIN • GLYCYPHOSPHOLIPID • ALBANY LICHEN ROOT EXTRACT • BIS-PEG-18 METHYL ETHER DIMETHYL SILANE • POLYMERWAX • ALUMINA • TETRAHYDROCALCINOL CHLORIDE • PALMITIC ACID • POLYETHYLSESQUIDRANE • TETRADECYLNONYL HEPTANOATE • TACRYLIC METHACRYLATE • CROSSLINKER • MICROCRYSTALLINE WAX • TOCOPHEROL • ISOPROPYL ALCOHOL • NENTHANOPROPANEDIOL • BHT • STEARIC ACID • ETHYL PARABEN • METHYL PARABEN • FRAGRANCE • TITANIUM DIOXIDE • BIODERMS • UVA •

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO
SPORTS HYDROBB COMPACT (REFILL)
BROAD SPECTRUM SPF 50+

A convenient compact-type BB sunscreen ideal for outdoor scenes such as sports, featuring WetForce technology so the UV protection veil actually becomes stronger when it comes into contact with sweat and water*. Furthermore, Quick Dry technology dries your sweat quickly** to keep you looking fresh, no matter how active you have been.

- Contains contouring powder to utilize the effects of light and shadow for creating a sculpted, three-dimensional look.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.

*To activate WetForce technology, expose the applied area to water or perspiration for 15 minutes.

**in vitro test

Drug Facts

Active ingredients

Active ingredients	Purpose
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 13.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

www.shiseido.com

Drug Facts
(continued)

Directions


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor ▶

<http://s1872.com/15493AA>
See our website for more information.

15493-40-5040

AAA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - Medium

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+

WATER RESISTANT
(40 MINUTES)

SUNSCREEN

12g NET WT. .42 OZ.

Medium
GLO. 15494



Sports HydroBB Compact (Refill)



BROAD SPECTRUM SPF 50+

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+

WATER RESISTANT
(40 MINUTES)

SUNSCREEN

12g NET WT. .42 OZ.

Drug Facts
(continued)

Inactive ingredients

CYCLOHEXIMIDE • WATER •
DIMETHICONE • DIPROPYLENE GLYCOL •
ERYCJA SANIVA • BEESWAX •
TITANIA •
BIS-OCTYLDIMETHICONE
POLYGLYCERIN-3 •
PEG-10 DIMETHICONE •
ALUMINUM HYDROXIDE • PARAFIN •
HYDROGEN DIMETHICONE • GLYCERIN •
PEG-PPG-14 DIMETHYL ETHER •
POLYDIMETHICONE •
TRIMETHYLSILOXYDISTEARATE • LECITHIN •
GLYCERYL DILAURYL SEbacate ROOT
EXTRACT •
BIS-PEG-18 METHYL ETHER DIMETHYL
SILOXANE •
POLYSILOXANES • ALUMINA •
DIOSTEARYL DIMONIUM CHLORIDE •
PALMITIC ACID •
POLYETHYLENE GLYCOLS •
DIOSTEARYL DIMONIUM HEXTENE • TALC •
METHYL METHACRYLATE
CROSSPOLYMER •
MICROCRYSTALLINE WAX •
TOCOPHEROL • ISOPROPYL ALCOHOL •
METHYLOXYPROPANE • BHT •
STEARIC ACID • ETHYL PARABEN •
METHYL PARABEN • FRAGRANCE •
TITANIUM DIOXIDE • POLYDIMES •
VICKA •

Other Information

■ protect this product
in this container
from excessive heat
and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO
SPORTS HYDROBB COMPACT (REFILL)
BROAD SPECTRUM SPF 50+

A convenient compact-type BB sunscreen ideal for outdoor scenes such as sports, featuring WetForce technology so the UV protection veil actually becomes stronger when it comes into contact with sweat and water*. Furthermore, Quick Dry technology dries your sweat quickly** to keep you looking fresh, no matter how active you have been.

- Contains contouring powder to utilize the effects of light and shadow for creating a sculpted, three-dimensional look.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.

*To activate WetForce technology, expose the applied area to water or perspiration for 15 minutes.

**in vitro test

Drug Facts

Active ingredients

Active ingredients	Purpose
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 13.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

Drug Facts
(continued)

Directions


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

<http://s1872.com/15493AA>
See our website for more information.

15493-40-5040

AAA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - Medium Dark

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+

WATER RESISTANT
(40 MINUTES)

SUNSCREEN

12g NET WT. .42 OZ.

Medium Dark
GLO. 15495



Sports HydroBB Compact (Refill)



BROAD SPECTRUM SPF 50+

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+
WATER RESISTANT
(40 MINUTES)
SUNSCREEN

12g NET WT. .42 OZ.

Drug Facts
(continued)

Inactive ingredients

CYCLOHEXANOLANE • WATER •
DIMETHICONE • DIPROPYLENE GLYCOL •
ERYCJA SAVINA • BEESWAX •
TITANIA •
BIS-OXYDIMETHICONE •
POLYGLYCERIN-3 •
PEG-10 DIMETHICONE •
ALUMINUM HYDROXIDE • PARAFIN •
HYDROGEN DIMETHICONE • GLYCERIN •
PEGPPG-14 DIMETHYL ETHER •
POLYDIMETHICONE •
TRIMETHYLGLUCOSYLATE • LECITHIN •
GLYCYRRHIZA GLABRA LICORICE ROOT
EXTRACT •
BIS-PEG-18 METHYL ETHER DIMETHYL
SILOXANE •
POLYSILOXANES • ALUMINA •
DIOSTEARDYL DIMONIUM CHLORIDE •
PALMITIC ACID •
POLYETHYLENE GLYCOLS •
DIOSTEARDYL DIMONIUM HEXTENE • TALC •
METHYL METHACRYLATE
CROSSPOLYMER •
MICROCRYSTALLINE WAX •
TOCOPHEROL • ISOPROPYL ALCOHOL •
METHOXYPROPANE • BHT •
STEARIC ACID • ETHYL PARABEN •
METHYLPARABEN • FRAGRANCE •
TITANIUM DIOXIDE • POLYDIMES •
VICKA •

Other Information

■ protect this product
in this container
from excessive heat
and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO
SPORTS HYDROBB COMPACT (REFILL)
BROAD SPECTRUM SPF 50+

A convenient compact-type BB sunscreen ideal for outdoor scenes such as sports, featuring WetForce technology so the UV protection veil actually becomes stronger when it comes into contact with sweat and water*. Furthermore, Quick Dry technology dries your sweat quickly** to keep you looking fresh, no matter how active you have been.

- Contains contouring powder to utilize the effects of light and shadow for creating a sculpted, three-dimensional look.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.

*To activate WetForce technology, expose the applied area to water or perspiration for 15 minutes.

**in vitro test

Drug Facts

Active ingredients

Active ingredients	Purpose
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 13.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

Drug Facts (continued)

Directions


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor ▶

<http://s1872.com/15493AA>
See our website for more information.

15493-40-5040

AAA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - Dark

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+

WATER RESISTANT
(40 MINUTES)

SUNSCREEN

12g NET WT. .42 OZ.

Dark
GLO. 15496



Sports HydroBB Compact (Refill)



BROAD SPECTRUM SPF 50+

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+

WATER RESISTANT
(40 MINUTES)

SUNSCREEN

12g NET WT. .42 OZ.

Drug Facts
(continued)

Inactive ingredients

CYCLOHEXALDIME - WATER -
DIMETHICONE - DIPROPYLENE GLYCOL -
DRYDA SAVINA (RICE) BRAN WAX -
SILICA -
BIS-SULFONIMETHICONE
POLYGLYCERYL-3 -
PEG-10 DIMETHICONE -
ALUMINUM HYDROXIDE - PARAFIN -
HYDROGEN DIMETHICONE - GLYCERIN -
PEG-PPG-14/13 METHYL ETHER -
POLYDIMETHICONE -
TRIMETHYLLOXOSULFATE - LECITHIN -
GLYCYPHGLIC ACID - GABA - LICORICE ROOT
EXTRACT -
BIS-PEG-18 METHYL ETHER DIMETHYL
SILANE -
POLYMERBLENDS - ALUMINA -
DISTEAROYLGLYCEROL MONOOLYATE -
PALMITIC ACID -
POLYETHYLENEGLYCOLDIANNE -
DISTEAROYLGLYCEROL MONOOLYATE - TAC -
METHYL METHACRYLATE
CROSSPOLYMER -
MICROCRYSTALLINE WAX -
TOCOPHEROL - ISOPROPYL ALCOHOL -
N-HEXYLPROPANEDIOL - BHT -
STEARIC ACID - ETHYL PARABEN -
METHYL PARABEN - FRAGRANCE -
TITANIUM DIOXIDE - BENTONITE -
ZINC -

Other Information

■ protect this product
in this container
from excessive heat
and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO
SPORTS HYDROBB COMPACT (REFILL)
BROAD SPECTRUM SPF 50+

A convenient compact-type BB sunscreen ideal for outdoor scenes such as sports, featuring WetForce technology so the UV protection veil actually becomes stronger when it comes into contact with sweat and water*. Furthermore, Quick Dry technology dries your sweat quickly** to keep you looking fresh, no matter how active you have been.

- Contains contouring powder to utilize the effects of light and shadow for creating a sculpted, three-dimensional look.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.

*To activate WetForce technology, expose the applied area to water or perspiration for 15 minutes.

**in vitro test

Drug Facts

Active ingredients

Active ingredients	Purpose
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 13.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

www.shiseido.com

Drug Facts
(continued)

Directions


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor ▶

<http://s1872.com/15493AA>
See our website for more information.

15493-40-5040

AAA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - Very Dark

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+

WATER RESISTANT
(40 MINUTES)

SUNSCREEN

12g NET WT. .42 OZ.



Sports HydroBB Compact (Refill)



BROAD SPECTRUM SPF 50+

Very Dark
GLO. 15497

SHISEIDO
GINZA TOKYO

Sports HydroBB Compact
(Refill)

50+
WetForce
Quick Dry

BROAD SPECTRUM
SPF 50+
WATER RESISTANT
(40 MINUTES)
SUNSCREEN

12g NET WT. .42 OZ.

Drug Facts
(continued)

Inactive ingredients

CYCLOHEXALDOLANE • WATER • DIMETHICONE • DIPROPYLENE GLYCOL • CRISTA SADA • RICE BRAN WAX • UVA • BIS-QUATERNIUM • POLYGLYCERYL-3 • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • HYDROGEN DIMETHICONE • PARAFIN • GLYCERIN • PEG-PPG-14 DIMETHYL ETHER • PDA DIMETHICONE • TRIMETHYL OLIVYL OLEATE • LECITHIN • GLYCYRRHIZA GLABRA L. ROOT EXTRACT • BIS-PES-10 METHYL ETHER DIMETHYL OLATE • POLYBUTENE-2 • ALUMINA • CISTEARYL DIMETHYL CHOLINE • PALMITIC ACID • POLYMETHYL SILSESQUOXANE • CISTEARYL DIMETHYL HYDROXYLATE • TALC • METHYL METHACRYLATE • CROSSPOLYMER • MICROCRYSTALLINE WAX • TOCOPHEROL • ISOPROPYL ALCOHOL • MENTHOLPROPANEDIOL • BHT • STEARIC ACID • ETHYLPARABEN • METHYLPARABEN • FRAGRANCE • IRON OXIDES • IRANMINIUM OXIDE • UVA •

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO
SPORTS HYDROBB COMPACT (REFILL)
BROAD SPECTRUM SPF 50+

A convenient compact-type BB sunscreen ideal for outdoor scenes such as sports, featuring WetForce technology so the UV protection veil actually becomes stronger when it comes into contact with sweat and water*. Furthermore, Quick Dry technology dries your sweat quickly** to keep you looking fresh, no matter how active you have been.

- Contains contouring powder to utilize the effects of light and shadow for creating a sculpted, three-dimensional look.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.

*To activate WetForce technology, expose the applied area to water or perspiration for 15 minutes.

**in vitro test

Drug Facts

Active ingredients

Active ingredients	Purpose
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 15.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

7 30852 15497 1

15497-41-5040
AAA

Drug Facts
(continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

<http://s1872.com/15497AA>
See our website for more information.

SHISEIDO SPORTS HYDROBB COMPACT LIGHT

octinoxate, octocrylene, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-445
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	588 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	360 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1608 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
RICE BRAN (UNII: R60QEP13IC)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PARAFFIN (UNII: I9O0E3H2ZE)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YO1)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
BIS-PEG-18 METHYL ETHER DIMETHYL SILANE (UNII: OEB4R3WW9C)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
PALMITIC ACID (UNII: 2V16EO95H1)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TALC (UNII: 7SEV7J4R1U)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: 657L0NC5MT)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ETHYL PARABEN (UNII: 14255EXE39)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-445-30	1 in 1 CARTON	02/01/2019	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2019	

SHISEIDO SPORTS HYDROBB COMPACT MEDIUM

octinoxate, octocrylene, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-446
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	588 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	360 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1608 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
RICE BRAN (UNII: R60QEP13IC)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PARAFFIN (UNII: I9O0E3H2ZE)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YO1)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
BIS-PEG-18 METHYL ETHER DIMETHYL SILANE (UNII: OEB4R3WW9C)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
PALMITIC ACID (UNII: 2V16EO95H1)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TALC (UNII: 7SEV7J4R1U)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: 657L0NC5MT)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
STEARIC ACID (UNII: 4ELV7Z65AP)
ETHYLPARABEN (UNII: 14255EXE39)
METHYLPARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-446-30	1 in 1 CARTON	02/01/2019	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2019	

SHISEIDO SPORTS HYDROBB COMPACT MEDIUM DARK

octinoxate, octocrylene, and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-447
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	588 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	360 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1608 mg in 12 g

Inactive Ingredients	
Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
WATER (UNII: 059QF0K00R)	

DIMETHICONE (UNII: 92RU3N3Y1O)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
RICE BRAN (UNII: R60QEP13IC)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
PARAFFIN (UNII: I9O0E3H2ZE)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YO1)
GLYCERIN (UNII: PDC6A3C0OX)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)
BIS-PEG-18 METHYL ETHER DIMETHYL SILANE (UNII: OEB4R3WW9C)
ALUMINUM OXIDE (UNII: LM26O6933)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
PALMITIC ACID (UNII: 2V16EO95HI)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TALC (UNII: 7SEV7J4R1U)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: 657L0NC5MT)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
STEARIC ACID (UNII: 4ELV7Z65AP)
ETHYL PARABEN (UNII: 14255EXE39)
METHYL PARABEN (UNII: A218C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-447-30	1 in 1 CARTON	02/01/2019	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2019	

SHISEIDO SPORTS HYDROBB COMPACT DARK

octinoxate, octocrylene, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-448
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	588 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	360 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1608 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
RICE BRAN (UNII: R60QEP13IC)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PARAFFIN (UNII: I9O0E3H2ZE)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2Y0I)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
BIS-PEG-18 METHYL ETHER DIMETHYL SILANE (UNII: OEB4R3WW9C)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
PALMITIC ACID (UNII: 2V16EO95HI)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TALC (UNII: 7SEV7J4R1U)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: 657L0NC5MT)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ETHYLPARABEN (UNII: 14255EXE39)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-448-30	1 in 1 CARTON	02/01/2019	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2019	

SHISEIDO SPORTS HYDROBB COMPACT VERY DARK

octinoxate, octocrylene, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-449
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	588 mg in 12 g
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	360 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	1608 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
RICE BRAN (UNII: R60QEP13IC)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
PARAFFIN (UNII: I9O0E3H2ZE)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
BIS-PEG-18 METHYL ETHER DIMETHYL SILANE (UNII: OEB4R3WW9C)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
PALMITIC ACID (UNII: 2V16EO95HI)	

POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TALC (UNII: 7SEV7J4R1U)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: 657L0NC5MT)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
STEARIC ACID (UNII: 4ELV7Z65AP)
ETHYLPARABEN (UNII: 14255EXE39)
METHYLPARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-449-30	1 in 1 CARTON	02/01/2019	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2019	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	MANUFACTURE(58411-445, 58411-446, 58411-447, 58411-448, 58411-449) , ANALYSIS(58411-445, 58411-446, 58411-447, 58411-448, 58411-449)

Revised: 10/2018

SHISEIDO AMERICAS CORPORATION