

FIBER CAPLETS- calcium polycarbophil tablet
Strategic Sourcing Services LLC

Fiber Laxative

Active ingredient (in each caplet)

Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil

Purpose

Bulk-forming laxative

uses

- relieves occasional constipation
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- difficulty in swallowing
- a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

When using this product

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24 hour period unless directed by a doctor.

Stop use and ask a doctor if

- you experience chest pain, abdominal pain, nausea, vomiting, difficulty in breathing or swallowing
- you fail to have a bowel movement after use or have rectal bleeding. These could be signs of a serious condition.

Keep out of the reach of children

In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

- take this product (child or adult dose) with a full glass of water (8 oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
- dosage will vary according to diet, exercise, previous laxative use or severity of constipation.
- continued use for 1 or 3 days is normally required to provide full benefit.

adults and children 12 years and over	2 caplets, 1 to 4 times a day
children under 12 years	ask a doctor

Other information

- **each caplet contains:** calcium 135mg
- store at room temperature
- protect contents from moisture

Inactive ingredients

Calcium carbonate, caramel, colloidal silicon dioxide, crospovidone, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium lauryl sulfate

PDP

sunmark

NDC 49348-190-13

*COMPARE TO FIBERCON CAPLETS

fiber caplets

Calcium Polycarbophil 625 mg

Relieves occasional constipation

Bulk forming laxative


90 Caplets

sunmark®
*COMPARE TO
 FIBERCON® CAPLETS
 NDC 49348-190-13

fiber caplets

Calcium Polycarbophil 625 mg

Relieves occasional constipation
 Bulk forming laxative



90 CAPLETS

WARNING: Consuming this product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov/food.

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

Drug Facts

Active ingredient (in each caplet) Purpose
 Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil... Bulk-forming laxative

Uses ■ relieves occasional constipation
 ■ this product generally produces bowel movement in 12 to 72 hours

Warnings
Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have
 ■ abdominal pain, nausea or vomiting
 ■ difficulty in swallowing
 ■ a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

When using this product
 ■ do not use for more than 7 days unless directed by a doctor
 ■ do not take more than 8 caplets in a 24 hour period unless directed by a doctor

LOT:

MFR#53041 REV 0419



EXP:

▼ Peel Here for Continuing Drug Facts

Drug Facts (continued)

Stop use and ask a doctor if
 ■ you experience chest pain, abdominal pain, nausea, vomiting, difficulty in breathing or swallowing
 ■ you fail to have a bowel movement after use or have rectal bleeding. These could be signs of a serious condition.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions ■ take this product (child or adult dose) with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
 ■ dosage will vary according to diet, exercise, previous laxative use or severity of constipation ■ continued use for 1 to 3 days is normally required to provide full benefit

adults & children 12 years & over 2 caplets, 1 to 4 times a day
 children under 12 years ask a doctor

Other information ■ each caplet contains: calcium 135 mg ■ store at room temperature ■ protect contents from moisture

Inactive ingredients calcium carbonate, caramel, cobalt silicon dioxide, croscopolidone, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium lauryl sulfate.

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, the distributor of Fibercon®.

MCKESSON
 Author Quality Product Sourced by McKesson
 6555 Stone Island Way, Irving, TX 75038
 Heavy Pouch Packaging
 Please visit us at www.guestlist.com

Stop Peeling Here

FIBER CAPLETS

calcium polycarbophil tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-190
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM POLYCARBOPHIL (UNII: 8F049NKY49) (POLYCARBOPHIL - UNII:W25LM17A4W)	CALCIUM POLYCARBOPHIL	625 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSPVIDONE (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CARAMEL (UNII: T9D99G2B1R)	

Product Characteristics

Color	white	Score	no score
Shape	capsule	Size	19mm
Flavor		Imprint Code	G147
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-190-13	90 in 1 BOTTLE; Type 0: Not a Combination Product	09/18/2019	08/31/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/18/2019	08/31/2025

Labeler - Strategic Sourcing Services LLC (116956644)

Registrant - Guardian Drug Company (119210276)

Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	manufacture(49348-190)

Revised: 1/2025

Strategic Sourcing Services LLC