

**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 CLAIRE 1 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 CLAIRE 2 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 CLAIRE 3 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 CLAIRE 4 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 MEDIUM 5 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 MEDIUM 6 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 MEDIUM 7 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 OBSCURE 8 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25  
 OBSCURE 9 - BEIGE- octinoxate and zinc oxide liquid**  
**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 TONO  
 HUT - BEIGE- octinoxate and zinc oxide liquid**  
**Ventura International LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**L'BEL CONCENTRÉ TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25**

***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
OCTINOXATE 7.0%	Sunscreen
ZINC OXIDE 7.2%	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

DIMETHICONE, ALCOHOL DENAT., GLYCERIN, POLYSILICONE-11, MICA, PEG/PPG-18/18 DIMETHICONE, ZEA MAYS (CORN) STARCH, PEG-10 DIMETHICONE, BARIUM SULFATE, ALBIZIA JULIBRISSIN BARK EXTRACT, PHENOXYETHANOL, SILICA, METHYLPROPANEDIOL, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL GLYCOL, CHLORPHENESIN, SILANEDIOL SALICYLATE, DISTEARDIMONIUM HECTORITE, TROMETHAMINE, CERAMIDE 3, FRAGRANCE, GRIFOLA FRONDOSA FRUITING BODY EXTRACT, MALTODEXTRIN, LINALOOL, d-LIMONENE, ALPHA-ISOMETHYL IONONE.

**MAY CONTAIN:**

TITANIUM DIOXIDE , IRON OXIDES.

Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126.

**PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - CLAIRE 1 - BEIGE**

**L'BEL**

CONCENTRÉ

TOTAL

BASE SÉRUM

ultra-fluid **foundation**

SPF 25

27 ml e (0.91 fl. oz.)



**Drug Facts**

**Active Ingredients**  
 Octinoxate 7% .....  
 Zinc Oxide 7.2% .....

**Purpose**  
 Sunscreen  
 Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ **For external use only.**

**Drug Facts (continued)**

■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other Information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifola frondosa fruiting body extract, maltodextrin, Inhalool, o-Himonene, alpha-Isomethyl Ionone. **May contain:** titanium dioxide, iron oxides.

**L'BEL**

**CONCENTRÉ  
TOTAL**

**BASE SÉRUM**  
 base de maquillage  
 ultrafluida FPS 25  
 ultra-fluid foundation  
 SPF 25

**27 ml e (0.91 fl. oz.)**

U.S.A. Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia

**PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - CLAIRE 2 - BEIGE**  
**L'BEL**

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)



L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM  
base de maquillage  
ultrafluida FPS 25  
ultra-fluid foundation  
SPF 25

27 ml e (0.91 fl. oz.)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 7% .....  
 Zinc Oxide 7.2% .....

**Purpose**  
 Sunscreen  
 Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.

**Drug Facts (continued)**

■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifola frondosa fruiting body extract, maltodextrin, Inhalool, o-himonene, alpha-isomethyl ionone. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA: Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - CLAIRE 3 - BEIGE  
L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)



**L'BEL**

**CONCENTRÉ  
TOTAL**

**BASE SÉRUM**  
base de maquillage  
ultrafluida FPS 25  
ultra-fluid foundation  
SPF 25

**27 ml e (0.91 fl. oz.)**

**Drug Facts**

**Active Ingredients**  
Ocinovate 7% .....  
Zinc Oxide 7.2% .....

**Purpose**  
Sunscreen  
Sunscreen

**Uses**  
■ Helps prevent sunburn.

**Warnings**  
■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
■ **For external use only.**

**Drug Facts (continued)**

■ Do not use on damaged or broken skin.  
■ When using this product keep out of eyes. Rinse with water to remove.  
■ Stop use and ask a doctor if rash occurs.  
■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ Apply liberally and evenly 15 minutes before sun exposure.  
■ Reapply at least every 2 hours  
■ Use a water resistant sunscreen if swimming or sweating.  
■ Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other information**  
■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifola frondosa fruiting body extract, maltodextrin, linoleol, α-himonene, alpha-isomethyl ionone. **May contain:** titanium dioxide, iron oxides.

U.S.A. Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

**PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - CLAIRE 4 - BEIGE  
L'BEL**

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)





**Drug Facts**

**Active Ingredients**  
 Octinoxate 7% .....  
 Zinc Oxide 7.2% .....

**Purpose**  
 Sunscreen  
 Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ **For external use only.**

**Drug Facts (continued)**

■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor

L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM  
 base de maquillage  
 ultrafluida FPS 25  
 ultra-fluid foundation  
 SPF 25

27 ml e (0.91 fl. oz.)

**Drug Facts (continued)**

**Other Information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxyethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifola frondosa fruiting body extract, maltodextrin, Inhalool, o-Himonene, alpha-Isomethyl Ionone, May contain: titanium dioxide, iron oxides.

U.S.A. Dist. by Ventura Int'l Ltd, DBA: Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - MEDIUM 5 - BEIGE  
 L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)



L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

base de maquillage  
ultrafluida FPS 25  
ultra-fluid foundation  
SPF 25

27 ml e (0.91 fl. oz.)

**Drug Facts**

**Active Ingredients**

Ocinoxate 7% .....	<b>Purpose</b>
Zinc Oxide 7.2% .....	Sunscreen Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.

**Drug Facts (continued)**

- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxethanol, silica, methylpropandiol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, salicylic acid, disodium edta, dimethylammonium chloride, tromethamine, ceramide 3, fragrance, grifa. frondosa fruiting body extract, maltodextrin, Inalcol, d-timonene, alpha-isomethyl ionone, May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int'l Ltd., DBA: Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)



L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM  
base de maquillage  
ultrafluida FPS 25  
ultra-fluid foundation  
SPF 25

27 ml e (0.91 fl. oz.)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 7% .....  
 Zinc Oxide 7.2% .....

**Purpose**  
 Sunscreen  
 Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.

**Drug Facts (continued)**

■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifola frondosa fruiting body extract, maltodextrin, Inhalool, o-himonene, alpha-isomethyl ionone. **May contain:** titanium dioxide, iron oxides.

U.S.A. Dist. by Ventura Int'l Ltd, DBA: Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia

PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - MEDIUM 7 - BEIGE  
L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)



L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM  
base de maquillage  
ultrafluida FPS 25  
ultra-fluid foundation  
SPF 25

27 ml e (0.91 fl. oz.)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 7% .....  
 Zinc Oxide 7.2% .....

**Purpose**  
 Sunscreen  
 Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.

**Drug Facts (continued)**

■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifola frondosa fruiting body extract, maltodextrin, Inhalool, o-Himonene, alpha-Isomethyl Ionone, May contain: titanium dioxide, iron oxides.

U.S.A. Dist. by Ventura Int'l Ltd, DBA: Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia

PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - OBSCURE 8 - BEIGE  
L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)





L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM  
base de maquillage  
ultrafluida FPS 25  
ultra-fluid foundation  
SPF 25

27 ml e (0.91 fl. oz.)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 7% .....  
 Zinc Oxide 7.2% .....

**Purpose**  
 Sunscreen  
 Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ **For external use only.**

**Drug Facts (continued)**

■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifola frondosa fruiting body extract, maltodextrin, Inhalool, o-Himonene, alpha-Isomethyl Ionone, May contain: titanium dioxide, iron oxides.

U.S.A. Dist. by Ventura Int'l Ltd, DBA: Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia

PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - OBSCURE 9 - BEIGE  
L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)



L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM  
base de maquillage  
ultrafluida FPS 25  
ultra-fluid foundation  
SPF 25

27 ml e (0.91 fl. oz.)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 7% .....  
 Zinc Oxide 7.2% .....

**Purpose**  
 Sunscreen  
 Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.

**Drug Facts (continued)**

■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifa, fromdosa fruiting body extract, maltodextrin, Inhalool, o-himonene, alpha-isomethyl ionone. **May contain:** titanium dioxide, iron oxides.

U.S.A. Dist. by Ventura Int'l Ltd, DBA: Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia

PRINCIPAL DISPLAY PANEL - 27 ml Tube Box - TONO HUT - BEIGE  
L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

ultra-fluid **foundation**  
SPF 25

27 ml e (0.91 fl. oz.)



L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM  
base de maquillage  
ultrafluida FPS 25  
ultra-fluid foundation  
SPF 25

27 ml e (0.91 fl. oz.)

**Drug Facts**

<b>Active Ingredients</b> Ocinovate 7% Zinc Oxide 7.2%	<b>Purpose</b> Sunscreen Sunscreen
<b>Uses</b> ■ Helps prevent sunburn.	
<b>Warnings</b> ■ <b>Skin Cancer / Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only.	

**Drug Facts (continued)**

- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Dimethicone, alcohol denat., glycerin, polysilicone-11, mica, peg/ppg-18/18 dimethicone, zea mays (corn) starch, peg-10 dimethicone, barium sulfate, albizia julibrissin bark extract, phenoxyethanol, silica, methylpropanediol, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, silanediol salicylate, disteardimonium hectorite, tromethamine, ceramide 3, fragrance, grifola frondosa fruiting body extract, maltodextrin, Inhalool, o-Hinonene, alpha-Isomethyl Ionone. **May contain:** titanium dioxide, iron oxides.

U.S.A. Dist. by Ventura Int'l Ltd, DBA: Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia

octinoxate and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-080
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TROMETHAMINE (UNII: 023C2WHX2V)	
CERAMIDE NP (UNII: 4370DF050B)	
MAITAKE (UNII: A1U5YJ10Z8)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-080-	1 in 1 BOX	01/27/2017	

1	02	1 BOTTLE	01/27/2017
1	NDC:14783-080-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

## LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 CLAIRE 2 - BEIGE

octinoxate and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-082
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TROMETHAMINE (UNII: 023C2WHX2V)	
CERAMIDE NP (UNII: 4370DF050B)	
MAITAKE (UNII: A1U5YJ10Z8)	

MALTODEXTRIN (UNII: 7CVR7L4A2D)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-082-02	1 in 1 BOX	01/27/2017	
1	NDC:14783-082-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

## LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 CLAIRE 3 - BEIGE

octinoxate and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-084
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	



BARIUM SULFATE (UNII: 25BB7EKE2E)
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)
PHENOXYETHANOL (UNII: HE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TROMETHAMINE (UNII: 023C2WHX2V)
CERAMIDE NP (UNII: 4370DF050B)
MAITAKE (UNII: A1U5YJIOZ8)
MALTODEXTRIN (UNII: 7CVR7L4A2D)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-084-02	1 in 1 BOX	01/27/2017	
1	NDC:14783-084-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

## LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 CLAIRE 4 - BEIGE

octinoxate and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-086
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TROMETHAMINE (UNII: 023C2WHX2V)	
CERAMIDE NP (UNII: 4370DF050B)	
MAITAKE (UNII: A1U5YJI0Z8)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-086-02	1 in 1 BOX	01/27/2017	
1	NDC:14783-086-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 MEDIUM 5 - BEIGE**

octinoxate and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-087
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TROMETHAMINE (UNII: 023C2WHX2V)	
CERAMIDE NP (UNII: 4370DF050B)	
MAITAKE (UNII: A1U5YJ10Z8)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-087-	1 in 1 BOX	01/27/2017	

1	02	1 in 1 BOTTLE	01/27/2017
1	NDC:14783-087-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

## LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 MEDIUM 6 - BEIGE

octinoxate and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-088
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TROMETHAMINE (UNII: 023C2WHX2V)	
CERAMIDE NP (UNII: 4370DF050B)	
MAITAKE (UNII: A1U5YJ10Z8)	

MALTODEXTRIN (UNII: 7CVR7L4A2D)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-088-02	1 in 1 BOX	01/27/2017	
1	NDC:14783-088-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

## LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 MEDIUM 7 - BEIGE

octinoxate and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-089
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	

BARIUM SULFATE (UNII: 25BB7EKE2E)
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)
PHENOXYETHANOL (UNII: HE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TROMETHAMINE (UNII: 023C2WHX2V)
CERAMIDE NP (UNII: 4370DF050B)
MAITAKE (UNII: A1U5YJIOZ8)
MALTODEXTRIN (UNII: 7CVR7L4A2D)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-089-02	1 in 1 BOX	01/27/2017	
1	NDC:14783-089-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

## LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 OBSCURE 8 - BEIGE

octinoxate and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-090
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TROMETHAMINE (UNII: 023C2WHX2V)	
CERAMIDE NP (UNII: 4370DF050B)	
MAITAKE (UNII: A1U5YJI0Z8)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-090-02	1 in 1 BOX	01/27/2017	
1	NDC:14783-090-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

**LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 OBSCURE 9 - BEIGE**

octinoxate and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-092
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
TRIETHOXYCAPRYL YLSILANE (UNII: LDC331P08E)	
CAPRYL YL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TROMETHAMINE (UNII: 023C2WHX2V)	
CERAMIDE NP (UNII: 4370DF050B)	
MAITAKE (UNII: A1U5YJ10Z8)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-092-	1 in 1 BOX	01/27/2017	



1	02	1 in 1 BOTTLE	01/27/2017
1	NDC:14783-092-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

## LBEL CONCENTRE TOTAL BASE SERUM ULTRA-FLUID FOUNDATION SPF 25 TONO HUT - BEIGE

octinoxate and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-110
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.072 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TROMETHAMINE (UNII: 023C2WHX2V)	
CERAMIDE NP (UNII: 4370DF050B)	
MAITAKE (UNII: A1U5YJ10Z8)	

<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-110-02	1 in 1 BOX	01/27/2017	
1	NDC:14783-110-01	27 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/27/2017	

**Labeler** - Ventura International LTD (603192787)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	manufacture(14783-080, 14783-082, 14783-084, 14783-086, 14783-087, 14783-088, 14783-089, 14783-090, 14783-092, 14783-110)

Revised: 2/2020

Ventura International LTD