

**MAXIMUM STRENGTH ANTACID- aluminum hydroxide, magnesium hydroxide,
dimethicone suspension
CVS PHARMACY**

cvs max antacid

Active ingredients (in each 10 mL dose)

Aluminum hydroxide 800 mg (equivalent to dried gel, USP)

Magnesium hydroxide 800 mg

Simethicone 80 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Do not take more than 60 mL (6 doses) in a 24 hour period or use the maximum dosage for more than 2 weeks.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) between meals, at bedtime or as directed by a doctor
- children under 12 years of age: ask a doctor

Other information

- each 10 mL dose contains: **magnesium 340 mg, sodium 10 mg**
- store at room temperature
- protect from freezing
- keep tightly closed

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-540-3765

package Label



Compare to the active ingredients in Mylanta® Maximum Strength*

MAXIMUM STRENGTH

Antacid Liquid

**ALUMINUM HYDROXIDE /
MAGNESIUM HYDROXIDE /
SIMETHICONE**

Antacid / Anti-Gas

Fast-Acting

Soothing relief of:

- Heartburn
- Acid indigestion
- Sour stomach

Plus gas relief

Original Flavor
ALCOHOL 0.5%

12 FL OZ (355 mL)

205-06122-1
REV 0920



Drug Facts

TAMPER-EVIDENT: Do not use if the breakaway band on cap is broken or missing.

Active ingredients (in each 10 mL dose)

Aluminum hydroxide (equivalent to dried gel, USP) 800 mg	Antacid
Magnesium hydroxide 800 mg	Antacid
Simethicone 80 mg	Antigas

Purposes

Uses relieves • heartburn • sour stomach
• acid indigestion • the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) as needed, between or after meals, at bedtime, or as directed by a doctor
- do not exceed 60 mL (6 doses) in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor

Other information

- each 10 mL dose contains: magnesium 340 mg, sodium 10 mg
- do not freeze • store at room temperature tightly closed

Inactive ingredients benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark Mylanta® Maximum Strength.

Distributed by:
CVS Pharmacy, Inc.
One CVSD rive
Woonsocket,
RI 02895 V-13966

#259851 905-06122-2 REV GC1120



0 50428 63448 6

MAXIMUM STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-619
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -	ALUMINUM	800 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 10 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	800 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-619-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2020	

Labeler - CVS PHARMACY (062312574)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(69842-619)

Revised: 5/2025

CVS PHARMACY