

**PHARBINEX-DM- guaifenesin 400mg and dextromethorphan hbr 20mg tablet**  
**Ulai Health LLC**

-----  
**Drug Facts**

**Active ingredients (in each tablet)**

Guaifenesin 400mg

Dextromethorphan HBr 20mg

**Purpose**

Expectorant

Cough suppressant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
- helps make cough more productive
- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a common cold

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know whether your prescription drug contains an MAOI, ask your doctor or pharmacist before using this product.

**Ask a doctor before use if you have**

- persistent or chronic cough, such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache

These could be signs of a serious illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- take with a full glass of water
- this product can be administered without regard for the timing of the meals
- do not exceed 6 doses in 24 hours or as directed by a doctor

adults and children 12 years of age and over	take 1 tablet every 4 hours as needed
children 6 to under 12 years of age	take ½ tablet every 4 hours as needed
children under 6 years of age	ask a doctor

**Other information**

store at 20<sup>o</sup>- 25<sup>o</sup>C (68<sup>o</sup>-77<sup>o</sup>F)

**Inactive ingredients**

magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

**Questions or comments?**

(866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, owner of registered trademark Mucinex®

Distributed by:

ULAI HEALTH LLC.

Alexandria, VA 22312

**PHARBEST**

**NDC 73057-381-04**

**Manufactured in the USA**

***Immediate Release***

**PHARBINEX-DM**

**\*Compare to the active ingredient in MUCINEX® DM Tablets**

**Guaifenesin 400mg**  
**Dextromethorphan HBr 20mg**  
**Expectorant &**  
**Cough Suppressant**  
**30 TABLETS**

**PHARBEST**  Manufactured in the **USA**  
 NDC 73057-381-04

**Immediate Release**

**PHARBINEX-DM**  
 \*Compare to the active ingredient in Mucinex® DM Tablets  
 Guaifenesin 400mg  
 Dextromethorphan HBr 20mg

**Expectorant & Cough Suppressant**

**30 TABLETS** 

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

**Active ingredients (in each tablet)** Purpose  
 Guaifenesin 400mg.....Expectorant  
 Dextromethorphan HBr 20mg.....Cough suppressant

**Uses**  
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus ■ helps make cough more productive ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a common cold

**Warnings**  
**Do not use** ■ if you are now taking prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know whether your prescription drug contains an MAOI, ask your doctor or pharmacist before using this product.  
**Ask a doctor before use if you have**  
 ■ persistent or chronic cough, such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by too much phlegm (mucus)

**When using this product**  
 ■ do not use more than directed

**Peel here for more drug facts** 

Org. 05/19  
 Distributed by:  
 LLA HEALTH LLC  
 Alexandria, VA 22312

**Drug Facts (continued)**  
 Stop use and ask a doctor if  
 ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache  
 These could be signs of a serious illness.  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
 ■ take with a full glass of water ■ this product can be administered without regard for the timing of the meals ■ do not exceed 6 doses in 24 hours or as directed by a doctor

adults and children 12 years of age and over	take 1 tablet every 4 hours as needed
children 6 to under 12 years of age	take 1/2 tablet every 4 hours as needed
children under 6 years of age	ask a doctor

**Other information**  
 ■ store at 20°-25°C (68°-77°F)

**Inactive ingredients** magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

**Questions or comments?**  
 (866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)

\*This product is not manufactured or distributed by Reichert-Biotech LLC, owner of registered trademark Mucinex®.

**STOP PEELING**

<b>PHARBINEX-DM</b>			
guaifenesin 400mg and dextromethorphan hbr 20mg tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73057-381
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	400 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	20 mg

## Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE K30 (UNII: U725QWY32X)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

## Product Characteristics

Color	white	Score	2 pieces
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	PH073
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73057-381-04	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/18/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/18/2019	

**Labeler** - Ulai Health LLC (081181535)

Revised: 1/2025

Ulai Health LLC