

**PAIN RELIEVING LIDOCAINE PATCH- lidocaine patch**  
**YYBA CORP**

-----  
**YYBA - Welmate Lidocaine Pain Relieving Patch (73581-001)**

**Active ingredient**

Lidocaine 4%

**Purpose**

Topical Anesthetic

**Uses**

Temporarily relieves minor pain

**Warnings**

**For external use only**

**Do Not Use**

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds or damaged skin
- with a heating pad
- if you are allergic to ingredients of this product

**When Using This Product**

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop Use and Ask a Doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the

product was applied

- symptoms clear up and occur again within few days

### **If Pregnant or Breast Feeding**

ask a health professional before use.

### **Keep Out of Reach of Children and Pets**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

#### **Adults and children over 12 years:**



- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove from the skin after at most 8-hour application
- apply to the affected area not more than 3 to 4 times daily

**children 12 years or younger:**ask a doctor

### **Inactive Ingredients**

dihydroxyaluminium aminoacetate, disodium EDTA, glycerin, methylparaben, polyvinyl alcohol, propyl paraben, propylene glycol, purified water, sodium carboxymethyl cellulose, sodium polyacrylate, tartaric acid, titanium oxide

### **Package/Label Principal Display Panel**



# PAIN RELIEVING LIDOCAINE PATCH

lidocaine patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73581-001
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

**Inactive Ingredients**

Ingredient Name	Strength
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-001-30	30 in 1 CARTON	09/17/2020	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:73581-001-40	40 in 1 CARTON	09/17/2020	
2		1 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:73581-001-03	3 in 1 CARTON	09/17/2020	
3		1 in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:73581-001-02	2 in 1 CARTON	09/17/2020	
4		1 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/17/2020	

**Labeler** - YYBA CORP (006339772)

Revised: 1/2026

YYBA CORP