

RODAN AND FIELDS REVERSE BRIGHTENING DEFENSE BROAD SPECTRUM SPF 50 MINERAL SUNSCREEN- titanium dioxide, zinc oxide lotion
Rodan & Fields Beauty, LLC

Drug Facts

Active Ingredients

Titanium Dioxide 5.20%

Zinc Oxide 5.15%

Purpose

Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on

- damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Every AM, apply liberally and evenly over face + neck 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures:**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15

or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m- 2 p.m.
- wear long-sleeve shirts, pants, hats and sunglasses.
- children under 6 months: Ask a doctor.

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Alumina, Aminomethyl Propanol, Ascorbyl Glucoside, Benzyl Alcohol, Bisabolol, Butyloctyl Salicylate, Butyrospermum Parkii (Shea) Butter, Caprylic/Capric Triglyceride, Citric Acid, Ethylhexyl Methoxycrylene, Ethylhexylglycerin, Glycerin, Glycine Soja (Soybean) Protein, Hydrogenated Lecithin, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Niacinamide, Panthenol, Pentylene Glycol, Phenoxyethanol, Polyhydroxystearic Acid, Polysorbate 60, Potassium Sorbate, Sodium Benzoate, Sodium Dextran Sulfate, Sodium Hyaluronate, Sorbitan Isostearate, Stearic Acid, Superoxide Dismutase, Tocopheryl Acetate, Triethoxycaprylylsilane, Tromethamine, Water/Aqua/Eau, Xanthan Gum

Questions?

1-888-995-5656

Principal Display Panel - 30 mL Carton Label

RODAN+FIELDS

REVERSE

**BRIGHTENING
DEFENSE LOTION**

Broad Spectrum SPF 50
Mineral Sunscreen

Daytime Radiance Protector

**30 mL/
1. Fl. Oz. U.S.**

RODAN
+
FIELDS

This multi-tasking, moisturizing mineral sunscreen helps even skin tone, prevents discoloration, and protects skin from UV rays.

It all starts with science.

Powered by mineral sunscreen actives, vitamin C and niacinamide, this SPF 50 delivers broad-spectrum protection and fights free radicals for healthy, radiant skin.

Use this defense lotion if you want to... protect your skin from environmental damage, reduce dullness, and minimize discoloration.

It's popular because it performs. In an 8-week clinical and consumer study*:

- 100% had less visible dark patches, discoloration
- 100% had smoother-feeling skin
- 97% had more even-looking skin tone
- 94% had more radiant-looking skin

Results may vary.

*Using the Reverse Steps 1-3 and Mineral SPF.

This is part of our dermatologist-developed Reverse Regimen, and is powered by:

- **Mineral Sunscreen Actives** - to protect skin from harmful UVA + UVB rays known to cause discoloration
- **Vitamin C + Niacinamide** - to help brighten and visibly reduce dark spots and uneven skin tone
- **Shea Butter** - to deeply moisturize throughout the day

RODAN+FIELDS



**BRIGHTENING
DEFENSE LOTION**

Broad Spectrum SPF 50
Mineral Sunscreen

Daytime Radiance Protector



30 mL/
1 Fl. Oz. U.S.



**Knock Out Area
For Lot Code -**

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 5.20% Zinc Oxide 5.15%	Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on

- damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Every AM, apply liberally and evenly over face + neck 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses.
 - children under 6 months of age: Ask a doctor.

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Alumina, Aminomethyl Propanol, Ascorbyl Glucoside, Benzyl Alcohol, Bisabolol, Butyloctyl Salicylate, Butyrospermum Parkii (Shea) Butter, Caprylic/Capric Triglyceride, Citric Acid, Ethylhexyl Methoxycrylene, Ethylhexylglycerin, Glycerin, Glycine Soja (Soybean) Protein, Hydrogenated Lecithin, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Niacinamide, Panthenol, Pentylene Glycol, Phenoxyethanol, Polyhydroxystearic Acid, Polysorbate 60, Potassium Sorbate, Sodium Benzoate, Sodium Dextran Sulfate, Sodium Hyaluronate, Sorbitan Isostearate, Stearic Acid, Superoxide Dismutase, Tocopheryl Acetate, Triethoxycaprylsilane, Tromethamine, Water/Aqua/Eau, Xanthan Gum

Questions? 1-888-995-5656



Dist. Rodan & Fields Beauty, LLC
San Ramon, CA 94583 USA
Made in USA with US and Imported Materials
Please recycle
rodanandfields.com
6000-05-0030 0A



Principal Display Panel - 30 mL Tube Label

RODAN+FIELDS

REVERSE

Brightening Defense Lotion

Broad Spectrum SPF 50 Mineral Sunscreen

3AM

RODAN+FIELDS

REVERSE

Brightening Defense Lotion
Broad Spectrum SPF 50 Mineral Sunscreen

3^{AM}

Drug Facts

Active Ingredients:

Titanium Dioxide 5.20%
Zinc Oxide 5.15%

Purpose

Sunscreen

Uses: • helps prevent sunburn. • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only. Do not use on • damaged or broken skin. When using this product • keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • Every AM, apply liberally and evenly over face + neck 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water-resistant sunscreen if swimming or sweating. • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

• Limit time in the sun, especially from 10 a.m.—2 p.m. • Wear long-sleeve shirts, pants, hats and sunglasses. • Children under 6 months: Ask a doctor.

Questions? 1-888-995-5656 rodanandfields.com

Made in USA with US and Imported Materials

Dist. Rodan & Fields, LLC
San Ramon, CA 94583 USA

30 mL / 1 Fl. Oz. U.S.

6000-05-0033 0A

RODAN AND FIELDS REVERSE BRIGHTENING DEFENSE BROAD SPECTRUM SPF 50 MINERAL SUNSCREEN

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-3001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	5.2 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	5.15 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
LEVOMENOL (UNII: 24WE03BX2T)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
SHEA BUTTER (UNII: K49155WL9Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
SOY PROTEIN (UNII: R44IWB3RN5)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: WW9CM0O67Z)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUPEROXIDE DISMUTASE (SACCHAROMYCES CEREVISIAE) (UNII: W2T4YRA9AD)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TROMETHAMINE (UNII: 023C2WHX2V)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-3001-1	1 in 1 CARTON	02/21/2025	
1		30 mL in 1 TUBE; Type 0: Not a Combination		

1		Product		
2	NDC:14222-3001-2	1 in 1 CARTON	02/21/2025	
2		7 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	02/21/2025	

Labeler - Rodan & Fields Beauty, LLC (051659584)