

**BIO CO-ENZYME PHASE- carduus marianus, ascorbicum acidum, cysteinum, natrum oxalaceticum, nicotinamidum, pulsatilla (pratensis), pyridoxinum hydrochloricum, riboflavinum, thiaminum hydrochloricum, alpha-ketoglutaricum acidum, alpha-lipoicum acidum, cerium oxalicum, citricum acidum, fumaricum acidum, magnesium oroticum dihydricum, malicum acidum, nadidum, natrum pyruvicum, pantothenic acid, succinicum acidum, adrenalinum, adenosinum triphosphoricum dinatrum, hepar sulphuris calcareum, sulphur, aconiticum acidum, cis-, liquid Deseret Biologicals, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

### **ACTIVE INGREDIENTS:**

Aconiticum Acidum, Cis 16X, Adenosinum Triphosphoricum Dinatrum 10X, Adrenalinum 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Alpha-Ketoglutaricum Acidum 8X, Alpha-Lipoicum Acidum 8X, Ascorbicum Acidum 6X, Barium Oxalsuccinicum 34C, Carduus Marianus 4X, Cerium Oxalicum 8X, Citricum Acidum 8X, Cysteinum 6X, Fumaricum Acidum 8X, Hepar Sulphuris Calcareum 10X, Magnesium Oroticum Dihydricum 8X, Malicum Acidum 8X, Manganum Phosphoricum 16X, Nadidum 8X, Natrum Oxalaceticum 6X, Natrum Pyruvicum 8X, Nicotinamidum 6X, Pantothenic Acid 8X, Proteus (Morgani) 30C, Pulsatilla (Pratensis) 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Succinicum Acidum 8X, Sulphur 10X, Thiaminum Hydrochloricum 6X.

### **PURPOSE:**

Aconiticum Acidum, Cis - Fatigue, Adenosinum Triphosphoricum Dinatrum - Weakness, Adrenalinum - Exhaustion, Alpha-Ketoglutaricum Acidum - Weakness, Alpha-Lipoicum Acidum - Fatigue, Ascorbicum Acidum - Exhaustion, Barium Oxalsuccinicum - Fatigue, Carduus Marianus - Exhaustion, Cerium Oxalicum - Fatigue, Citricum Acidum - Weakness, Cysteinum - Exhaustion, Fumaricum Acidum - Fatigue, Hepar Sulphuris Calcareum - Fatigue, Magnesium Oroticum Dihydricum - Weakness, Malicum Acidum - Exhaustion, Manganum Phosphoricum - Weakness, Nadidum - Exhaustion, Natrum Oxalaceticum - Fatigue, Natrum Pyruvicum - Exhaustion, Nicotinamidum - Fatigue, Pantothenic Acid - Fatigue, Proteus (Morgani) - Weakness, Pulsatilla (Pratensis) - Exhaustion, Pyridoxinum Hydrochloricum - Weakness, Riboflavinum - Fatigue, Succinicum Acidum - Weakness, Sulphur - Weakness, Thiaminum Hydrochloricum - Fatigue

### **USES:**

- For the temporary relief of symptoms including:
- exhaustion • fatigue • weakness

These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

**WARNINGS:**

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away.

**Tamper Evident:** Sealed for your protection. Do not use if seal is broken or missing.

**KEEP OUT OF REACH OF CHILDREN:**

In case of overdose, contact a physician or Poison Control Center right away.

**DIRECTIONS:**

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**INACTIVE INGREDIENTS:**

Demineralized water, 25% ethanol

**QUESTIONS:**

Dist. By: Deseret Biologicals, Inc.

469 W. Parkland Drive

Sandy, UT 84070

[www.desbio.com](http://www.desbio.com)

800-827-8204

**PACKAGE LABEL DISPLAY:**

**DesBio**

**Bio Co-Enzyme Phase**

**Homeopathic**

**NDC 43742-2054-1**

**1 FL OZ (30 ml)**



Deadener, No text

Drug Facts

(continued)

Uses

• For the temporary relief of symptoms including:  
• exhaustion • fatigue • weakness

Warnings

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, contact a physician or Poison Control Center right away.

Directions

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

Other information

These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

Inactive Ingredients

Demineralized water, 25% ethanol

Questions or Comments?

800-827-8204

Deadener, No text

Drug Facts

(continued)

Active Ingredients

Alpha-lipoic acid 8X.....Fatigue

Ascorbic acid 6X.....Exhaustion

Barium oxalsuccinicum 34C.....Fatigue

Cardus marianus 4X.....Exhaustion

Cerium oxalicum 8X.....Fatigue

Citricum acidum 8X.....Weakness

Cysteinum 6X.....Exhaustion

Fumaricum acidum 8X.....Fatigue

Hepar sulphuris calcareum 10X.....Fatigue

Magnesium oroticum dihydricum 8X.....Weakness

Malicum acidum 8X.....Exhaustion

Manganum phosphoricum 16X.....Weakness

Nadidum 8X.....Exhaustion

Natrum oxalaceticum 6X.....Fatigue

Natrum pyruvicum 8X.....Exhaustion

Nicotinamidum 6X.....Fatigue

Pantothenic acid 8X.....Fatigue

Proteus (morgani) 30C.....Weakness

Pulsatilla (pratensis) 6X.....Exhaustion

Pyridoxinum hydrochloricum 6X.....Weakness

Riboflavinum 6X.....Fatigue

Succinicum acidum 8X.....Weakness

Sulphur 10X.....Weakness

Thiaminum hydrochloricum 6X.....Fatigue

Continued on next side

BIO CO-ENZYME PHASE

Homeopathic

NDC 43742-2054-1

1 FL OZ (30 ml)

INACTIVE INGREDIENTS:  
DEMINERALIZED WATER,  
25% ETHANOL

Barcode

8 10151

QR Code

Tamper Evident Seal

your product is broken if seal is broken

Drug Facts

Active Ingredients

Aconiticum acidum, cis- 16X.....

Adenosinum triphosphoricum 10X.....

Adrenalinum 8X 12X 30X 200X 60C 200C.....

Alpha-ketoglutaricum acidum .....Continued on next side

Dist. By: Deseret Biologicals, Inc.

469 W. Parkland Drive

Sandy, UT 84070

www.desbio.

800-827-8204

PEEL HERE

carduus marianus, ascorbicum acidum, cysteinum, natrum oxalaceticum, nicotinamidum, pulsatilla (pratensis), pyridoxinum hydrochloricum, riboflavinum, thiaminum hydrochloricum, alpha-ketoglutaricum acidum, alpha-lipoicum acidum, cerium oxalicum, citricum acidum, fumaricum acidum, magnesium oroticum dihydricum, malicum acidum, nadidum, natrum pyruvicum, pantothenic acid, succinicum acidum, adrenalinum, adenosinum triphosphoricum dinatrum, hepar sulphuris calcareum, sulphur, aconiticum acidum, cis-, liquid

## Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:43742-2054 |
| <b>Route of Administration</b> | ORAL           |                           |                |

## Active Ingredient/Active Moiety

| Ingredient Name                                                                                     | Basis of Strength           | Strength            |
|-----------------------------------------------------------------------------------------------------|-----------------------------|---------------------|
| <b>MILK THISTLE</b> (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)                             | MILK THISTLE                | 4 [hp_X]<br>in 1 mL |
| <b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)                           | ASCORBIC ACID               | 6 [hp_X]<br>in 1 mL |
| <b>CYSTEINE</b> (UNII: K848JZ4886) (CYSTEINE - UNII:K848JZ4886)                                     | CYSTEINE                    | 6 [hp_X]<br>in 1 mL |
| <b>SODIUM DIETHYL OXALACETATE</b> (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)        | SODIUM DIETHYL OXALACETATE  | 6 [hp_X]<br>in 1 mL |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)                               | NIACINAMIDE                 | 6 [hp_X]<br>in 1 mL |
| <b>PULSATILLA PRATENSIS WHOLE</b> (UNII: 8E272251DI) (PULSATILLA PRATENSIS WHOLE - UNII:8E272251DI) | PULSATILLA PRATENSIS WHOLE  | 6 [hp_X]<br>in 1 mL |
| <b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)                   | PYRIDOXINE                  | 6 [hp_X]<br>in 1 mL |
| <b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)                                 | RIBOFLAVIN                  | 6 [hp_X]<br>in 1 mL |
| <b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)                   | THIAMINE HYDROCHLORIDE      | 6 [hp_X]<br>in 1 mL |
| <b>OXOGLURIC ACID</b> (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)              | OXOGLURIC ACID              | 8 [hp_X]<br>in 1 mL |
| <b>ALPHA LIPOIC ACID</b> (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)                 | ALPHA LIPOIC ACID           | 8 [hp_X]<br>in 1 mL |
| <b>CEROUS OXALATE NONAHYDRATE</b> (UNII: 0UV74P3R0J) (CEROUS CATION - UNII:72Q4U60JWM)              | CEROUS OXALATE NONAHYDRATE  | 8 [hp_X]<br>in 1 mL |
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)           | ANHYDROUS CITRIC ACID       | 8 [hp_X]<br>in 1 mL |
| <b>FUMARIC ACID</b> (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)                             | FUMARIC ACID                | 8 [hp_X]<br>in 1 mL |
| <b>MAGNESIUM OROTATE DIHYDRATE</b> (UNII: VQ922CRY87) (OROTIC ACID - UNII:61H4T033E5)               | MAGNESIUM OROTATE DIHYDRATE | 8 [hp_X]<br>in 1 mL |
| <b>MALIC ACID</b> (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)                                 | MALIC ACID                  | 8 [hp_X]<br>in 1 mL |
| <b>NADIDE</b> (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)                                         | NADIDE                      | 8 [hp_X]<br>in 1 mL |
| <b>SODIUM PYRUVATE</b> (UNII: POD38AIF08) (PYRUVIC ACID - UNII:8558G7RUTR)                          | SODIUM PYRUVATE             | 8 [hp_X]<br>in 1 mL |
| <b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737) (PANTOTHENIC ACID - UNII:19F5HK2737)                     | PANTOTHENIC ACID            | 8 [hp_X]<br>in 1 mL |
| <b>SUCCINIC ACID</b> (UNII: AB6MNQ6J6L) (SUCCINIC ACID - UNII:AB6MNQ6J6L)                           | SUCCINIC ACID               | 8 [hp_X]<br>in 1 mL |

|                                                                                                      |                                 |                      |
|------------------------------------------------------------------------------------------------------|---------------------------------|----------------------|
| <b>EPINEPHRINE</b> (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)                                | EPINEPHRINE                     | 8 [hp_X]<br>in 1 mL  |
| <b>ADENOSINE TRIPHOSPHATE DISODIUM</b> (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE) | ADENOSINE TRIPHOSPHATE DISODIUM | 10 [hp_X]<br>in 1 mL |
| <b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)                        | CALCIUM SULFIDE                 | 10 [hp_X]<br>in 1 mL |
| <b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)                                          | SULFUR                          | 10 [hp_X]<br>in 1 mL |
| <b>ACONITIC ACID</b> (UNII: 93371T1BXP) (ACONITIC ACID - UNII:93371T1BXP)                            | ACONITIC ACID                   | 16 [hp_X]<br>in 1 mL |
| <b>MANGANESE PHOSPHATE, DIBASIC</b> (UNII: VZ3U1H7Q5B) (MANGANOUS CATION - UNII:H6EP7W5457)          | MANGANESE PHOSPHATE, DIBASIC    | 16 [hp_X]<br>in 1 mL |
| <b>PROTEUS MORGANII</b> (UNII: 56X6LID5ZY) (PROTEUS MORGANII - UNII:56X6LID5ZY)                      | PROTEUS MORGANII                | 30 [hp_C]<br>in 1 mL |
| <b>BARIUM OXALOSUCCINATE</b> (UNII: L7A49804ZQ) (BARIUM CATION - UNII:V645272HLN)                    | BARIUM OXALOSUCCINATE           | 34 [hp_C]<br>in 1 mL |

### Inactive Ingredients

| Ingredient Name                   | Strength |
|-----------------------------------|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M) |          |

### Packaging

| # | Item Code        | Package Description                                           | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:43742-2054-1 | 30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | 05/05/2022           | 05/29/2029         |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|------------------------------------------|----------------------|--------------------|
| unapproved homeopathic |                                          | 05/05/2022           | 05/29/2029         |

**Labeler** - Deseret Biologicals, Inc. (940741853)

**Registrant** - Apotheca Company (844330915)

### Establishment

| Name             | Address | ID/FEI    | Business Operations                                                                          |
|------------------|---------|-----------|----------------------------------------------------------------------------------------------|
| Apotheca Company |         | 844330915 | manufacture(43742-2054) , api manufacture(43742-2054) , label(43742-2054) , pack(43742-2054) |